Introduction to NoSQL

INTRODUCTION TO NOSQL



Jake Roach
Data Engineer



Traditional relational data stores (RDBMS)

- Organize data in tables, using columns and rows
- Leverage SQL to manage and manipulate data
- Enforce integrity through constraints on databases and tables



What is NoSQL?

Definition: NoSQL stands for "not only SQL", and is a set of data storage tools and techniques that allows for structured, semistructured, and unstructured data to be stored and retrieved.

Characteristics:

- Allows for a wider range of data to be persisted and accessed
- More flexible with regards to schema, captures data as it changes
- Better scaling and performance
- Provides a new challenge for data professionals

NoSQL data stores

Tabular

title	pages	price
Data Analytics	528	28.60
R in Action	656	56.99
Practical SQL	464	27.99

- "Rectangular"
- Using columns and rows

Non-tabular

```
{
  "title": "Python for Data Analysis",
  "price": 53.99,
  ...
}
```

```
"weather": "sunny"
```

- Semi-structured format
- More flexible schema

NoSQL data stores

Column-oriented

A NoSQL data store that stores data by column, rather than row, and can be queried with SQL-like syntax. Allows for faster querying of data, especially when running analytical queries.

Use case: large, analytics datasets

Document

A NoSQL data store that leverages a more flexible schema, made up of documents that can have their own structure. Documents are typically stored in JSON format.

Use case: user-generated data, such as reviews





More NoSQL data stores

Key-value

A NoSQL data storage tool that stores data as a collection of key-value pairs, and are best used with simple data that is written and read at a high frequency.

Use case: IoT (Internet of Things) data, mobile applications

Graph

A NoSQL data store that persists data in a network of nodes and edges. In graph databases, each node represents an entity, and each edge represents a relationship between those entities.

Use case: social networks



Let's practice!

INTRODUCTION TO NOSQL



Tabular NoSQL data stores


INTRODUCTION TO NOSQL




Jake Roach
Data Engineer



Tabular data stores





Column-oriented databases:

- Store data in columns, rather than rows
- Allow for selective column read and retrieval
- Easier schema changes
- Better data compression, query performance



Querying a column-oriented database

title	pages	price
Data Analytics	528	28.60
R in Action	656	56.99
Practical SQL	464	27.99


title	pages	price
Data Analytics	528	28.60
R in Action	656	56.99
Practical SQL	464	27.99

```
SELECT
    title,
    price
FROM books
WHERE price < 50.00;</pre>
```

- SQL-like syntax
- Column-elimination and selective reads/retrieval
- Automatic data clustering

Query execution in column-oriented data stores

```
SELECT
    title,
    price
FROM books
WHERE price < 50.00;</pre>
```



This query executes by:

- Accessing price column, identify records with price < 50.00
- Retrieving corresponding values from title column

Later, we'll look at:

- Optimizing data loads and deletes
- Creating performant JOIN s
- Working with semi-structure data

Connecting to a Snowflake database

```
import snowflake.connector
conn = snowflake.connector.connect(
 user="<user>",
 password="<password>",
 account="<account_identifier>",
 database="<database_name>",
  schema="<schema_name>",
 warehouse="<warehouse_name>"
```

• The conn variable will be created for you, pre-exercise

Writing and executing Snowflake queries

```
# Build a query in a string (or multi-line string)
query =
SELECT
    title,
    price
FROM books
WHERE price < 50.00;
11 11 11
# Execute the query, print the results
results = conn.cursor().execute(query).fetch_pandas_all()
print(results)
```

Let's practice!

INTRODUCTION TO NOSQL



Non-tabular NoSQL data stores

INTRODUCTION TO NOSQL




Jake Roach
Data Engineer



Non-tabular NoSQL data stores







Document databases

Definition: A NoSQL data storage tool that stores data in a flexible, semi-structured format, made up of key-value, key-array, and key-object pairs (similar to JSON).



```
"title": "Python for Data Analysis",
"price": 53.99,
"topics": [
    "Data Science",
    "Data Analytics",
"author": {
    "first": "William"
}
```

Querying JSON data with Postgres JSON

```
books
"title": "Python ...",
"price": 53.99,
"author": {
    "first": "William",
    "last": "McKinney"
"title": "Robust ...",
"price": 32.99,
"author": {
    "first": "Patrick",
    "last": "Viafore"
```

```
SELECT
    books -> 'title' AS title,
    books -> 'price' AS price
FROM data_science_resources
WHERE
    books -> 'author' ->> 'last' = 'Viafore';
```

Resulting in the following output:

title	price
Robust Python	32.99

Connecting to a Postgres database

```
import sqlalchemy

# Create a connection string, and an engine
connection_string = "postgresql+psycopg2://<user>:<password>@<host>:<port>/<database>"
db_engine = sqlalchemy.create_engine(connection_string)
```

To create a connection to a Postgres database:

- Form a connection string
- Create an engine using sqlalchemy

Writing and executing Postgres JSON queries

```
import pandas as pd
# Build the query
query = """
    SELECT
        books -> 'title' AS title,
        books -> 'price' AS price
    FROM data_science_resources;
11 11 11
# Execute the query
result = pd.read_sql(query, db_engine)
print(result)
```

To write and execute a query:

- Build a query in a string
- Pass query and db_engine to the pd.read_sql() function
- Print the resulting DataFrame


Other non-tabular NoSQL data stores

Key-value

```
"name": "Jane Doe",
    "age": 25,
    "email": "jdoe@datacamp.com"
}
```

redis

Graph



Let's practice!

INTRODUCTION TO NOSQL

