

```
└─/m/
Last login: Fri Sep 11 10:17:22 2026 from 27.59.111.129
[ec2-user@ip-172-31-23-184 ~]$ hostname -I
ip -4 addr show
curl ifconfig.me
172.31.23.184
1: lo: <LOOPBACK,UP,LOWER_UP> mtu 65536 qdisc noqueue state UNKNOWN group default qlen 1000
    inet 127.0.0.1/8 scope host lo
        valid_lft forever preferred_lft forever
2: ens5: <BROADCAST,MULTICAST,UP,LOWER_UP> mtu 9001 qdisc mq state UP group default qlen 1000
    altname enp0s5
    altname eni-0c7e1a7d16aef31ca
    altname device-number-0.0
    inet 172.31.23.184/20 metric 512 brd 172.31.31.255 scope global dynamic ens5
        valid_lft 3547sec preferred_lft 3547sec
98.84.156.200[ec2-user@ip-172-31-23-184 ~]$ |
```

```
[ec2-user@ip-172-31-23-184 ~]$ ip link show
1: lo: <LOOPBACK,UP,LOWER_UP> mtu 65536 qdisc noqueue state UNKNOWN mode DEFAULT group default qlen 1000
    link/loopback 00:00:00:00:00:00 brd 00:00:00:00:00:00
2: ens5: <BROADCAST,MULTICAST,UP,LOWER_UP> mtu 9001 qdisc mq state UP mode DEFAULT group default qlen 1000
    link/ether 0a:ff:f6:46:06:8f brd ff:ff:ff:ff:ff:ff
    altname enp0s5
    altname eni-0c7e1a7d16aef31ca
    altname device-number-0.0
[ec2-user@ip-172-31-23-184 ~]$ |
```

```
[ec2-user@ip-172-31-23-184 ~]$ hostname -I
ip -4 addr show
curl ifconfig.me
172.31.23.184
1: lo: <LOOPBACK,UP,LOWER_UP> mtu 65536 qdisc noqueue state UNKNOWN group default qlen 1000
    inet 127.0.0.1/8 scope host lo
        valid_lft forever preferred_lft forever
2: ens5: <BROADCAST,MULTICAST,UP,LOWER_UP> mtu 9001 qdisc mq state UP group default qlen 1000
    altname enp0s5
    altname eni-0c7e1a7d16aef31ca
    altname device-number-0.0
    inet 172.31.23.184/20 metric 512 brd 172.31.31.255 scope global dynamic ens5
        valid_lft 3196sec preferred_lft 3196sec
18.207.128.64[ec2-user@ip-172-31-23-184 ~]$ |
```