

```
[ec2-user@ip-172-31-23-184 ~]$ ip -4 addr show
hostname -I
1: lo: <LOOPBACK,UP,LOWER_UP> mtu 65536 qdisc noqueue state UNKNOWN group default qlen 1000
    inet 127.0.0.1/8 scope host lo
        valid_lft forever preferred_lft forever
2: ens5: <BROADCAST,MULTICAST,UP,LOWER_UP> mtu 9001 qdisc mq state UP group default qlen 1000
    altnam enp0s5
    altnam eni-0c7e1a7d16aef31ca
    altnam device-number-0.0
    inet 172.31.23.184/20 metric 512 brd 172.31.31.255 scope global dynamic ens5
        valid_lft 2687sec preferred_lft 2687sec
172.31.23.184
[ec2-user@ip-172-31-23-184 ~]$
```

172.31.23.184

[ec2-user@ip-172-31-23-184 ~]\$ ip link show

1: **lo:** <LOOPBACK,UP,LOWER_UP> mtu 65536 qdisc noqueue state UNKNOWN mode DEFAULT group default qlen 1000
link/loopback **00:00:00:00:00:00** brd **00:00:00:00:00:00**

2: **ens5:** <BROADCAST,MULTICAST,UP,LOWER_UP> mtu 9001 qdisc mq state **UP** mode DEFAULT group default qlen 1000
link/ether **0a:ff:f6:46:06:8f** brd **ff:ff:ff:ff:ff:ff**

altname enp0s5

altname eni-0c7e1a7d16aef31ca

altname device-number-0.0

[ec2-user@ip-172-31-23-184 ~]\$ |

```
[ec2-user@ip-172-31-23-184 ~]$ ip link show
1: lo: <LOOPBACK,UP,LOWER_UP> mtu 65536 qdisc noqueue state UNKNOWN mode DEFAULT group default qlen 1000
    link/loopback 00:00:00:00:00:00 brd 00:00:00:00:00:00
2: ens5: <BROADCAST,MULTICAST,UP,LOWER_UP> mtu 9001 qdisc mq state UP mode DEFAULT group default qlen 1000
    link/ether 0a:ff:f6:46:06:8f brd ff:ff:ff:ff:ff:ff
    altname enp0s5
    altname eni-0c7e1a7d16aef31ca
    altname device-number-0.0
[ec2-user@ip-172-31-23-184 ~]$ ip route show
default via 172.31.16.1 dev ens5 proto dhcp src 172.31.23.184 metric 512
172.31.0.2 via 172.31.16.1 dev ens5 proto dhcp src 172.31.23.184 metric 512
172.31.16.0/20 dev ens5 proto kernel scope link src 172.31.23.184 metric 512
172.31.16.1 dev ens5 proto dhcp scope link src 172.31.23.184 metric 512
[ec2-user@ip-172-31-23-184 ~]$ |
```

```
[ec2-user@ip-172-31-23-184 ~]$ ping -c 4 8.8.8.8
curl -I https://www.google.com
PING 8.8.8.8 (8.8.8.8) 56(84) bytes of data.
64 bytes from 8.8.8.8: icmp_seq=1 ttl=117 time=0.999 ms
64 bytes from 8.8.8.8: icmp_seq=2 ttl=117 time=0.968 ms
64 bytes from 8.8.8.8: icmp_seq=3 ttl=117 time=0.984 ms
64 bytes from 8.8.8.8: icmp_seq=4 ttl=117 time=0.989 ms

--- 8.8.8.8 ping statistics ---
4 packets transmitted, 4 received, 0% packet loss, time 3003ms
rtt min/avg/max/mdev = 0.968/0.985/0.999/0.011 ms
HTTP/2 200
content-type: text/html; charset=ISO-8859-1
content-security-policy-report-only: object-src 'none';base-uri 'self';script-src 'nonce-w0HRjb9sIsFiNa7NG_ADQA' 'strict-dynamic' 'report-sample' 'unsafe-eval' 'unsafe-inli
ne' https: http:;report-uri https://csp.withgoogle.com/csp/gws/other-hp
accept-ch: Sec-CH-Prefers-Color-Scheme
p3p: CP="This is not a P3P policy! See g.co/p3phelp for more info."
date: Fri, 11 Sep 2026 11:11:47 GMT
server: gws
x-xss-protection: 0
x-frame-options: SAMEORIGIN
expires: Fri, 11 Sep 2026 11:11:47 GMT
cache-control: private
set-cookie: __Secure-STRP=ANmZwalwiwd6Awzew9uR63MzUde_vI5ax5aSJ99SKsiHuI8vrrovFwAFGA1rh-xrCOK5sZNWhKdYqhizcpo6T24veDxOg8C3QS5y; expires=Fri, 11-Sep-2026 11:16:47 GMT; path=
/; domain=.google.com; Secure; SameSite=strict
set-cookie: AEC=AdjVEatW9a_u0TueolB5pMxMy-paoyZiQFu7fsn1WMWtlv4CITnyDrcLur8; expires=Wed, 10-Mar-2027 11:11:47 GMT; path=/; domain=.google.com; Secure; HttpOnly; SameSite=1
ax
set-cookie: NID=CvoBCAESrAEBp2sxri7RytlC7N0dQE2XRY9j7UDtHnGjpKQqLe-kf9zESQgF3-HNqTEMA1DBFD_aTxTGdYbOkzARHbzUCD9o20kVXNO9Vpz417WoCGAQva9kT4MT26q8551crNr0ZBO0156qzz3-8hJvwO5R
0g-vzlw6nCJPMfcww3GP0WcEFT0vOk0bbaCWD2T30QoeiYSxypLARiljeSeRY8xtvjGZdeS0hCETwki6buHDKAEyRQEOK94Rjc0U6ktMjrY4ToxoA1b6VeQBgKtDWh88RQmsUcNJpfBKgDMxniLnCCOm4x872WopcW3zznEKniww
iUvxp3lPDg; expires=Sat, 13-Mar-2027 11:11:47 GMT; path=/; domain=.google.com; HttpOnly
alt-svc: h3=":443"; ma=2592000,h3-29=":443"; ma=2592000

[ec2-user@ip-172-31-23-184 ~]$ |
```

```
[ec2-user@ip-172-31-23-184 ~]$ sudo systemctl status nginx
● nginx.service - The nginx HTTP and reverse proxy server
   Loaded: loaded (/usr/lib/systemd/system/nginx.service; enabled; preset: disabled)
   Active: active (running) since Fri 2026-09-11 11:08:28 UTC; 4min 16s ago
 Main PID: 3103 (nginx)
    Tasks: 3 (limit: 1059)
   Memory: 3.4M
      CPU: 58ms
   CGroup: /system.slice/nginx.service
           └─3103 "nginx: master process /usr/sbin/nginx"
             └─3104 "nginx: worker process"
               └─3105 "nginx: worker process"
```

```
Sep 11 11:08:28 ip-172-31-23-184.ec2.internal systemd[1]: Starting nginx.service - The nginx HTTP and reverse proxy server...
Sep 11 11:08:28 ip-172-31-23-184.ec2.internal nginx[3101]: nginx: the configuration file /etc/nginx/nginx.conf syntax is ok
Sep 11 11:08:28 ip-172-31-23-184.ec2.internal nginx[3101]: nginx: configuration file /etc/nginx/nginx.conf test is successful
Sep 11 11:08:28 ip-172-31-23-184.ec2.internal systemd[1]: Started nginx.service - The nginx HTTP and reverse proxy server.
[ec2-user@ip-172-31-23-184 ~]$ |
```

```

[ec2-user@ip-172-31-23-184 ~]$ sudo ss -tulnp
Netid  State  Recv-Q  Send-Q           Local Address:Port      Peer Address:Port    Process
udp    UNCONN  0        0                127.0.0.1:323           0.0.0.0:*             users:("chronyd",pid=1894,fd=5))
udp    UNCONN  0        0          172.31.23.184%ens5:68  0.0.0.0:*             users:("systemd-network",pid=1709,fd=17))
udp    UNCONN  0        0                [::1]:323              [::]:*               users:("chronyd",pid=1894,fd=6))
udp    UNCONN  0        0    [fe80::8ff:f6ff:fe46:68f]%ens5:546 [::]:*               users:("systemd-network",pid=1709,fd=19))
tcp    LISTEN  0        128                0.0.0.0:22             0.0.0.0:*             users:("sshd",pid=1866,fd=7))
tcp    LISTEN  0        511                0.0.0.0:80             0.0.0.0:*             users:("nginx",pid=3105,fd=8),("nginx",pid=3104,fd=8),("nginx",pid=3103,fd=8))
tcp    LISTEN  0        128                [::]:22                [::]:*               users:("sshd",pid=1866,fd=8))
tcp    LISTEN  0        511                [::]:80                [::]:*               users:("nginx",pid=3105,fd=9),("nginx",pid=3104,fd=9),("nginx",pid=3103,fd=9))
[ec2-user@ip-172-31-23-184 ~]$
```



This site can't be reached

98.84.156.200 took too long to respond.

Try:

- Checking the connection
- Checking the proxy and the firewall

ERR_TIMED_OUT

[Details](#)[Reload](#)

Edit inbound rules [Info](#)

Inbound rules control the incoming traffic that's allowed to reach the instance.

Inbound rules [Info](#)

Security group rule ID

sgr-0d1fc85633596216d

Type [Info](#)

SSH

Protocol [Info](#)

TCP

Port range [Info](#)

22

Source [Info](#)

Custom



0.0.0.0/0



Description - optional [Info](#)

Delete

Add rule



Rules with source of 0.0.0.0/0 or ::/0 allow all IP addresses to access your instance. We recommend setting security group rules to allow access from known IP addresses only.



Cancel


Preview changes

Save rules

Inbound rules (2)

[Manage tags](#)[Edit inbound rules](#)**1**

☐	Name ▾	Security group rule ID ▾	IP version ▾	Type ▾	Protocol ▾	Port range ▾	Source ▾	Description
☐	–	sgr-0d1fc85633596216d	IPv4	SSH	TCP	22	0.0.0.0/0	–
☐	–	sgr-0fcd69012ec3b80ab	IPv4	HTTP	TCP	80	0.0.0.0/0	–





Welcome to nginx!

If you see this page, nginx is successfully installed and working. Further configuration is required for the web server, reverse proxy, API gateway, load balancer, content cache, or other features.

For online documentation and support please refer to nginx.org.
To engage with the community please visit community.nginx.org.
For enterprise grade support, professional services, additional security features and capabilities please refer to f5.com/nginx.

Thank you for using nginx.