AeroTrack Live : Global Flight Telemetry

4/8/2026 8:33:49 PM
Last_Update

11K
Total Airborne

0
Active Emergencies

401
High Speed Alerts

Flight Phase Distribution



Live Air Traffic Telemetry



Live Flight Feed (Actionable)

Callsign	Phase	Spe
	Cruising	
	Descending	
	Climbing	
TUG3225	Descending	
SVR321	Cruising	
	Grounded (At Airport)	
BOX722	Climbing	
QTR8359	Cruising	
JAL30	Cruising	
PGT1645	Cruising	
LOT1079	Cruising	
CAL068	Cruising	
QTR8938	Cruising	
ABY530	Cruising	
ANA838	Cruising	
SIA23	Cruising	
AXB1196	Cruising	
QQE765	Climbing	

Global_ATC _Live | Telemetry_ Analysis | Aero- Telemetry..

Flight Envelope: Altitude vs. Velocity Profile

Global_ATC _Live | Telemetry_ Analysis | Aero- Telemetry..



iconscout
Наталія Нестеренко

Top 10 Extreme Vertical Rates (m/s)



Flights by Airlines

Key Flight Parameters

- **Callsign:** The official alphanumeric identifier for a flight (e.g., AI101).
- **ICAO24:** A unique 24-bit hardware serial number assigned to every aircraft transponder, used to track planes even if the Callsign is unavailable.
- **Altitude (m):** The vertical height of the aircraft above sea level.
- **Velocity/Speed (m/s):** The current forward speed of the aircraft.
- **Vertical Rate (m/s):** The speed at which the plane is changing its altitude. A positive (+) number indicates climbing, and a negative (-) number indicates descending.
- **Squawk Code:** A 4-digit communication code sent to Air Traffic Control (ATC). Important codes: **7700** (General Emergency), **7600** (Radio Failure), **7500** (Hijacking).

How to Read the Telemetry Charts (Page 2):

- **Flight Envelope (Altitude vs. Speed):** Illustrates the aviation rule that aircraft must fly faster at higher altitudes to maintain lift. Outliers (e.g., extreme speeds at low altitudes) indicate anomalies.
- **Vertical Extremes (Combo Chart):** Highlights the Top 10 aircraft with the most extreme climb or drop rates. A high drop rate combined with a high cruising altitude acts as an early warning for potential freefall or cabin depressurization.
- **Airlines by Traffic:** Identifies current airspace dominance and congestion by operator, aiding in runway management.