```
Offset[Len]   Field Name and Description                         Data Type

RECORD HMBF


0     [164]

0     [30]    hmbf^key

0     [4]     hmbf^key.fiid.byte[0:3]
                               [FIID]                            PIC X(4).

4     [16]    hmbf^key.category^nam.byte[0:15]                  PIC X(16).

20    [10]    hmbf^key.id      [MAILID]

20    [6]     hmbf^key.id.msg^dat.byte[0:5]                      PIC 9(6).

26    [4]     hmbf^key.id.msg^id.byte[0:3]                       PIC 9(4).

30    [28]    hmbf^altkey

30    [4]     hmbf^altkey.fiid.byte[0:3]
                               [FIID]                            PIC X(4).

34    [16]    hmbf^altkey.category^nam.byte[0:15]               PIC X(16).

50    [8]     hmbf^altkey.latest^id
                               [LATEST-REC-ID]

50    [4]     hmbf^altkey.latest^id.neg^msg^dat
                                                  TYPE BINARY 32 SIGNED.

54    [4]     hmbf^altkey.latest^id.neg^msg^id  TYPE BINARY 32 SIGNED.

58    [16]    msg^source^nam.byte[0:15]                         PIC X(16).

74    [1]     resp^req                                           PIC 9(1).

75    [1]     delivery^mde                                       PIC 9(1).

76    [5]     invoice^num.byte[0:4]
                               [INVOICE-NUM]                     PIC 9(5).

81    [10]    exp^stmp         [EXP-STMP]

81    [6]     exp^stmp.dat.byte[0:5]                             PIC 9(6).

87    [4]     exp^stmp.tim.byte[0:3]                             PIC 9(4).

91    [4]     timstp.byte[0:3]                                   PIC 9(4).

95    [11]    aft^stmp         [AFT-STMP]

95    [1]     aft^stmp.pickup^stat                               PIC 9(1).
```

Offset	[Len]	Field Name and Description	Data Type
96	[6]	aft^stmp.pickup^dat.byte[0:5]	PIC 9(6).
102	[4]	aft^stmp.pickup^tim.byte[0:3]	PIC 9(4).
106	[30]	msg^txt^id	
106	[4]	msg^txt^id.fiid^owner^id.byte[0:3]	PIC X(4).
110	[16]	msg^txt^id.category^nam.byte[0:15]	PIC X(16).
126	[10]	msg^txt^id.id [MAILID]	
126	[6]	msg^txt^id.id.msg^dat.byte[0:5]	PIC 9(6).
132	[4]	msg^txt^id.id.msg^id.byte[0:3]	PIC 9(4).
136	[10]	last^tran [LAST-TRAN]	
		This field occurs in every record which is updated by the on-line system to ensure against multiple or incomplete updates due to process failure and restart.	
136	[6]	last^tran.lt^timestamp[0:2]	TYPE BINARY 16 SIGNED.
		The date and time the last transaction accessed the record.	
142	[2]	last^tran.nonstop^id	TYPE BINARY 16 SIGNED.
		This field is zero filled.	
144	[2]	last^tran.pro^num	TYPE BINARY 16 SIGNED.
		The number of the last process to access this record, as assigned in the Network Environment File (NEF).	
146	[18]	last^fm [LAST-FM]	
		This field describes the last on-line file maintenance update applied to this record. This includes the user who did the update, the time at which it was done, the type of update and the terminal originating the update transaction.	
146	[6]	last^fm.fm^timestamp[0:2]	TYPE BINARY 16 SIGNED.

```
Offset[Len]   Field Name and Description                         Data Type


              The date and time of the last file maintenence
              application.


152   [2]     last^fm.fm^user^grp                TYPE BINARY 16 SIGNED.

              The group number of the operator that performed the last
              file maintenance application.  This value is taken from
              the information given when the operator last logged on
              to BASE24.


154   [4]     last^fm.fm^user^num                TYPE BINARY 32 SIGNED.

              The user number of the operator that performed the last
              file maintenance application.  This value is taken from
              the information given when the operator last logged on
              to BASE24.


158   [1]     last^fm.updt^typ                             PIC X(1).


              The type of file maintenance that was last applied to
              the record.  Valid values are:

              A =  Add
              B =  Change "before" image
              C =  Change "after" image
              D =  Delete
              S =  Logon security check
              O =  Entry into operator functions

159   [4]     last^fm.sta^num.byte[0:3]                    PIC X(4).


              This field is not used.


163   [1]     last^fm.fill1                                PIC X(1).

              END   [size   164]
```

Offset	[Len]	Field Name and Description		Data Type
RECORD MBF				
0	[222]			
0	[42]	mbf^key		
0	[16]	mbf^key.term^nam.byte[0:15]		PIC X(16).
16	[16]	mbf^key.category^nam.byte[0:15]		PIC X(16).
32	[10]	mbf^key.id	[MAILID]	
32	[6]	mbf^key.id.msg^dat.byte[0:5]		PIC 9(6).
38	[4]	mbf^key.id.msg^id.byte[0:3]		PIC 9(4).
42	[40]	mbf^altkey		
42	[16]	mbf^altkey.term^nam.byte[0:15]		PIC X(16).
58	[16]	mbf^altkey.category^nam.byte[0:15]		PIC X(16).
74	[8]	mbf^altkey.latest^id	[LATEST-REC-ID]	
74	[4]	mbf^altkey.latest^id.neg^msg^dat		TYPE BINARY 32 SIGNED.
78	[4]	mbf^altkey.latest^id.neg^msg^id		TYPE BINARY 32 SIGNED.
82	[4]	timstp.byte[0:3]		PIC 9(4).
86	[4]	fiid.byte[0:3]	[FIID]	PIC X(4).
90	[16]	broadcast^nam.byte[0:15]		PIC X(16).
106	[1]	delivery^stat		PIC 9(1).
107	[10]	certify^stmp	[CERTIFY-STMP]	
107	[6]	certify^stmp.delivery^dat.byte[0:5]		PIC 9(6).
113	[4]	certify^stmp.delivery^tim.byte[0:3]		PIC 9(4).
117	[16]	msg^source^nam.byte[0:15]		PIC X(16).
133	[1]	msg^source^typ		PIC X(1).
134	[5]	invoice^num.byte[0:4]	[INVOICE-NUM]	PIC 9(5).
139	[1]	resp^req		PIC 9(1).
140	[1]	stored^mde		PIC 9(1).

```
Offset[Len]   Field Name and Description                        Data Type


141   [10]    exp^stmp         [EXP-STMP]

141   [6]     exp^stmp.dat.byte[0:5]                             PIC 9(6).

147   [4]     exp^stmp.tim.byte[0:3]                             PIC 9(4).

151   [42]    msg^txt^id

151   [16]    msg^txt^id.term^owner^id.byte[0:15]               PIC X(16).

167   [16]    msg^txt^id.category^nam.byte[0:15]                PIC X(16).

183   [10]    msg^txt^id.id    [MAILID]

183   [6]     msg^txt^id.id.msg^dat.byte[0:5]                    PIC 9(6).

189   [4]     msg^txt^id.id.msg^id.byte[0:3]                     PIC 9(4).

193   [1]     filler                                             PIC X(1).

194   [10]    last^tran        [LAST-TRAN]

              This field occurs in every record which is
              updated by the on-line system to ensure
              against multiple or incomplete updates due to
              process failure and restart.


194   [6]     last^tran.lt^timestamp[0:2]       TYPE BINARY 16 SIGNED.


              The date and time the last transaction accessed the
              record.


200   [2]     last^tran.nonstop^id              TYPE BINARY 16 SIGNED.


              This field is zero filled.


202   [2]     last^tran.pro^num                 TYPE BINARY 16 SIGNED.


              The number of the last process to access this record,
              as assigned in the Network Environment File (NEF).


204   [18]    last^fm          [LAST-FM]

              This field describes the last on-line file maintenance
              update applied to this record.  This includes the user
              who did the update, the time at which it was done, the
```

```
Offset[Len]   Field Name and Description                      Data Type

              type of update and the terminal originating the update
              transaction.


204   [6]     last^fm.fm^timestamp[0:2]         TYPE BINARY 16 SIGNED.


              The date and time of the last file maintenence
              application.


210   [2]     last^fm.fm^user^grp               TYPE BINARY 16 SIGNED.

              The group number of the operator that performed the last
              file maintenance application.  This value is taken from
              the information given when the operator last logged on
              to BASE24.


212   [4]     last^fm.fm^user^num               TYPE BINARY 32 SIGNED.

              The user number of the operator that performed the last
              file maintenance application.  This value is taken from
              the information given when the operator last logged on
              to BASE24.


216   [1]     last^fm.updt^typ                               PIC X(1).


              The type of file maintenance that was last applied to
              the record.  Valid values are:

              A =  Add
              B =  Change "before" image
              C =  Change "after" image
              D =  Delete
              S =  Logon security check
              O =  Entry into operator functions

217   [4]     last^fm.sta^num.byte[0:3]                      PIC X(4).


              This field is not used.


221   [1]     last^fm.fill1                                  PIC X(1).

              END   [size   222]
```