Offset[Len]   Field Name and Description   Data Type

RECORD PRDF

The POS Retailer Definition File (PRDF) contains one record for each retailer participating in the BASE24-pos system. Each record contains information about the retailer which is used by the system to validate POS transactions.

The following information is included in each record: settlement parameters, cutover times, card types accepted by the retailer, services offered by the retailer, whether credit card transactions are checked against the national negative card files before being routed to an interchange, and the types of reports to be created for the retailer.

The PRDF also contains two fields that are used exclusively by financial institutions that have incorporated BASE24-pos CRT Authorization into their facility. These are the DEBIT-SUPPORT-FLG and the DFT-CAPTURE-FLG.

The following pages describe the fields included in a PRDF record.

LCONF ASSIGN: POS-PRDF

0   [1906]

0   [31]   rkey

0   [4]   rkey.fiid.byte[0:3]
                  [FIID]   PIC X(4).

The FIID, as defined in the Institution Definition File (IDF), of the financial institution with which this retailer is associated. The FIID is an identifier that must be unique within the logical network.

4   [4]   rkey.grp.byte[0:3]   PIC X(4).

The retailer group to which this retailer belongs. The value in this field is optionally used to group retailers for reporting purposes. When used, this value must match the value in the TERM-OWNER.RETAILER-GRP field in the PTDF records for this retailer's terminals.

Offset	[Len]	Field Name and Description	Data Type
8	[4]	rkey.regn.byte[0:3] [REGN]	PIC X(4).

The region group to which this retailer belongs. The value in this field is optionally used to group retailers by region for reporting purposes. When used, this value must match the value in the TERM-OWNER.RETAILER-REGN field in the PTDF records for this retailer’s terminals.

12	[19]	rkey.retailer^id.byte[0:18]	PIC X(19).

A unique identifier, retailer ID, used to represent this retailer throughout the BASE24 system. This identifier is to a retailer what an FIID is to an institution. The value in this field is the primary key to this file.

31	[244]	retailer	

The values in the following fields are used to further define the retailer and the environment in which the retailer operates.

31	[40]	retailer.name.byte[0:39]	PIC X(40).

The name of the retailer defined in this record.

71	[25]	retailer.addr.byte[0:24]	PIC X(25).

The address of the retailer defined in this record.

96	[25]	retailer.addr^ext.byte[0:24]	PIC X(25).

The second line of the address of the retailer defined in this record.

121	[18]	retailer.city.byte[0:17]	PIC X(18).

The city in which the retailer defined in this record

```
Offset[Len]   Field Name and Description                     Data Type

              is located.

139   [3]     retailer.cnty.byte[0:2]                        PIC X(3).

              The county in which the retailer defined in this record
              is located.

142   [10]    retailer.postal^cde.byte[0:9]                 PIC X(10).

              The postal ZIP code corresponding to the location of
              the retailer defined in this record.

152   [2]     retailer.user^fld2.byte[0:1]                   PIC X(2).

              Reserved for future use.

154   [3]     retailer.st.byte[0:2]                          PIC X(3).

              The state in which the retailer defined in this record
              is located.

157   [2]     retailer.cntry.byte[0:1]                       PIC X(2).

              The country in which the retailer defined in this
              record is located.

159   [11]    retailer.rttn.byte[0:10]
                               [ID-NUM]                     PIC 9(11).

              The Route Transit Number, transit/routing number, or
              issuer identification number of the retailer defined in
              this record.  This field is currently not used.

170   [2]     retailer.user^fld1.byte[0:1]                   PIC X(2).

              Reserved for future use.

172   [19]    retailer.acct    [ACCT]
```

Offset	[Len]	Field Name and Description	Data Type
		The account number at the retailer's financial institution for the retailer defined in this record.	
172	[19]	retailer.acct.acct^num.byte[0:18]	PIC X(19).
191	[20]	retailer.phone.byte[0:19] [PHONE-NUM]	PIC X(20).
		The telephone number of the retailer defined in this record.	
211	[20]	retailer.aft^hrs^phone.byte[0:19] [PHONE-NUM]	PIC X(20).
		The after-hours telephone number of the retailer defined in this record.	
231	[10]	retailer.srv^est^num.byte[0:9]	PIC 9(10).
		The service establishment number assigned by American Express to the retailer defined in this record. This field is currently not used.	
241	[4]	retailer.sic^cde.byte[0:3]	PIC 9(4).
		The Standard Industrial Classification (SIC) code indicating the retailer's line of business. This code pertains to all transactions other than mail/phone order transactions.	
245	[20]	retailer.rfrl^phone.byte[0:19] [PHONE-NUM]	PIC X(20).
		The telephone number used by the retailer to call in referral authorization requests. These referral calls are received by a CRT operator who incorporates the BASE24-pos CRT Authorization facility to approve or deny the transaction requests.	
265	[10]	retailer.ach^company^id.byte[0:9]	PIC X(10).

Offset[Len]	Field Name and Description	Data Type
	Information that may be required for Automated Clearinghouse (ACH) processing of transactions from this retailer. Any information entered in this field is merely passed along by BASE24-pos; it in no way affects BASE24-pos processing.	
275 [1]	debit^support^flg	PIC X(1).
	A code used to determine whether transactions can be performed through BASE24-pos CRT Authorization using debit cards. The value in this field is used exclusively with BASE24-pos CRT Authorization. Valid values are: N = No, do not support transactions performed with debit cards through CRT Authorization. Y = Yes, support transactions performed with debit cards through CRT Authorization.	
276 [4]	pre^post^dat	TYPE BINARY 32 SIGNED.
	The retailer’s previous reporting (posting) date (YYMMDD).	
280 [4]	cur^post^dat	TYPE BINARY 32 SIGNED.
	The retailer’s current reporting (posting) date (YYMMDD).	
284 [4]	nxt^post^dat	TYPE BINARY 32 SIGNED.
	The retailer’s next reporting (posting) date (YYMMDD).	
288 [2]	retailer^bal^and^cutvr^strt	TYPE BINARY 16 SIGNED.
	The POS balancing and settlement window start time (HHMM) for the retailer.	
290 [2]	retailer^bal^and^cutvr^end	TYPE BINARY 16 SIGNED.
	The POS balancing and settlement window end time (HHMM) for the retailer.	

Offset	[Len]	Field Name and Description	Data Type
292	[1]	retailer^prog	PIC X(1).

A code identifying the retailer program(s) in which this retailer participates. Valid values are:

A = AID (MasterCard)
B = TIRF & AID
N = Non-dial
R = Regular (default)
T = TIRF (VISA)
W = Pre-existing qualified Interlink supermarket
X = Pre-existing Interlink merchant
Y = Qualified Interlink supermarket
Z = All programs
0 = No program

293	[1]	setl	PIC 9(1).

A code identifying the method by which the retailer settles transactions. Valid values are:

0 = Paper
1 = Draft capture by card type (default)

294	[11]	chk^rtg^grp.byte[0:10]	PIC X(11).

The routing group to which check guarantee/verification transactions belong. BASE24-pos Router uses this value instead of the retailer ID when searching for the appropriate Authorization Selection Table (AST) record to route check guarantee/verification transactions.

305	[15]	chk^mrchnt^id.byte[0:14]	PIC X(15).

The ID by which the check acceptance vendor refers to the merchant.

320	[14]	user^fld6.byte[0:13]	PIC X(14).

Reserved for future use.

334	[10]	last^tran [LAST-TRAN]	

```
Offset[Len]   Field Name and Description                  Data Type


              This field occurs in every record which is
              updated by the on-line system to ensure
              against multiple or incomplete updates due to
              process failure and restart.


334   [6]     last^tran.lt^timestamp[0:2]       TYPE BINARY 16 SIGNED.


              The date and time the last transaction accessed the
              record.


340   [2]     last^tran.nonstop^id              TYPE BINARY 16 SIGNED.


              This field is zero filled.


342   [2]     last^tran.pro^num                 TYPE BINARY 16 SIGNED.


              The number of the last process to access this record,
              as assigned in the Network Environment File (NEF).


344   [18]    last^fm          [LAST-FM]

              This field describes the last on-line file maintenance
              update applied to this record.  This includes the user
              who did the update, the time at which it was done, the
              type of update and the terminal originating the update
              transaction.


344   [6]     last^fm.fm^timestamp[0:2]         TYPE BINARY 16 SIGNED.


              The date and time of the last file maintenence
              application.


350   [2]     last^fm.fm^user^grp               TYPE BINARY 16 SIGNED.

              The group number of the operator that performed the last
              file maintenance application.  This value is taken from
              the information given when the operator last logged on
              to BASE24.


352   [4]     last^fm.fm^user^num               TYPE BINARY 32 SIGNED.

              The user number of the operator that performed the last
```

Offset[Len]		Field Name and Description	Data Type
		file maintenance application. This value is taken from the information given when the operator last logged on to BASE24.	
356	[1]	last^fm.updt^typ	PIC X(1).
		The type of file maintenance that was last applied to the record. Valid values are: A = Add B = Change "before" image C = Change "after" image D = Delete S = Logon security check O = Entry into operator functions	
357	[4]	last^fm.sta^num.byte[0:3]	PIC X(4).
		This field is not used.	
361	[1]	last^fm.fill1	PIC X(1).
362	[20]	merch^activity^rpt	
		The values in the following three fields define the parameters used to generate the Daily Merchant Activity Report for this retailer.	
362	[16]	merch^activity^rpt.prnt^loc.byte[0:15]	PIC X(16).
		The printer location where the Daily Merchant Activity Reports for this retailer are to be printed. This field must contain a valid Tandem system and Spooler location name (for example, \ACI2.$S.#LP). The default value is $S.#RETL.	
378	[1]	merch^activity^rpt.rpt^creation^flg	PIC X(1).
		A flag indicating the type of reports to generate. Valid values are: 0 = Full reports (default value) 1 = Full reports--print totals separately 2 = Totals only 3 = No report	

```
Offset[Len]   Field Name and Description                       Data Type


379   [3]     merch^activity^rpt.periodic^file^ret.byte[0:2]
                                                               PIC X(3).

              The number of days to retain historical data in the POS
              Retailer Reporting File (PRRF) for this retailer for
              the purpose of periodic report generation.  Valid
              values are 0 through 999.  The default value is 7.


382   [4]     mail^po^sic^cde.byte[0:3]                        PIC 9(4).

              Standard Industrial Classification (SIC) code for
              Mail/Phone Order transactions.


386   [9]     user^fld4.byte[0:8]                              PIC X(9).

              Reserved for future use.


395   [1]     chk^provider                                     PIC X(1).

              A code which identifies the entity that guarantees the
              funds for a check guarantee/verification transaction
              (e.g., TeleCredit, TeleCheck, etc.).  Valid values are:
              0 = None
              1 = TeleCheck
              2 = TeleCredit, LA
              3 = TeleCredit, Tampa
              4 = JBS


396   [16]    rtlr^txn^prfl.byte[0:15]
                                 [PRFL]                       PIC X(16).

              This defines a general profile.  A profile is an
              identifier used to define a specific configuration
              (e.g., transaction profile, retailer profile).  Left
              justified, blank filled, no embedded spaces.


412   [16]    acq^txn^prfl.byte[0:15]
                                 [PRFL]                       PIC X(16).

              This defines a general profile.  A profile is an
              identifier used to define a specific configuration
              (e.g., transaction profile, retailer profile).  Left
              justified, blank filled, no embedded spaces.
```

Offset[Len]		Field Name and Description	Data Type
428	[16]	user^fld3.byte[0:15] Reserved for future use.	PIC X(16).
444	[2]	num^srv The number of services supported by this retailer.	TYPE BINARY 16 UNSIGNED.
446	[2]	num^alt^mrchnt The number of alternate merchant ids in the SRV-INFO struct.	TYPE BINARY 16 SIGNED.
448	[16]	ast^prfl.byte[0:15] [PRFL] This defines a general profile. A profile is an identifier used to define a specific configuration (e.g., transaction profile, retailer profile). Left justified, blank filled, no embedded spaces.	PIC X(16).
464	[1]	emv^capable Indicates whether the retailer is EMV capable. Valid values are: Y = Yes, the retailer is EMV capable. N = No, the retailer is not EMV capable.	PIC X(1).
465	[1]	srv^est^num^chk Indicates whether the additional validation (including check digit verification) should be performed on the AMEX Service Establishment Number. Valid values are: Y = Yes, perform additional validation. N = No, do not perform additional validation.	PIC X(1).
466	[1]	emv^delayed^auth^sppt Indicates whether the retailer supports EMV delayed authorizations. Valid values are: Y = Yes, the retailer supports delayed authorizations. N = No, the retailer does not support delayed auths.	PIC X(1).
467	[1]	auth^partial^amt	PIC X(1).

```
Offset[Len]   Field Name and Description                        Data Type


              Specifies whether the retailer allows partial
              authorizations for all transaction types, only for
              transactions not involving cash, or not for any
              transactions.
              0 = Not Allowed
              1 = Lesser Allowed
              2 = Non-Cash Only

468   [46]    user^fld^aci.byte[0:45]                         PIC X(46).

              USER-FLD-ACI is reserved for future BASE24 product use
              only.  The designation of "product use only" provides
              ACI with the ability to deplete the number of bytes
              available within USER-FLD-ACI as product enhancements
              are introduced.  When product enhancements require the
              addition of new fields within this file, the procedure
              to be followed is to deplete bytes from USER-FLD-ACI
              and use that number of bytes to define new fields.  The
              new field definition(s) should precede the USER-FLD-ACI
              field.

514   [50]    user^fld^regn.byte[0:49]                        PIC X(50).

              USER-FLD-REGN is reserved for ACI regional use only.
              Only ACI regions are allowed to use USER-FLD-REGN
              space.

564   [50]    user^fld^cust.byte[0:49]                        PIC X(50).

              USER-FLD-CUST is reserved for customer use only.
              Only customers are allowed to use USER-FLD-CUST
              space.

614   [2]     srv^info^lgth                   TYPE BINARY 16 UNSIGNED.


              The length of the information in the SRV-INFO struct.


616   [1290]  srv^info


              For each service provided by this retailer, the
              following fields contain parameters which determine
              how transactions are to be handled.

              SRV-INFO consists of the following fields:

              TYP:                   PIC XX.

              One- or two-character codes are used to identify card
              types in files throughout BASE24.  The same codes must
              be used for a particular card type in all of the files.
```

Offset[Len] Field Name and Description Data Type

These codes are also used to identify service types in BASE24-pos. Codes used in this field are either reserved by BASE24 or user-defined. Reserved codes are to be used only as defined, and include:

```
AD = Administrative (BASE24-atm only)
AX = American Express credit
BD = Business deposit (BASE24-atm and BASE24-teller
     only)
C* = Private label credit (includes C, C0-C9, CA, and
     CC-CZ)
CB = Carte Blanche credit
D  = Demonstration (BASE24-atm only)
DC = Diners Club credit
DS = Discover (Sears) credit
M  = MasterCard credit
MD = MasterCard debit (See BASE24-pos note below)
MM = MasterCard dual (See BASE24-pos note below)
P* = Proprietary debit (includes P, P0-P9, and PA-PZ)
SC = Special, Check (BASE24-pos only)
SP = Special purpose (BASE24-atm Self-Service Banking
     Check Application only)
ST = Super teller (BASE24-atm Self-Service Banking Base
     Application only)
V  = VISA credit
VD = VISA debit (See BASE24-pos note below)
VV = VISA dual (See BASE24-pos note below)
```

Codes with a first character of C, except code CB, are recommended to identify private label credit cards.

Codes with a first character of P are required to identify proprietary debit cards. BASE24 treats cards with proprietary debit codes and codes MD and VD as debit cards and treats cards with all other codes as credit cards.

Administrative (AD), Business deposit (BD), Demonstration (D), Special purpose (SP), and Super teller (ST) are special-use card types used by BASE24-atm.

Business deposit (BD) is also a special-use card type used by BASE24-teller to identify cards that can only be used to initiate deposit transactions. BASE24-teller does not perform any other processing based on card type; however, BASE24 guidelines should still be used when establishing card types for BASE24-teller.

MasterCard dual (MM) and VISA dual (VV) can be processed as debit or credit card types, based on the default combo card type specified in the CPF.

Offset[Len]   Field Name and Description   Data Type

Special, Check (SC) is a special-use card type used to initiate BASE24-pos check guarantee and check verification transactions only.

BASE24-pos NOTE: BASE24-pos does not allow MasterCard debit (MD), MasterCard dual (MM), VISA debit (VD), or VISA dual (VV) card types in the PRDF and PTDF. BASE24-pos automatically includes the MD and MM card types with the MasterCard credit (M) card type, and automatically includes the VD and VV card types with the VISA credit (V) card type.

User-defined Codes: The user can add any one- or two-character code not included in the reserved code list above, according to the following guidelines:

- o The first character must be alphabetic (A, B, D-O, and Q-Z).
- o The second character can be A-Z, 0-9, or a blank.
- o A valid COBNAMES table entry is recommended for each user-defined code.

DFT-CAPTURE-FLG: PIC X.

The default draft capture value used for transactions being performed through BASE24-pos CRT Authorization. If a CRT authorization operator does not enter a value in the DRAFT CAPTURE field on the Online Transaction (OLT) screen, the value in this field is used to determine whether draft capture is being used with the transaction for this retailer. The value in this field is used exclusively for transactions being performed through BASE24-pos CRT Authorization. Valid values are:

0 = Authorize only
1 = Authorize and capture

USER-FLD5:   PIC X.

HIT-NNEG: TYPE BINARY 16.

A code indicating whether transactions associated with this service type should be checked against the appropriate national negative file prior to being sent to the primary destination specified in the Authorization Selection File (AST) for further authorization.

0 = Do not access national negative file.
1 = Access national negative file prior to forwarding
    to authorization destination.

```
Offset[Len]   Field Name and Description                      Data Type

              OVERRIDE-DEST:        PIC X(16).

              An authorization destination that overrides the primary
              authorization destinations established in the
              Authorization Selection Table File (AST) for this
              retailer and service type.  Valid values are:

              o  Symbolic name of the destination process.

              o  NEGN = National negative file using online floor
                 limits.

              o  NEGF = National negative file using offline floor
                 limits.

              TRAN-LMT:             TYPE BINARY 32.

              The transaction amount limit, in whole currency units,
              for this retailer.  Transactions for amounts exceeding
              this limit are denied.  This limit does not apply to
              cards with VIP status.  If a value greater than zero is
              specified in the SRV.TRAN-LMT field of the POS Terminal
              Data File (PTDF) as well as this field, the lower of
              the two values is used as the limit.  If this field
              contains zeros, the SRV.TRAN-LMT field in the PTDF is
              used (and vice-versa).  If the SRV.TRAN-LMT fields in
              both the PRDF and PTDF contain zeros, no limit is
              checked.

              ALT-MRCHNT-IDX:       TYPE BINARY 16.

              Identifies which occurrence of the ALT-MRCHNT-ID field
              pertains to this service type.


              Following all of the services (which contain each of
              the fields above) is:

              ALT-MRCHNT-ID          PIC X(15) OCCURS 0 to 30 TIMES.

              The retailers' alternate merchant id for the specified
              service.  The number of alternate merchant id numbers
              depends on the number of services and which services
              have alternate merchant id numbers (see ALT-MRCHNT-IDX
              above).

616   [1290]  srv^info.srv^info^data[0:1289]                  PIC X(1).
                               [OCCURS DEPENDING ON SRV^INFO^LGTH]

              END   [size  1906]
```

Offset[Len]   Field Name and Description   Data Type

RECORD PTLF

0   [988]

0   [172]   head   [HEAD]

The POS Transaction Log File (PTLF) contains a record of each financial transaction (approved or denied) processed by BASE24-pos for a single processing day. Transactions declined by a Device Handler (for example, bad format), are typically not posted to the PTLF. It also contains settlement records for each POS terminal in the system. This file is an audit record at the transaction level of the system's processing and is extracted daily to provide detailed transaction data for processing by a host.

Records are written to the PTLF sequentially, and two PTLFs are always accessible to the system for logging: the current day's PTLF and the next day's PTLF. Which PTLF a transaction posts to is based on the transaction's PTDF posting date. This is derived from the current business date of the terminal at which the transaction originated. Use of two PTLFs allows BASE24-pos terminals to be cut over at different times. As terminals are cut over, transactions from those terminals begin posting to the next day's PTLF; transactions from terminals that have not been cut over for the day continue to post to the current day's PTLF.

When network settlement occurs, a new PTLF is created and the current day's PTLF is closed to the online system. At that time, the current day's PTLF is available for reporting and extract processing.

LCONF ASSIGN: POS-PTLF

PTLF RECORD STRUCTURE
There are five formats used in writing PTLF records.
o Financial Transaction (PTLF)
o Settlement Totals (PTLF-SET-REC)
o Clerk Totals (PTLF-CLERK-TOT)
o First Services (PTLF-SRVCS-1)
o Second Services (PTLF-SRVCS-2)

The values contained in the HEAD.REC-TYP and HEAD.TKEY.RKEY.REC-FRMT fields identify the type of information contained in the PTLF record. The various value combinations and the resulting record format and contents include:

REC-TYP REC-FRMT RECORD FORMAT AND CONTENTS

Offset[Len] Field Name and Description Data Type

00	-	Initial
01	5	Financial Transaction--Customer
04	0	Settlement Totals--Batch
04	1	Settlement Totals--Shift
04	2	Settlement Totals--Daily
04	3	Settlement Totals--Network
04	4	Clerk Totals
04	8	Second Services
04	9	First Services
20	5	Financial Transaction--Exception (posted)
21	5	Financial Transaction--Exception (not posted)
22	5	Financial Transaction--Exception (partially posted)
23	5	Financial Transaction--Exception (invalid data)

The following fields are included in each record written to the PTLF.

0 [8] head.dat^tim TYPE BINARY 64 SIGNED.

The date and time the record was logged. The value in this field is generated via a call to Tandem's JULIANTIMESTAMP utility.

8 [2] head.rec^typ.byte[0:1] PIC X(2).

A code indicating the type of record. The Authorization logic sets the value in this field when the record is logged. Valid values are:

00 = Initial record
01 = Customer transaction
04 = Administrative transaction
20 = Exception - posted
21 = Exception - not posted
22 = Exception - partially posted
23 = Exception - invalid data encountered in the POS Standard Message (PSTM)

In situations where a transaction cannot be completely processed because of a processing error (e.g., invalid data, unable to locate an authorization record, etc), the Authorization process logs the transaction to the PTLF as an execption. Exception transactions are

Offset	[Len]	Field Name and Description	Data Type
		included as detail items in the BASE24-pos reports but are not included in the BASE24-pos settlement totals.	
10	[30]	head.crd	
		The values in the following fields describe the cardholder and card issuer for the transaction. This is an alternate key used for reporting and perusal purposes.	
10	[4]	head.crd.ln.byte[0:3] [LN]	PIC X(4).
		The logical network with which the institution that issued the card is associated.	
14	[4]	head.crd.fiid.byte[0:3] [FIID]	PIC X(4).
		The FIID of the institution that issued the card.	
18	[22]	head.crd.card	
		The values in the following fields identify the card used in the transaction.	
18	[19]	head.crd.card.crd^num [PAN]	
		The card number identifying the card used in the transaction.	
18	[19]	head.crd.card.crd^num.num.byte[0:18]	PIC X(19).
37	[3]	head.crd.card.mbr^num.byte[0:2] [MBR-NUM]	PIC 9(3).
		The member number associated with the card used in the transaction.	
40	[57]	head.retl	

```
Offset[Len]   Field Name and Description                       Data Type


              The values in the following fields describe the
              retailer involved in the transaction.  These values are
              used for reporting purposes.


40    [35]    head.retl.ky

40    [4]     head.retl.ky.ln.byte[0:3]
                               [LN]                          PIC X(4).


              The logical network with which the retailer is
              associated.


44    [31]    head.retl.ky.rdfkey


              The values in the following fields compose the key to
              the retailer's POS Retailer Definition File (PRDF).
              record.


44    [4]     head.retl.ky.rdfkey.fiid.byte[0:3]
                               [FIID]                        PIC X(4).


              The FIID of the institution with which the retailer is
              associated.


48    [4]     head.retl.ky.rdfkey.grp.byte[0:3]              PIC X(4).


              The group to which the retailer belongs.


52    [4]     head.retl.ky.rdfkey.regn.byte[0:3]
                               [REGN]                        PIC X(4).


              The retailer region group to which the retailer
              belongs.


56    [19]    head.retl.ky.rdfkey.id.byte[0:18]             PIC X(19).


              The retailer ID identifying the retailer.


75    [16]    head.retl.term^id.byte[0:15]                  PIC X(16).
```

```
Offset[Len]   Field Name and Description                     Data Type


              The terminal ID of the terminal at which the
              transaction occurred.

91    [3]     head.retl.shift^num.byte[0:2]                  PIC X(3).

              The shift number with which the transaction is
              associated.

94    [3]     head.retl.batch^num.byte[0:2]                  PIC X(3).

              The batch number with which the transaction is
              associated.

97    [32]    head.term

              The following fields define the terminal and time at
              which the transaction occurred.  These fields are used
              as an alternate key to peruse transactions by terminal
              and time.

97    [4]     head.term.ln.byte[0:3]
                               [LN]                          PIC X(4).

              The logical network with which the terminal is
              associated.

101   [4]     head.term.fiid.byte[0:3]
                               [FIID]                        PIC X(4).

              The FIID of the institution with which the terminal is
              associated.

105   [16]    head.term.term^id.byte[0:15]                  PIC X(16).

              The terminal ID of the terminal at which the
              transaction occurred.

121   [8]     head.term.tim    [TIM]
```

Offset[Len]		Field Name and Description	Data Type
		The time the transaction occurred.	
121	[2]	head.term.tim.hh.byte[0:1]	PIC X(2).
123	[2]	head.term.tim.mm.byte[0:1]	PIC X(2).
125	[2]	head.term.tim.ss.byte[0:1]	PIC X(2).
127	[2]	head.term.tim.tt.byte[0:1]	PIC X(2).
129	[42]	head.tkey	
		The following fields identify the terminal, retailer, and clerk associated with the transaction. These fields are used as an alternate key to peruse transactions by terminal, retailer, and clerk.	
129	[16]	head.tkey.term^id.byte[0:15]	PIC X(16).
		The terminal ID of the terminal at which the transaction occurred.	
145	[26]	head.tkey.rkey	
145	[1]	head.tkey.rkey.rec^frmt	PIC X(1).
		A code indicating the type of information in this record. Valid values are: 0 = Batch Totals 1 = Shift Totals 2 = Day Totals 3 = Network Totals 4 = Clerk Totals 5 = Data Record 8 = Services Totals 9 = Services Totals	
146	[19]	head.tkey.rkey.retailer^id.byte[0:18]	PIC X(19).
		The retailer ID identifying the retailer.	
165	[6]	head.tkey.rkey.clerk^id.byte[0:5]	PIC X(6).

Offset[Len]   Field Name and Description   Data Type

The clerk identification number.

171   [1]   head.data^flag   PIC X(1).

Indicates whether the USER-DATA field is appended to the PTLF record.

Valid values are:

0 = No user-data appended
1 = User-data appended

172   [614]   auth   [AUTH]

172   [4]   auth.typ.byte[0:3]   PIC 9(4).

The specific message type of this record. Valid values are:

0210 = Authorization response
0220 = Authorization advice
0412 = Card issuer reversal response
0420 = Reversal
0500 = Reconciliation request

176   [2]   auth.rte^stat.byte[0:1]   PIC 9(2).

A code indicating the status of a message at the system level. The value in this field is set by the Host Interface or Gateway process and used by Authorization. Valid values are:

00 = No error
11 = Destination not available
12 = Line down
20 = Originator not available
21 = Unknown message type
22 = Unknown card number

178   [1]   auth.originator   PIC X(1).

Indicates where the transaction originated. Valid values are:
1 = Device controlled by BASE24
2 = Device handler
3 = Authorization process

```
Offset[Len]   Field Name and Description                      Data Type

              4 = Host Interface process
              5 = Host
              6 = Interchange Interface process
              7 = Interchange


179   [1]     auth.responder                                  PIC X(1).


              Indicates where the response message to this
              transaction originated.  Valid values are:
              1 = Device controlled by BASE24
              2 = Device handler
              3 = Authorization process
              4 = Host Interface process
              5 = Host
              6 = Interchange Interface process
              7 = Interchange
              S = Secondary Authorizer


180   [2]     auth.iss^cde.byte[0:1]                          PIC X(2).


              The issuer code for the transaction. Valid values are:

              00-29 = On-us
              30-99 = Not-on-us
              *_    = All


182   [8]     auth.entry^tim                     TYPE BINARY 64 SIGNED.


              The time at which the transaction entered into the
              BASE24 system.  The value in this field is in Tandem's
              JULIANTIMESTAMP format and is used for time tracking
              purposes.


190   [8]     auth.exit^tim                      TYPE BINARY 64 SIGNED.


              The time at which the Host Interface or Interchange
              Interface process transmitted the authorization request
              to the authorizing entity.  The value in this field is
              in Tandem's JULIANTIMESTAMP format.


198   [8]     auth.re^entry^tim                  TYPE BINARY 64 SIGNED.


              Indicates the time at which the Host Interface or
              Interchange Interface process received a response to
```

```
Offset[Len]   Field Name and Description                    Data Type

              its original request from the authorizing entity.
              The value in this field is in Tandem's JULIANTIMESTAMP
              format.


206   [6]     auth.tran^dat    [DAT]


              The date (YYMMDD) the transaction began.  The value in
              this field is set by the Device Handler, Host
              Interface, or Interchange Interface process.


206   [2]     auth.tran^dat.yy.byte[0:1]                     PIC X(2).

208   [2]     auth.tran^dat.mm.byte[0:1]                     PIC X(2).

210   [2]     auth.tran^dat.dd.byte[0:1]                     PIC X(2).

212   [8]     auth.tran^tim    [TIM]


              The time (HHMMSS.TT) the transaction began.  The value
              in this field is set by the Device Handler, Host
              Interface, or Interchange Interface process.


212   [2]     auth.tran^tim.hh.byte[0:1]                     PIC X(2).

214   [2]     auth.tran^tim.mm.byte[0:1]                     PIC X(2).

216   [2]     auth.tran^tim.ss.byte[0:1]                     PIC X(2).

218   [2]     auth.tran^tim.tt.byte[0:1]                     PIC X(2).

220   [6]     auth.post^dat    [DAT]


              The date (YYMMDD) the transaction is to be posted by
              BASE24, as indicated in the POS Terminal Data File
              (PTDF) record for the originating terminal, or the
              message from the acquirer if the transaction is not
              initiated at a directly-connected terminal. The value
              in this field is set by the Device Handler, Host
              Interface, or Interchange Interface process.


220   [2]     auth.post^dat.yy.byte[0:1]                     PIC X(2).

222   [2]     auth.post^dat.mm.byte[0:1]                     PIC X(2).

224   [2]     auth.post^dat.dd.byte[0:1]                     PIC X(2).

226   [6]     auth.acq^ichg^setl^dat
```

```
Offset[Len]   Field Name and Description                      Data Type

                                 [DAT]


              The date (YYMMDD) the transaction is to be settled by
              the acquirer interchange, if an interchange is
              involved in processing this transaction. Otherwise,
              this field is zero-filled.


226   [2]     auth.acq^ichg^setl^dat.yy.byte[0:1]            PIC X(2).

228   [2]     auth.acq^ichg^setl^dat.mm.byte[0:1]            PIC X(2).

230   [2]     auth.acq^ichg^setl^dat.dd.byte[0:1]            PIC X(2).

232   [6]     auth.iss^ichg^setl^dat
                                 [DAT]


              The date (YYMMDD) the transaction is to be settled by
              the issuer interchange, if an interchange is
              involved in processing this transaction. Otherwise,
              this field is zero-filled.


232   [2]     auth.iss^ichg^setl^dat.yy.byte[0:1]            PIC X(2).

234   [2]     auth.iss^ichg^setl^dat.mm.byte[0:1]            PIC X(2).

236   [2]     auth.iss^ichg^setl^dat.dd.byte[0:1]            PIC X(2).

238   [12]    auth.seq^num.byte[0:11]                       PIC X(12).


              The transaction sequence number generated by the
              terminal or the Device Handler.


250   [25]    auth.term^name^loc.byte[0:24]                 PIC X(25).


              The terminal name and location as defined in the POS
              Terminal Data File (PTDF).  The value in this field is
              set by the Device Handler if the transaction originates
              at a directly-connected device.


275   [22]    auth.term^owner^name.byte[0:21]               PIC X(22).


              The name of the financial institution that owns the
              terminal, as defined in the PTDF.  The value in this
              field is set by the Device Handler if the transaction
              originates at a directly-connected device.
```

Offset	[Len]	Field Name and Description	Data Type
297	[13]	auth.term^city.byte[0:12]	PIC X(13).

The city in which the terminal is located. The value in this field is obtained from the PTDF if the transaction originates at a directly-connected device.

310	[3]	auth.term^st.byte[0:2]	PIC X(3).

The state in which the terminal is located. The value in this field is obtained from the PTDF if the transaction originates at a directly-connected device.

313	[2]	auth.term^cntry^cde.byte[0:1]	PIC X(2).

A code indicating the country in which the terminal is located. The value in this field is obtained from the PTDF if the transaction originates at a directly-connected device.

315	[4]	auth.brch^id.byte[0:3]	PIC X(4).

This field is not currently used.

319	[3]	auth.user^fld2.byte[0:2]	PIC X(3).

Reserved for future use.

322	[2]	auth.term^tim^ofst	TYPE BINARY 16 SIGNED.

The time difference between the terminal and the Tandem processor location. It is the signed (+ or -) number of minutes to be added to the BASE24 Tandem system time in order to obtain the terminal local time.

324	[11]	auth.acq^inst^id^num.byte[0:10] [ID-NUM]	PIC 9(11).

The route/transit number of the terminal owner as defined in the PTDF. The value in this field is set by

```
Offset[Len]   Field Name and Description                      Data Type

              the Device Handler if the transaction originates at a
              directly-connected device.


335   [11]    auth.rcv^inst^id^num.byte[0:10]
                                 [ID-NUM]                    PIC 9(11).


              The route/transit number of the card issuer as defined
              in the Institution Definition File (IDF).


346   [2]     auth.term^typ.byte[0:1]                         PIC X(2).


              The terminal type as defined in the PTDF.  The value in
              this field is set by the Device Handler if the
              transaction originates at a directly-connected device.


348   [6]     auth.clerk^id.byte[0:5]                         PIC X(6).


              The clerk ID, as defined in the PTDF, of the POS device
              operator who performed the transaction.  The value in
              this field is set by the Device Handler if the
              transaction originates at a directly-connected device.


354   [12]    auth.crt^auth


              The following fields contain the PATHWAY operator group
              and user identifications used for CRT Authorization.


354   [4]     auth.crt^auth.grp.byte[0:3]                     PIC X(4).


              The PATHWAY operator group identification used for CRT
              Authorization.


358   [8]     auth.crt^auth.user^id.byte[0:7]                 PIC X(8).


              The PATHWAY operator user identification used for CRT
              Authorization.


366   [4]     auth.retl^sic^cde.byte[0:3]                     PIC X(4).


              The Standard Industrial Classification (SIC) code, as
```

Offset[Len]	Field Name and Description	Data Type
	defined in either the POS Terminal Data File (PTDF) or the POS Retailer Definition File (PRDF), identifying the retailer's line of business.	
370 [4]	auth.orig.byte[0:3]	PIC X(4).
	The originator of this transaction.	
374 [4]	auth.dest.byte[0:3]	PIC X(4).
	The destination of this transaction.	
378 [6]	auth.tran^cde	
	The values in the following fields identify the type of transaction in TCTAAC format.	
378 [2]	auth.tran^cde.tc.byte[0:1]	PIC X(2).

A code indentifying the type of transaction.

NOTE 1: The transaction codes of 29, 30, 31, and 32 are supported with BASE24-pos Mobile Top-Up. The BASE24-pos Standard POS Device Handler (SPDH), Transaction Context Manager and certain Mobile Operator Interfaces recognize these transaction codes. BASE24-pos Authorization does not recognize these codes.
Valid values are:

10 = Normal purchase
11 = Preauthorization purchase
12 = Preauthorization purchase completion
13 = Mail/phone order
14 = Merchandise return
15 = Cash advance
16 = Card verification
17 = Balance inquiry
18 = Purchase with cash back
19 = Check verification
20 = Check guarantee
21 = Purchase adjustment
22 = Adjustment - merchandise return
23 = Adjustment - cash advance
24 = Adjustment - purchase with cash back
25 = Card Activation
26 = Additional Card Activation

```
Offset[Len]   Field Name and Description                  Data Type

              27 = Replenishment
              28 = Full Redemption
              29 = Mobile Top-Up Cash (NOTE 1)
              30 = Mobile Top-Up with Funds (NOTE 1)
              31 = Refund - Mobile Top-Up Cash (NOTE 1)
              32 = Refund - Mobile Top-Up with Funds (NOTE 1)


380   [1]     auth.tran^cde.t                             PIC X(1).


              A code identifying the card type associated with the
              transaction. Valid values are:

              0 = None
              1 = Credit card
              2 = Debit card


381   [2]     auth.tran^cde.aa.byte[0:1]                  PIC X(2).


              A code identifying the type of account associated with
              the transaction.  Valid values are:

              00 = None
              01 = DDA
              11 = Savings
              31 = Credit


383   [1]     auth.tran^cde.c                             PIC X(1).


              A code identifying the transaction category associated
              with the transaction.  Valid values are:

              0   = Normal
              1   = Sales draft
              2   = Representation
              3   = Chargeback
              4   = Personal check/cash
              5   = Personal check/amount of purchase
              6   = Personal check/amount of purchase with cash back
              7   = Government check
              8   = Payroll check
              9   = Electronic check
              A-Z = Reserved for future use


384   [2]     auth.crd^typ.byte[0:1]                      PIC X(2).


              The type of card used to initiate the transaction.
```

Offset	[Len]	Field Name and Description	Data Type
386	[19]	auth.acct [ACCT]	

The account number of the affected account.

Offset	[Len]	Field Name and Description	Data Type
386	[19]	auth.acct.acct^num.byte[0:18]	PIC X(19).
405	[3]	auth.resp^cde.byte[0:2]	PIC 9(3).

The response code for the transaction. For a listing of the valid codes, refer to the BASE24-pos Transaction Processing Manual.

Offset	[Len]	Field Name and Description	Data Type
408	[8]	auth.amt^1	TYPE BINARY 64 SIGNED.

The transaction amount requested. For adjustment transactions, this field contains the original amount. For purchase with cash back transactions, this field contains the total amount (purchase plus cash back). The cash back amount is contained in the AUTH.AMT-2 field. For preauthorization completions, this field contains the completed amount.

Offset	[Len]	Field Name and Description	Data Type
416	[8]	auth.amt^2	TYPE BINARY 64 SIGNED.

For adjustment transactions, this field contains the new amount. For purchase with cash back transactions, this field contains the cash back amount (the AUTH.AMT-1 field contains the total amount). For chargebacks, this field contains the replacement amount.

Offset	[Len]	Field Name and Description	Data Type
424	[4]	auth.exp^dat.byte[0:3]	PIC X(4).

The expiration date (YYMM) of the card.

Offset	[Len]	Field Name and Description	Data Type
428	[40]	auth.track2.byte[0:39]	PIC X(40).

The information taken from Track 2 of the magnetic strip on the card, or manually entered.

Offset	[Len]	Field Name and Description	Data Type
468	[16]	auth.pin^ofst.byte[0:15]	PIC X(16).

Offset[Len] Field Name and Description Data Type

This field is currently not used.

484 [12] auth.pre^auth^seq^num.byte[0:11] PIC X(12).

The sequence number assigned to the preauthorization transaction.

496 [10] auth.invoice^num.byte[0:9] PIC X(10).

The transaction invoice number sent from the terminal, if used.

506 [10] auth.orig^invoice^num.byte[0:9] PIC X(10).

The invoice number of the original transaction sent from the terminal, if used.

516 [16] auth.authorizer.byte[0:15] PIC X(16).

The symbolic name of the authorizer of the transaction.

532 [1] auth.auth^ind PIC X(1).

A code indicating if the authorizer in the previous field (if Router 1) was the primary, alternate 1, alternate 2, or if a default action was taken. Valid values are:

0 = None
1 = Alternate 1
2 = Alternate 2
4 = DFLT authorization
9 = Default action
F = SPROUTE Primary
f = SPROUTE Alternate 1
P = Primary

533 [3] auth.shift^num.byte[0:2] PIC X(3).

The number of the shift to which the transaction

Offset[Len] Field Name and Description Data Type

belongs.

536 [3] auth.batch^seq^num.byte[0:2] PIC X(3).

The batch sequence number for the transaction.

539 [8] auth.apprv^cde.byte[0:7] PIC X(8).

The approval code generated by the transaction authorizer. This code can be generated by an interchange or host, as well as by BASE24-pos Authorization. If BASE24 generates the code, a _B (B preceded by a space) is inserted into the last byte of this field.

547 [1] auth.apprv^cde^lgth PIC 9(1).

The length of the approval code that the device can handle. The value in this field is used only if an approval code is generated by Authorization. Valid values are 2 through 6.

548 [8] auth.ichg^resp.byte[0:7] PIC X(8).

The interchange response, if there was an interchange involved in processing this transaction. Otherwise, this field is left blank. The value in this field is set by the Interchange Interface process.

556 [4] auth.pseudo^term^id.byte[0:3] PIC X(4).

The pseudo identification associated with the terminal.

560 [20] auth.rfrl^phone.byte[0:19] [PHONE-NUM] PIC X(20).

The telephone number used for referral transactions.

580 [1] auth.dft^capture^flg PIC 9(1).

```
Offset[Len]   Field Name and Description                     Data Type

              A code indicating the action taken regarding the
              authorization and draft capture of this transaction.
              Valid codes are:

              0 = Authorize only
              1 = Authorize and capture
              2 = Authorize only and expect electronic follow-up
              3 = Electronic follow-up of previously authorized
                  transaction.  This option does not update
                  settlement balances.
              9 = Value not found.  (Router was unable to match the
                  card type to a value in the PTDF or the PRDF.)


581   [1]     auth.setl^flag                                 PIC 9(1).


              Indicates how the terminal is cut over if the terminal
              is directly-connected to BASE24.


582   [2]     auth.rvrl^cde.byte[0:1]                        PIC 9(2).


              A code specifying the reason for reversal or adjustment
              transactions.  Valid values are:

              01 = Time-out
              02 = Command reject
              03 = Destination not available
              08 = Customer canceled
              10 = Hardware error
              12 = Original amount incorrect
              14 = Suspicious reversal override
              15 = Misdispense reversal override
              16 = Duplicate transaction
              17 = Reconciliation error
              18 = Reserved
              19 = System error
              20 = Suspect reversal
              21 = MAC failure
              22 = KMAC sync error
              23 = Message replay error
              24 = Invalid MAC
              40 = Split Routing Enabled; Secondary Service Not
                   Approved


584   [2]     auth.rea^for^chrgbck.byte[0:1]                 PIC X(2).


              A code identifying the reason for the chargeback. Valid
              values are:
```

```
Offset[Len]   Field Name and Description                    Data Type

              03 = Invalid merchant
              12 = Invalid transaction
              18 = Customer dispute
              59 = Suspected fraud
              63 = Security violation
              64 = Original transaction amount incorrect
              68 = Supporting documentation received too late
              93 = Transaction in violation of the law
              94 = Duplicate transaction
              96 = System malfunction


586   [1]     auth.num^of^chrgbck                           PIC 9(1).


              The occurrence of the chargeback.  Valid values are 1
              through 9.


587   [2]     auth.pt^srv^cond^cde.byte[0:1]                PIC 9(2).


              A code identifying the transaction origin.  The code
              indicates a special condition that exists at the time
              the transaction is initiated.  Valid values are:

              00    = Normal presentment
              01    = Customer not present
              02    = Unattended terminal, able to retain card
              03    = Merchant suspicious
              04    = Electronic cash register interface
              05    = Customer present, but card not present
              06    = Preauthorization request
              07    = Telephone device request
              08    = Mail order/telephone order
              09    = Security alert
              10    = Customer identity verified
              11    = Suspected fraud
              12    = Security reasons
              13    = Representment of an item
              14    = Public utility terminal
              15    = Customer terminal (home terminal)
              16    = Administration terminal
              17    = Returned item (chargeback)
              18    = No check in envelope/all returned
              19    = Deposit out-of-balance/all returned
              20    = Payment out-of-balance/all returned
              21    = Manual reversal
              22    = Terminal error/counted
              23    = Terminal error/not counted
              24    = Deposit out-of-balance/applied contents
              25    = Payment out-of-balance/applied contents
              26    = Withdrawal had error/reversed
              27    = Unattended terminal, unable to retain card
```

```
Offset[Len]   Field Name and Description                    Data Type

              28-40 = Reserved for ISO use
              41-50 = Reserved for national use
              51-99 = Reserved for private use


589   [3]     auth.pt^srv^entry^mde.byte[0:2]               PIC 9(3).


              A code indicating how the Primary Account Number (PAN)
              is entered into the system and the PIN entry
              capabilities when performing POS transactions.  The
              valid values for PAN entry (Positions 1 and 2) are:

              00    = Unspecified
              01    = Manual
              02    = Magnetic stripe
              03    = Bar code
              04    = OCR
              05    = Integrated circuit card
              06-60 = Reserved for ISO use
              61-80 = Reserved for national use
              81-99 = Reserved for private use

              The valid values for PIN entry capabilities (Position 3)
              are:

              0   = Unspecified
              1   = PIN entry capability
              2   = No PIN entry capability
              3-5 = Reserved for ISO use
              6-7 = Reserved for national use
              8-9 = Reserved for private use


592   [1]     auth.auth^ind2                                PIC X(1).


              A code indicating if the authorizer in the AUTHORIZER
              field (if Router 2) was the primary, alternate 1,
              alternate 2, or if a default action was taken. Valid
              values are:

              0 = None
              1 = Alternate 1
              2 = Alternate 2
              4 = DFLT authorization
              9 = Default action
              F = SPROUTE Primary
              f = SPROUTE Alternate 1
              P = Primary


593   [3]     auth.orig^crncy^cde.byte[0:2]
                                [CRNCY-CDE]                 PIC 9(3).
```

```
Offset[Len]   Field Name and Description                        Data Type


              A code indicating the currency of the transaction.
              The value in this field is initialized by the Device
              Handler from the PTDF if the transaction originates at
              a directly-connected device.


596   [30]    auth.user^fld4.byte[0:29]                        PIC X(30).

596   [30]    auth.mult^crncy
                                [REDEFINES USER^FLD4]


              The following five fields apply only in multiple-
              currency systems; they are redefined as a user field in
              single-currency systems.  Multiple-currency systems
              are not currently supported by BASE24.


596   [3]     auth.mult^crncy.auth^crncy^cde.byte[0:2]
                                [CRNCY-CDE]                     PIC 9(3).


              A code indicating the type of currency used in the
              response from the authorizing entity.


599   [8]     auth.mult^crncy.auth^conv^rate.byte[0:7]         PIC 9(8).


              The exchange rate of the authorizing entity used to
              compute the the final settlement amount.  The first
              digit contains the offset of the decimal point from the
              right-hand side.  Unless multiple currencies are
              involved, the default value is 61000000.


607   [3]     auth.mult^crncy.setl^crncy^cde.byte[0:2]
                                [CRNCY-CDE]                     PIC 9(3).


              A code indicating the type of currency used in the
              settlement of the transaction.


610   [8]     auth.mult^crncy.setl^conv^rate.byte[0:7]         PIC 9(8).


              The exchange rate of the settlement entity used to
              compute the final settlement amount.  The first digit
              contains the offset of the decimal point from the
              right-hand side.  Unless multiple currencies are used,
              the default value is 61000000.
```

Offset[Len] Field Name and Description Data Type

618 [8] auth.mult^crncy.conv^dat^tim TYPE BINARY 64 SIGNED.

The time and day when the exchange rate was applied between the transaction amount and the currency of the database. The value in this field indicates when the actual conversion between the currency of the transaction and the currency of the database occurred. The value in this field is displayed in Greenwich Mean Time (GMT).

626 [6] auth.refr

The values in the following nine fields indicate to the Refresh process when to impact the Positive Balance File (PBF) and how to impact the various amount fields in the PBF, when impacting is required.

A reversal transaction does not affect the codes in the following nine fields. When the value in the AUTH.TYP field identifies the transaction as a reversal, the Refresh process multiplies the values in the AUTH.AMT-1 and AUTH.AMT-2 fields by negative 1 to determine how to impact the various PBF amount fields. Adding an amount that has been multiplied by negative 1 has the same effect as subtracting the amount.

626 [1] auth.refr.imp^ind PIC X(1).

A code indicating whether this record should be considered when impacting a set of account records that has been refreshed. Valid values are:

0 = Do not use the record for impacting.
1 = Use the record for impacting.

627 [1] auth.refr.avail^bal PIC X(1).

A code indicating the manner in which this record impacts the amount in the AVAIL-BAL field in the PBF account records. Valid values are:

0 = No effect on balance
1 = Add to balance
2 = Subtract from balance

Offset	[Len]	Field Name and Description	Data Type
627	[1]	auth.refr.avail^cr [REDEFINES AVAIL^BAL]	PIC X(1).

A code indicating the manner in which this record impacts the amount in the AVAIL-CR field in the PBF account records. Valid values are:

0 = No effect on balance
1 = Add to balance
2 = Subtract from balance

Offset	[Len]	Field Name and Description	Data Type
628	[1]	auth.refr.ledg^bal	PIC X(1).

A code indicating the manner in which this record impacts the amount in the LEDG-BAL field in the PBF account records. Valid values are:

0 = No effect on balance
1 = Add to balance
2 = Subtract from balance

Offset	[Len]	Field Name and Description	Data Type
628	[1]	auth.refr.cr^lmt [REDEFINES LEDG^BAL]	PIC X(1).

A code indicating the manner in which this record impacts the amount in the CR-LMT field in the PBF account records. Valid values are:

0 = No effect on balance
1 = Add to balance
2 = Subtract from balance

Offset	[Len]	Field Name and Description	Data Type
629	[1]	auth.refr.amt^on^hold	PIC X(1).

A code indicating the manner in which this record impacts the amount in the AMT-ON-HOLD field in the PBF account records. Valid values are:

0 = No effect on balance
1 = Add to balance
2 = Subtract from balance

Offset	[Len]	Field Name and Description	Data Type
629	[1]	auth.refr.cr^bal [REDEFINES AMT^ON^HOLD]	PIC X(1).

Offset[Len]   Field Name and Description   Data Type

A code indicating the manner in which this record impacts the amount in the CR-BAL field in the PBF account records. Valid values are:

0 = No effect on balance
1 = Add to balance
2 = Subtract from balance

630   [1]   auth.refr.ttl^float   PIC X(1).

A code indicating the manner in which this record impacts the amount in the TOTAL FLOAT field in the PBF account records. Valid values are:

0 = No effect on balance
1 = Add to balance
2 = Subtract from balance

631   [1]   auth.refr.cur^float   PIC X(1).

A code indicating the manner in which this record impacts the amount in the CURRENT FLOAT field in the PBF account records. Valid values are:

0 = No effect on balance
1 = Add to balance
2 = Subtract from balance

632   [1]   auth.adj^setl^impact^flg   PIC X(1).

A code indicating whether adjustments have settlement impact. The value in this field is defined in the HOST-ADJ-PROCESSING field in the Base segment of the IDF record for the card issuer. Valid values are:

0 = Adjustments do not have settlement impact.
1 = Adjustments do have settlement impact.

633   [4]   auth.refr^ind

An alphabetic indicator set by the Authorization process from a corresponding field in the IDF. It is used by the Refresh process to determine when transaction impacting can be terminated.

```
Offset[Len]   Field Name and Description                    Data Type

              When the Refresh process finishes refreshing the PBF,
              it begins impacting the file with new transactions
              being added to the PTLF.  At that time, it increments
              the value in the REFR-IND field in the IDF (A to B, B
              to C, C to D, etc.) and sends a message to the
              Authorization process containing the refreshed PBF file
              name and the new REFR-IND field value.  Thus, when
              transactions begin appearing in the PTLF with the new
              REFR-IND field value, the Refresh process knows that
              the Authorization process is using the refreshed PBF
              and that it can stop impacting the PBF.

              Four different settings exist.  However, three settings
              are used because an institution can have three separate
              PBFs used for BASE24-pos and, therefore, three refresh
              schedules: one for checking accounts (PBF1), one for
              savings accounts (PBF2) and one for credit accounts
              (PBF3).


633   [1]     auth.refr^ind.pbf1                             PIC X(1).

634   [1]     auth.refr^ind.pbf2                             PIC X(1).

635   [1]     auth.refr^ind.pbf3                             PIC X(1).

636   [1]     auth.refr^ind.pbf4                             PIC X(1).

637   [11]    auth.frwd^inst^id^num.byte[0:10]
                               [ID-NUM]                     PIC 9(11).


              The identification of the forwarding institution for
              full fee accounting.  This field contains the value
              taken from the FORWARD-INST-ID parameter in the LCONF
              and is used for logging purposes only.  The value in
              this field is loaded by the Authorization process.


648   [11]    auth.crd^accpt^id^num.byte[0:10]
                               [ID-NUM]                     PIC 9(11).


              A code identifying the card acceptor on a 0200
              transaction originating from an acquirer host.  This
              field is only used in cases where the acquirer is not
              the actual card acceptor.  Otherwise, this field is
              left blank.


659   [11]    auth.crd^iss^id^num.byte[0:10]
                               [ID-NUM]                     PIC 9(11).
```

Offset[Len]	Field Name and Description	Data Type

A code identifying the actual card issuer on a 0210 response from an authorizing host, if desired. This field is only used in cases where the receiving institution is not the actual card acceptor. Otherwise, this field is left blank.

670 [4]	auth.orig^msg^typ.byte[0:3]	PIC X(4).

The original message type associated with the transaction. The value in this field is used for adjustments, representments or reversal transactions.

674 [8] auth.orig^tran^tim
[TIM]

The original time (HHMMSSTT) at which the transaction occurred. The value in this field is used for adjustments, representments or reversal transactions.

674 [2]	auth.orig^tran^tim.hh.byte[0:1]	PIC X(2).
676 [2]	auth.orig^tran^tim.mm.byte[0:1]	PIC X(2).
678 [2]	auth.orig^tran^tim.ss.byte[0:1]	PIC X(2).
680 [2]	auth.orig^tran^tim.tt.byte[0:1]	PIC X(2).
682 [4]	auth.orig^tran^dat.byte[0:3]	PIC X(4).

The original date (MMDD) on which the transaction occurred. The value in this field is used for adjustments, representments or reversal transactions.

686 [12]	auth.orig^seq^num.byte[0:11]	PIC X(12).

The original sequence number assigned to the transaction. The value in this field is used for adjustments, representments or reversal transactions.

698 [4]	auth.orig^b24^post^dat.byte[0:3]	PIC X(4).

The original date (MMDD) on which the transaction was posted to BASE24. The value in this field is used for

```
Offset[Len]   Field Name and Description                      Data Type

              adjustments, representments or reversal transactions.


702   [3]     auth.excp^rsn^cde.byte[0:2]                     PIC X(3).


              A reason code indicating why the exception flag is set.
              This field is used only for exception records.  For any
              other records, this field is set to blanks.


705   [1]     auth.ovrrde^flg                                 PIC X(1).


              A code distinguishing between normal transactions and
              transactions handled through CRT Authorization.  Valid
              values are:

              0 = Normal transaction--Transaction received from POS
                  device without CRT Authorization involvement.
              1 = Referral override with response sent to the CRT
                  Device Handler--Transaction was not authorized due
                  to insufficient information and has been referred
                  for manual authorization.
              2 = Referral override with transaction sent out of CRT
                  Device Handler/Router/Authorization--Force-post
                  transaction indicating whether a transaction that
                  was previously referred for manual authorization
                  has been approved or declined.
              3 = Normal CRT Authorization transaction--Transaction
                  received from CRT Authorization terminal instead of
                  POS device, but no referrals were necessary.


706   [20]    auth.addr.byte[0:19]                           PIC X(20).


              The cardholder billing address received with the
              transaction when performing address verification.  This
              field contains zeros when the transaction contains a
              status code without an address or ZIP code.


726   [9]     auth.zip^cde.byte[0:8]                          PIC X(9).


              The cardholder billing ZIP code received with the
              transaction when performing address verification.  This
              field contains zeros when the transaction contains a
              status code without an address or ZIP code.


735   [1]     auth.addr^vrfy^stat                             PIC X(1).
```

A code identifying the result of comparing address verification information received in the transaction and address verification information contained in the processor's database. Valid values are:

A = ADDRESS--Addresses matched, but ZIP codes did not match.
E * = ERROR--The transaction was not eligible for address verification or an editing error occurred while attempting to process the message.
N = NO--Addresses did not match and ZIP codes did not match.
R * = RETRY--Primary and secondary authorizers were unavailable or declined the transaction and address verification was not performed on BASE24-pos.
S * = SERVICE NOT SUPPORTED--BASE24-pos authorized the transaction, but did not have the add-on Address Verification module.
U * = UNAVAILABLE--Address information was not available to the processor performing address verification.
W = WHOLE ZIP--Nine-digit ZIP codes matched, but addresses did not match.
X = EXACT--Addresses and nine-digit ZIP codes matched.
Y = YES--Addresses and five-digit ZIP codes matched.
Z = ZIP--Five-digit ZIP codes matched, but addresses did not match.
_ * = Address verification information was not included in this transaction (_ denotes a blank character).
0 * = Address verification information was included in this transaction, but was not verified. A transaction to be verified by a host or interchange carries this code. A transaction to be verified on BASE24-pos, but declined before address verification could be performed also carries this code.

* This value identifies a reason that a comparison was not made. Each interchange specifies the value it uses to identify this reason. BASE24 Interchange Interfaces substitute the interchange-specific value before sending the message from BASE24-pos to the interchange. Refer to section 1 of the BASE24-pos Address Verification Manual for a listing of interchange-specific values.

Interchange response messages received by BASE24-pos may contain interchange-specific values. BASE24 Interchange Interfaces do not change a value received from the interchange.

Offset	[Len]	Field Name and Description	Data Type
		Refer to the individual interchange documentation for details of interchange-specific values.	
736	[1]	auth.pin^ind	PIC 9(1).
		An indicator as to whether the PIN was present in the transaction. Valid values: 0 = PIN not present 1 = PIN present	
737	[1]	auth.pin^tries	PIC X(1).
		The number of PIN tries.	
738	[14]	auth.pre^auth^ts	
		The expiration date and time assigned to a pre-auth entry when it is added to the CAF, UAF or PBF.	
738	[6]	auth.pre^auth^ts.dat [DAT]	
738	[2]	auth.pre^auth^ts.dat.yy.byte[0:1]	PIC X(2).
740	[2]	auth.pre^auth^ts.dat.mm.byte[0:1]	PIC X(2).
742	[2]	auth.pre^auth^ts.dat.dd.byte[0:1]	PIC X(2).
744	[8]	auth.pre^auth^ts.tim [TIM]	
744	[2]	auth.pre^auth^ts.tim.hh.byte[0:1]	PIC X(2).
746	[2]	auth.pre^auth^ts.tim.mm.byte[0:1]	PIC X(2).
748	[2]	auth.pre^auth^ts.tim.ss.byte[0:1]	PIC X(2).
750	[2]	auth.pre^auth^ts.tim.tt.byte[0:1]	PIC X(2).
752	[1]	auth.pre^auth^hlds^lvl	PIC X(1).
		A code identifying the file or files in which a pre-auth hold entry is stored. Valid values are: 0 = No holds level, or not applicable 1 = Holds stored at CAF level 2 = Holds stored at PBF level	

Offset	[Len]	Field Name and Description	Data Type
		3 = Holds stored at CAF and PBF levels 4 = Holds stored at UAF level	
753	[33]	auth.user^fld5.byte[0:32]	PIC X(33).
		Reserved for future use.	
786	[202]	user^data [USER-DATA]	
		User-defined information that BASE24-pos can carry in its internal message but does not recognize and does not use for processing. This user data is available for all messages, but is appended to the message only if the DATA-FLAG field is set to 1.	
786	[2]	user^data.len	TYPE BINARY 16 SIGNED.
		The length of the variable information in the USER-DATA.INFO field.	
788	[200]	user^data.info.byte[0:199]	PIC X(200).
		User-defined information that BASE24 can carry in its internal message.	
		END [size 988]	

Offset[Len]   Field Name and Description   Data Type

DEF PTLF-SET-REC

0   [680]

0   [172]   head   [HEAD]

The POS Transaction Log File (PTLF) contains a record of each financial transaction (approved or denied) processed by BASE24-pos for a single processing day. Transactions declined by a Device Handler (for example, bad format), are typically not posted to the PTLF. It also contains settlement records for each POS terminal in the system. This file is an audit record at the transaction level of the system's processing and is extracted daily to provide detailed transaction data for processing by a host.

Records are written to the PTLF sequentially, and two PTLFs are always accessible to the system for logging: the current day's PTLF and the next day's PTLF. Which PTLF a transaction posts to is based on the transaction's PTDF posting date. This is derived from the current business date of the terminal at which the transaction originated. Use of two PTLFs allows BASE24-pos terminals to be cut over at different times. As terminals are cut over, transactions from those terminals begin posting to the next day's PTLF; transactions from terminals that have not been cut over for the day continue to post to the current day's PTLF.

When network settlement occurs, a new PTLF is created and the current day's PTLF is closed to the online system. At that time, the current day's PTLF is available for reporting and extract processing.

LCONF ASSIGN: POS-PTLF

PTLF RECORD STRUCTURE
There are five formats used in writing PTLF records.
o Financial Transaction (PTLF)
o Settlement Totals (PTLF-SET-REC)
o Clerk Totals (PTLF-CLERK-TOT)
o First Services (PTLF-SRVCS-1)
o Second Services (PTLF-SRVCS-2)

The values contained in the HEAD.REC-TYP and HEAD.TKEY. RKEY.REC-FRMT fields identify the type of information contained in the PTLF record. The various value combinations and the resulting record format and contents include:

REC-TYP REC-FRMT RECORD FORMAT AND CONTENTS

Offset[Len] Field Name and Description Data Type

00	-	Initial
01	5	Financial Transaction--Customer
04	0	Settlement Totals--Batch
04	1	Settlement Totals--Shift
04	2	Settlement Totals--Daily
04	3	Settlement Totals--Network
04	4	Clerk Totals
04	8	Second Services
04	9	First Services
20	5	Financial Transaction--Exception (posted)
21	5	Financial Transaction--Exception (not posted)
22	5	Financial Transaction--Exception (partially posted)
23	5	Financial Transaction--Exception (invalid data)

The following fields are included in each record written to the PTLF.

0 [8] head.dat^tim TYPE BINARY 64 SIGNED.

The date and time the record was logged. The value in this field is generated via a call to Tandem's JULIANTIMESTAMP utility.

8 [2] head.rec^typ.byte[0:1] PIC X(2).

A code indicating the type of record. The Authorization logic sets the value in this field when the record is logged. Valid values are:

00 = Initial record
01 = Customer transaction
04 = Administrative transaction
20 = Exception - posted
21 = Exception - not posted
22 = Exception - partially posted
23 = Exception - invalid data encountered in the POS Standard Message (PSTM)

In situations where a transaction cannot be completely processed because of a processing error (e.g., invalid data, unable to locate an authorization record, etc), the Authorization process logs the transaction to the PTLF as an execption. Exception transactions are

```
Offset[Len]   Field Name and Description                      Data Type

              included as detail items in the BASE24-pos reports but
              are not included in the BASE24-pos settlement totals.


10    [30]    head.crd


              The values in the following fields describe the
              cardholder and card issuer for the transaction.  This
              is an alternate key used for reporting and perusal
              purposes.


10    [4]     head.crd.ln.byte[0:3]
                               [LN]                            PIC X(4).


              The logical network with which the institution that
              issued the card is associated.


14    [4]     head.crd.fiid.byte[0:3]
                               [FIID]                          PIC X(4).


              The FIID of the institution that issued the card.


18    [22]    head.crd.card


              The values in the following fields identify the card
              used in the transaction.


18    [19]    head.crd.card.crd^num
                               [PAN]


              The card number identifying the card used in the
              transaction.


18    [19]    head.crd.card.crd^num.num.byte[0:18]          PIC X(19).

37    [3]     head.crd.card.mbr^num.byte[0:2]
                               [MBR-NUM]                       PIC 9(3).


              The member number associated with the card used in the
              transaction.


40    [57]    head.retl
```

```
Offset[Len]   Field Name and Description                       Data Type


              The values in the following fields describe the
              retailer involved in the transaction.  These values are
              used for reporting purposes.


40    [35]    head.retl.ky

40    [4]     head.retl.ky.ln.byte[0:3]
                                [LN]                           PIC X(4).


              The logical network with which the retailer is
              associated.


44    [31]    head.retl.ky.rdfkey


              The values in the following fields compose the key to
              the retailer's POS Retailer Definition File (PRDF).
              record.


44    [4]     head.retl.ky.rdfkey.fiid.byte[0:3]
                                [FIID]                         PIC X(4).


              The FIID of the institution with which the retailer is
              associated.


48    [4]     head.retl.ky.rdfkey.grp.byte[0:3]                PIC X(4).


              The group to which the retailer belongs.


52    [4]     head.retl.ky.rdfkey.regn.byte[0:3]
                                [REGN]                         PIC X(4).


              The retailer region group to which the retailer
              belongs.


56    [19]    head.retl.ky.rdfkey.id.byte[0:18]               PIC X(19).


              The retailer ID identifying the retailer.


75    [16]    head.retl.term^id.byte[0:15]                    PIC X(16).
```

```
Offset[Len]   Field Name and Description                    Data Type


              The terminal ID of the terminal at which the
              transaction occurred.

91    [3]     head.retl.shift^num.byte[0:2]                 PIC X(3).

              The shift number with which the transaction is
              associated.

94    [3]     head.retl.batch^num.byte[0:2]                 PIC X(3).

              The batch number with which the transaction is
              associated.

97    [32]    head.term

              The following fields define the terminal and time at
              which the transaction occurred.  These fields are used
              as an alternate key to peruse transactions by terminal
              and time.

97    [4]     head.term.ln.byte[0:3]
                               [LN]                         PIC X(4).

              The logical network with which the terminal is
              associated.

101   [4]     head.term.fiid.byte[0:3]
                               [FIID]                       PIC X(4).

              The FIID of the institution with which the terminal is
              associated.

105   [16]    head.term.term^id.byte[0:15]                 PIC X(16).

              The terminal ID of the terminal at which the
              transaction occurred.

121   [8]     head.term.tim    [TIM]
```

```
Offset[Len]   Field Name and Description                        Data Type

              The time the transaction occurred.

121   [2]     head.term.tim.hh.byte[0:1]                         PIC X(2).

123   [2]     head.term.tim.mm.byte[0:1]                         PIC X(2).

125   [2]     head.term.tim.ss.byte[0:1]                         PIC X(2).

127   [2]     head.term.tim.tt.byte[0:1]                         PIC X(2).

129   [42]    head.tkey

              The following fields identify the terminal, retailer,
              and clerk associated with the transaction.  These fields
              are used as an alternate key to peruse transactions by
              terminal, retailer, and clerk.

129   [16]    head.tkey.term^id.byte[0:15]                      PIC X(16).

              The terminal ID of the terminal at which the
              transaction occurred.

145   [26]    head.tkey.rkey

145   [1]     head.tkey.rkey.rec^frmt                            PIC X(1).

              A code indicating the type of information in this
              record.  Valid values are:

              0 = Batch Totals
              1 = Shift Totals
              2 = Day Totals
              3 = Network Totals
              4 = Clerk Totals
              5 = Data Record
              8 = Services Totals
              9 = Services Totals

146   [19]    head.tkey.rkey.retailer^id.byte[0:18]             PIC X(19).

              The retailer ID identifying the retailer.

165   [6]     head.tkey.rkey.clerk^id.byte[0:5]                  PIC X(6).
```

```
Offset[Len]   Field Name and Description                        Data Type

              The clerk identification number.


171   [1]     head.data^flag                                    PIC X(1).


              Indicates whether the USER-DATA field is appended to
              the PTLF record.

              Valid values are:

              0 = No user-data appended
              1 = User-data appended


172   [306]   set^rec

172   [163]   set^rec.set^rec1
                                 [SET-REC1]

172   [4]     set^rec.set^rec1.typ.byte[0:3]                    PIC 9(4).

176   [6]     set^rec.set^rec1.post^dat
                                 [DAT]

176   [2]     set^rec.set^rec1.post^dat.yy.byte[0:1]            PIC X(2).

178   [2]     set^rec.set^rec1.post^dat.mm.byte[0:1]            PIC X(2).

180   [2]     set^rec.set^rec1.post^dat.dd.byte[0:1]            PIC X(2).

182   [2]     set^rec.set^rec1.prod^id.byte[0:1]                PIC 9(2).

184   [2]     set^rec.set^rec1.rel^num.byte[0:1]                PIC 9(2).

186   [2]     set^rec.set^rec1.dpc^num          TYPE BINARY 16 SIGNED.

188   [2]     set^rec.set^rec1.term^tim^ofst    TYPE BINARY 16 SIGNED.

190   [16]    set^rec.set^rec1.term^id.byte[0:15]              PIC X(16).

206   [71]    set^rec.set^rec1.retl

206   [11]    set^rec.set^rec1.retl.rttn.byte[0:10]
                                 [ID-NUM]                      PIC 9(11).

217   [19]    set^rec.set^rec1.retl.acct
                                 [ACCT]

217   [19]    set^rec.set^rec1.retl.acct.acct^num.byte[0:18]
                                                               PIC X(19).

236   [40]    set^rec.set^rec1.retl.nam.byte[0:39]             PIC X(40).
```

```
Offset[Len]   Field Name and Description                      Data Type

276   [1]     set^rec.set^rec1.retl.user^fld1                  PIC X(1).

277   [1]     set^rec.set^rec1.setl^typ                        PIC 9(1).

278   [1]     set^rec.set^rec1.bal^flg                         PIC 9(1).

279   [1]     set^rec.set^rec1.user^fld2                       PIC X(1).

280   [6]     set^rec.set^rec1.tran^dat
                               [DAT]

280   [2]     set^rec.set^rec1.tran^dat.yy.byte[0:1]           PIC X(2).

282   [2]     set^rec.set^rec1.tran^dat.mm.byte[0:1]           PIC X(2).

284   [2]     set^rec.set^rec1.tran^dat.dd.byte[0:1]           PIC X(2).

286   [6]     set^rec.set^rec1.tran^tim.byte[0:5]              PIC X(6).

292   [1]     set^rec.set^rec1.ob^flg                          PIC X(1).

293   [10]    set^rec.set^rec1.ach^comp^id.byte[0:9]          PIC X(10).

303   [10]    set^rec.set^rec1.billing^info.byte[0:9]         PIC X(10).

313   [3]     set^rec.set^rec1.auth^crncy^cde.byte[0:2]
                               [CRNCY-CDE]                     PIC 9(3).

316   [8]     set^rec.set^rec1.auth^conv^rate.byte[0:7]        PIC X(8).

324   [3]     set^rec.set^rec1.setl^crncy^cde.byte[0:2]
                               [CRNCY-CDE]                     PIC 9(3).

327   [8]     set^rec.set^rec1.setl^conv^rate.byte[0:7]        PIC X(8).

335   [1]     set^rec.user^fld7                                PIC X(1).

336   [120]   set^rec.set^rec2
                               [SET-REC2]

336   [120]   set^rec.set^rec2.stl

336   [30]    set^rec.set^rec2.stl.dc^tot

336   [2]     set^rec.set^rec2.stl.dc^tot.db^cnt
                                                 TYPE BINARY 16 SIGNED.

338   [8]     set^rec.set^rec2.stl.dc^tot.db    TYPE BINARY 64 SIGNED.

346   [2]     set^rec.set^rec2.stl.dc^tot.cr^cnt
                                                 TYPE BINARY 16 SIGNED.

348   [8]     set^rec.set^rec2.stl.dc^tot.cr    TYPE BINARY 64 SIGNED.
```

Offset	[Len]	Field Name and Description	Data Type
356	[2]	set^rec.set^rec2.stl.dc^tot.adj^cnt	TYPE BINARY 16 SIGNED.
358	[8]	set^rec.set^rec2.stl.dc^tot.adj	TYPE BINARY 64 SIGNED.
366	[30]	set^rec.set^rec2.stl.tot	
366	[2]	set^rec.set^rec2.stl.tot.db^cnt	TYPE BINARY 16 SIGNED.
368	[8]	set^rec.set^rec2.stl.tot.db	TYPE BINARY 64 SIGNED.
376	[2]	set^rec.set^rec2.stl.tot.cr^cnt	TYPE BINARY 16 SIGNED.
378	[8]	set^rec.set^rec2.stl.tot.cr	TYPE BINARY 64 SIGNED.
386	[2]	set^rec.set^rec2.stl.tot.adj^cnt	TYPE BINARY 16 SIGNED.
388	[8]	set^rec.set^rec2.stl.tot.adj	TYPE BINARY 64 SIGNED.
396	[30]	set^rec.set^rec2.stl.cn^dc^tot	
396	[2]	set^rec.set^rec2.stl.cn^dc^tot.db^cnt	TYPE BINARY 16 SIGNED.
398	[8]	set^rec.set^rec2.stl.cn^dc^tot.db	TYPE BINARY 64 SIGNED.
406	[2]	set^rec.set^rec2.stl.cn^dc^tot.cr^cnt	TYPE BINARY 16 SIGNED.
408	[8]	set^rec.set^rec2.stl.cn^dc^tot.cr	TYPE BINARY 64 SIGNED.
416	[2]	set^rec.set^rec2.stl.cn^dc^tot.adj^cnt	TYPE BINARY 16 SIGNED.
418	[8]	set^rec.set^rec2.stl.cn^dc^tot.adj	TYPE BINARY 64 SIGNED.
426	[30]	set^rec.set^rec2.stl.cn^tot	
426	[2]	set^rec.set^rec2.stl.cn^tot.db^cnt	TYPE BINARY 16 SIGNED.
428	[8]	set^rec.set^rec2.stl.cn^tot.db	TYPE BINARY 64 SIGNED.
436	[2]	set^rec.set^rec2.stl.cn^tot.cr^cnt	TYPE BINARY 16 SIGNED.
438	[8]	set^rec.set^rec2.stl.cn^tot.cr	TYPE BINARY 64 SIGNED.
446	[2]	set^rec.set^rec2.stl.cn^tot.adj^cnt	TYPE BINARY 16 SIGNED.

Offset	[Len]	Field Name and Description	Data Type
448	[8]	set^rec.set^rec2.stl.cn^tot.adj	TYPE BINARY 64 SIGNED.
456	[22]	set^rec.user^fld8.byte[0:21]	PIC X(22).
478	[202]	user^data [USER-DATA]	

User-defined information that BASE24-pos can carry in its internal message but does not recognize and does not use for processing.

This user data is available for all messages, but is appended to the message only if the DATA-FLAG field is set to 1.

478	[2]	user^data.len	TYPE BINARY 16 SIGNED.

The length of the variable information in the USER-DATA.INFO field.

480	[200]	user^data.info.byte[0:199]	PIC X(200).

User-defined information that BASE24 can carry in its internal message.

END [size 680]

Offset[Len]   Field Name and Description   Data Type

DEF PTLF-SRVCS-1

0   [1090]

0   [172]   head   [HEAD]

The POS Transaction Log File (PTLF) contains a record of each financial transaction (approved or denied) processed by BASE24-pos for a single processing day. Transactions declined by a Device Handler (for example, bad format), are typically not posted to the PTLF. It also contains settlement records for each POS terminal in the system. This file is an audit record at the transaction level of the system's processing and is extracted daily to provide detailed transaction data for processing by a host.

Records are written to the PTLF sequentially, and two PTLFs are always accessible to the system for logging: the current day's PTLF and the next day's PTLF. Which PTLF a transaction posts to is based on the transaction's PTDF posting date. This is derived from the current business date of the terminal at which the transaction originated. Use of two PTLFs allows BASE24-pos terminals to be cut over at different times. As terminals are cut over, transactions from those terminals begin posting to the next day's PTLF; transactions from terminals that have not been cut over for the day continue to post to the current day's PTLF.

When network settlement occurs, a new PTLF is created and the current day's PTLF is closed to the online system. At that time, the current day's PTLF is available for reporting and extract processing.

LCONF ASSIGN: POS-PTLF

PTLF RECORD STRUCTURE
There are five formats used in writing PTLF records.
o Financial Transaction (PTLF)
o Settlement Totals (PTLF-SET-REC)
o Clerk Totals (PTLF-CLERK-TOT)
o First Services (PTLF-SRVCS-1)
o Second Services (PTLF-SRVCS-2)

The values contained in the HEAD.REC-TYP and HEAD.TKEY. RKEY.REC-FRMT fields identify the type of information contained in the PTLF record. The various value combinations and the resulting record format and contents include:

REC-TYP REC-FRMT RECORD FORMAT AND CONTENTS

Offset[Len] Field Name and Description Data Type

00	-	Initial
01	5	Financial Transaction--Customer
04	0	Settlement Totals--Batch
04	1	Settlement Totals--Shift
04	2	Settlement Totals--Daily
04	3	Settlement Totals--Network
04	4	Clerk Totals
04	8	Second Services
04	9	First Services
20	5	Financial Transaction--Exception (posted)
21	5	Financial Transaction--Exception (not posted)
22	5	Financial Transaction--Exception (partially posted)
23	5	Financial Transaction--Exception (invalid data)

The following fields are included in each record written to the PTLF.

0 [8] head.dat^tim TYPE BINARY 64 SIGNED.

The date and time the record was logged. The value in this field is generated via a call to Tandem's JULIANTIMESTAMP utility.

8 [2] head.rec^typ.byte[0:1] PIC X(2).

A code indicating the type of record. The Authorization logic sets the value in this field when the record is logged. Valid values are:

00 = Initial record
01 = Customer transaction
04 = Administrative transaction
20 = Exception - posted
21 = Exception - not posted
22 = Exception - partially posted
23 = Exception - invalid data encountered in the POS Standard Message (PSTM)

In situations where a transaction cannot be completely processed because of a processing error (e.g., invalid data, unable to locate an authorization record, etc), the Authorization process logs the transaction to the PTLF as an execption. Exception transactions are

```
Offset[Len]   Field Name and Description                         Data Type

              included as detail items in the BASE24-pos reports but
              are not included in the BASE24-pos settlement totals.


10    [30]    head.crd


              The values in the following fields describe the
              cardholder and card issuer for the transaction.  This
              is an alternate key used for reporting and perusal
              purposes.


10    [4]     head.crd.ln.byte[0:3]
                               [LN]                               PIC X(4).


              The logical network with which the institution that
              issued the card is associated.


14    [4]     head.crd.fiid.byte[0:3]
                               [FIID]                             PIC X(4).


              The FIID of the institution that issued the card.


18    [22]    head.crd.card


              The values in the following fields identify the card
              used in the transaction.


18    [19]    head.crd.card.crd^num
                               [PAN]


              The card number identifying the card used in the
              transaction.


18    [19]    head.crd.card.crd^num.num.byte[0:18]          PIC X(19).

37    [3]     head.crd.card.mbr^num.byte[0:2]
                               [MBR-NUM]                          PIC 9(3).


              The member number associated with the card used in the
              transaction.


40    [57]    head.retl
```

```
Offset[Len]   Field Name and Description                      Data Type


              The values in the following fields describe the
              retailer involved in the transaction.  These values are
              used for reporting purposes.


40    [35]    head.retl.ky

40    [4]     head.retl.ky.ln.byte[0:3]
                               [LN]                           PIC X(4).


              The logical network with which the retailer is
              associated.


44    [31]    head.retl.ky.rdfkey


              The values in the following fields compose the key to
              the retailer's POS Retailer Definition File (PRDF).
              record.


44    [4]     head.retl.ky.rdfkey.fiid.byte[0:3]
                               [FIID]                         PIC X(4).


              The FIID of the institution with which the retailer is
              associated.


48    [4]     head.retl.ky.rdfkey.grp.byte[0:3]               PIC X(4).


              The group to which the retailer belongs.


52    [4]     head.retl.ky.rdfkey.regn.byte[0:3]
                               [REGN]                         PIC X(4).


              The retailer region group to which the retailer
              belongs.


56    [19]    head.retl.ky.rdfkey.id.byte[0:18]              PIC X(19).


              The retailer ID identifying the retailer.


75    [16]    head.retl.term^id.byte[0:15]                   PIC X(16).
```

```
Offset[Len]   Field Name and Description                       Data Type


              The terminal ID of the terminal at which the
              transaction occurred.

91    [3]     head.retl.shift^num.byte[0:2]                    PIC X(3).

              The shift number with which the transaction is
              associated.

94    [3]     head.retl.batch^num.byte[0:2]                    PIC X(3).

              The batch number with which the transaction is
              associated.

97    [32]    head.term

              The following fields define the terminal and time at
              which the transaction occurred.  These fields are used
              as an alternate key to peruse transactions by terminal
              and time.

97    [4]     head.term.ln.byte[0:3]
                                [LN]                           PIC X(4).

              The logical network with which the terminal is
              associated.

101   [4]     head.term.fiid.byte[0:3]
                                [FIID]                         PIC X(4).

              The FIID of the institution with which the terminal is
              associated.

105   [16]    head.term.term^id.byte[0:15]                    PIC X(16).

              The terminal ID of the terminal at which the
              transaction occurred.

121   [8]     head.term.tim    [TIM]
```

Offset[Len]		Field Name and Description	Data Type
		The time the transaction occurred.	
121	[2]	head.term.tim.hh.byte[0:1]	PIC X(2).
123	[2]	head.term.tim.mm.byte[0:1]	PIC X(2).
125	[2]	head.term.tim.ss.byte[0:1]	PIC X(2).
127	[2]	head.term.tim.tt.byte[0:1]	PIC X(2).
129	[42]	head.tkey	
		The following fields identify the terminal, retailer, and clerk associated with the transaction. These fields are used as an alternate key to peruse transactions by terminal, retailer, and clerk.	
129	[16]	head.tkey.term^id.byte[0:15]	PIC X(16).
		The terminal ID of the terminal at which the transaction occurred.	
145	[26]	head.tkey.rkey	
145	[1]	head.tkey.rkey.rec^frmt	PIC X(1).
		A code indicating the type of information in this record. Valid values are: 0 = Batch Totals 1 = Shift Totals 2 = Day Totals 3 = Network Totals 4 = Clerk Totals 5 = Data Record 8 = Services Totals 9 = Services Totals	
146	[19]	head.tkey.rkey.retailer^id.byte[0:18]	PIC X(19).
		The retailer ID identifying the retailer.	
165	[6]	head.tkey.rkey.clerk^id.byte[0:5]	PIC X(6).

```
Offset[Len]   Field Name and Description                        Data Type

              The clerk identification number.


171   [1]     head.data^flag                                    PIC X(1).


              Indicates whether the USER-DATA field is appended to
              the PTLF record.

              Valid values are:

              0 = No user-data appended
              1 = User-data appended


172   [716]   srvcs^1


              The following fields are used to log the first 17
              services to the PTLF.


172   [163]   srvcs^1.set^rec1
                               [SET-REC1]

172   [4]     srvcs^1.set^rec1.typ.byte[0:3]                    PIC 9(4).

176   [6]     srvcs^1.set^rec1.post^dat
                               [DAT]

176   [2]     srvcs^1.set^rec1.post^dat.yy.byte[0:1]            PIC X(2).

178   [2]     srvcs^1.set^rec1.post^dat.mm.byte[0:1]            PIC X(2).

180   [2]     srvcs^1.set^rec1.post^dat.dd.byte[0:1]            PIC X(2).

182   [2]     srvcs^1.set^rec1.prod^id.byte[0:1]                PIC 9(2).

184   [2]     srvcs^1.set^rec1.rel^num.byte[0:1]                PIC 9(2).

186   [2]     srvcs^1.set^rec1.dpc^num          TYPE BINARY 16 SIGNED.

188   [2]     srvcs^1.set^rec1.term^tim^ofst    TYPE BINARY 16 SIGNED.

190   [16]    srvcs^1.set^rec1.term^id.byte[0:15]              PIC X(16).

206   [71]    srvcs^1.set^rec1.retl

206   [11]    srvcs^1.set^rec1.retl.rttn.byte[0:10]
                               [ID-NUM]                        PIC 9(11).

217   [19]    srvcs^1.set^rec1.retl.acct
                               [ACCT]
```

Offset	[Len]	Field Name and Description	Data Type
217	[19]	srvcs^1.set^rec1.retl.acct.acct^num.byte[0:18]	PIC X(19).
236	[40]	srvcs^1.set^rec1.retl.nam.byte[0:39]	PIC X(40).
276	[1]	srvcs^1.set^rec1.retl.user^fld1	PIC X(1).
277	[1]	srvcs^1.set^rec1.setl^typ	PIC 9(1).
278	[1]	srvcs^1.set^rec1.bal^flg	PIC 9(1).
279	[1]	srvcs^1.set^rec1.user^fld2	PIC X(1).
280	[6]	srvcs^1.set^rec1.tran^dat [DAT]	
280	[2]	srvcs^1.set^rec1.tran^dat.yy.byte[0:1]	PIC X(2).
282	[2]	srvcs^1.set^rec1.tran^dat.mm.byte[0:1]	PIC X(2).
284	[2]	srvcs^1.set^rec1.tran^dat.dd.byte[0:1]	PIC X(2).
286	[6]	srvcs^1.set^rec1.tran^tim.byte[0:5]	PIC X(6).
292	[1]	srvcs^1.set^rec1.ob^flg	PIC X(1).
293	[10]	srvcs^1.set^rec1.ach^comp^id.byte[0:9]	PIC X(10).
303	[10]	srvcs^1.set^rec1.billing^info.byte[0:9]	PIC X(10).
313	[3]	srvcs^1.set^rec1.auth^crncy^cde.byte[0:2] [CRNCY-CDE]	PIC 9(3).
316	[8]	srvcs^1.set^rec1.auth^conv^rate.byte[0:7]	PIC X(8).
324	[3]	srvcs^1.set^rec1.setl^crncy^cde.byte[0:2] [CRNCY-CDE]	PIC 9(3).
327	[8]	srvcs^1.set^rec1.setl^conv^rate.byte[0:7]	PIC X(8).
335	[1]	srvcs^1.user^fld9	PIC X(1).
336	[546]	srvcs^1.set^rec3 [SET-REC3]	
336	[2]	srvcs^1.set^rec3.num^srv	TYPE BINARY 16 SIGNED.
338	[544]	srvcs^1.set^rec3.srv[0:16]	
338	[2]	srvcs^1.set^rec3.srv[0:16].typ.byte[0:1]	PIC X(2).
340	[2]	srvcs^1.set^rec3.srv[0:16].db^cnt	TYPE BINARY 16 SIGNED.

```
Offset[Len]   Field Name and Description                       Data Type

342   [8]     srvcs^1.set^rec3.srv[0:16].db     TYPE BINARY 64 SIGNED.

350   [2]     srvcs^1.set^rec3.srv[0:16].cr^cnt
                                                TYPE BINARY 16 SIGNED.

352   [8]     srvcs^1.set^rec3.srv[0:16].cr     TYPE BINARY 64 SIGNED.

360   [2]     srvcs^1.set^rec3.srv[0:16].adj^cnt
                                                TYPE BINARY 16 SIGNED.

362   [8]     srvcs^1.set^rec3.srv[0:16].adj    TYPE BINARY 64 SIGNED.

882   [6]     srvcs^1.user^fld8.byte[0:5]                  PIC X(6).

888   [202]   user^data        [USER-DATA]
```

User-defined information that BASE24-pos can carry in its internal message but does not recognize and does not use for processing.

This user data is available for all messages, but is appended to the message only if the DATA-FLAG field is set to 1.

```
888   [2]     user^data.len                     TYPE BINARY 16 SIGNED.
```

The length of the variable information in the USER-DATA.INFO field.

```
890   [200]   user^data.info.byte[0:199]                 PIC X(200).
```

User-defined information that BASE24 can carry in its internal message.

END [size 1090]

Offset[Len] Field Name and Description Data Type

DEF PTLF-SRVCS-2

0 [976]

0 [172] head [HEAD]

The POS Transaction Log File (PTLF) contains a record of each financial transaction (approved or denied) processed by BASE24-pos for a single processing day. Transactions declined by a Device Handler (for example, bad format), are typically not posted to the PTLF. It also contains settlement records for each POS terminal in the system. This file is an audit record at the transaction level of the system’s processing and is extracted daily to provide detailed transaction data for processing by a host.

Records are written to the PTLF sequentially, and two PTLFs are always accessible to the system for logging: the current day’s PTLF and the next day’s PTLF. Which PTLF a transaction posts to is based on the transaction’s PTDF posting date. This is derived from the current business date of the terminal at which the transaction originated. Use of two PTLFs allows BASE24-pos terminals to be cut over at different times. As terminals are cut over, transactions from those terminals begin posting to the next day’s PTLF; transactions from terminals that have not been cut over for the day continue to post to the current day’s PTLF.

When network settlement occurs, a new PTLF is created and the current day’s PTLF is closed to the online system. At that time, the current day’s PTLF is available for reporting and extract processing.

LCONF ASSIGN: POS-PTLF

PTLF RECORD STRUCTURE
There are five formats used in writing PTLF records.
o Financial Transaction (PTLF)
o Settlement Totals (PTLF-SET-REC)
o Clerk Totals (PTLF-CLERK-TOT)
o First Services (PTLF-SRVCS-1)
o Second Services (PTLF-SRVCS-2)

The values contained in the HEAD.REC-TYP and HEAD.TKEY. RKEY.REC-FRMT fields identify the type of information contained in the PTLF record. The various value combinations and the resulting record format and contents include:

REC-TYP REC-FRMT RECORD FORMAT AND CONTENTS

```
Offset[Len]   Field Name and Description                    Data Type

                00        -     Initial
                01        5     Financial Transaction--Customer
                04        0     Settlement Totals--Batch
                04        1     Settlement Totals--Shift
                04        2     Settlement Totals--Daily
                04        3     Settlement Totals--Network
                04        4     Clerk Totals
                04        8     Second Services
                04        9     First Services
                20        5     Financial Transaction--Exception
                                  (posted)
                21        5     Financial Transaction--Exception
                                  (not posted)
                22        5     Financial Transaction--Exception
                                  (partially posted)
                23        5     Financial Transaction--Exception
                                  (invalid data)
```

The following fields are included in each record written to the PTLF.

```
0      [8]      head.dat^tim                    TYPE BINARY 64 SIGNED.
```

The date and time the record was logged. The value in this field is generated via a call to Tandem's JULIANTIMESTAMP utility.

```
8      [2]      head.rec^typ.byte[0:1]                     PIC X(2).
```

A code indicating the type of record. The Authorization logic sets the value in this field when the record is logged. Valid values are:

```
00 = Initial record
01 = Customer transaction
04 = Administrative transaction
20 = Exception - posted
21 = Exception - not posted
22 = Exception - partially posted
23 = Exception - invalid data encountered in the POS
     Standard Message (PSTM)
```

In situations where a transaction cannot be completely processed because of a processing error (e.g., invalid data, unable to locate an authorization record, etc), the Authorization process logs the transaction to the PTLF as an execption. Exception transactions are

```
Offset[Len]   Field Name and Description                      Data Type

              included as detail items in the BASE24-pos reports but
              are not included in the BASE24-pos settlement totals.


10    [30]    head.crd


              The values in the following fields describe the
              cardholder and card issuer for the transaction.  This
              is an alternate key used for reporting and perusal
              purposes.


10    [4]     head.crd.ln.byte[0:3]
                               [LN]                           PIC X(4).


              The logical network with which the institution that
              issued the card is associated.


14    [4]     head.crd.fiid.byte[0:3]
                               [FIID]                         PIC X(4).


              The FIID of the institution that issued the card.


18    [22]    head.crd.card


              The values in the following fields identify the card
              used in the transaction.


18    [19]    head.crd.card.crd^num
                               [PAN]


              The card number identifying the card used in the
              transaction.


18    [19]    head.crd.card.crd^num.num.byte[0:18]          PIC X(19).

37    [3]     head.crd.card.mbr^num.byte[0:2]
                               [MBR-NUM]                      PIC 9(3).


              The member number associated with the card used in the
              transaction.


40    [57]    head.retl
```

```
Offset[Len]   Field Name and Description                      Data Type


              The values in the following fields describe the
              retailer involved in the transaction.  These values are
              used for reporting purposes.


40    [35]    head.retl.ky

40    [4]     head.retl.ky.ln.byte[0:3]
                               [LN]                           PIC X(4).


              The logical network with which the retailer is
              associated.


44    [31]    head.retl.ky.rdfkey


              The values in the following fields compose the key to
              the retailer's POS Retailer Definition File (PRDF).
              record.


44    [4]     head.retl.ky.rdfkey.fiid.byte[0:3]
                               [FIID]                         PIC X(4).


              The FIID of the institution with which the retailer is
              associated.


48    [4]     head.retl.ky.rdfkey.grp.byte[0:3]               PIC X(4).


              The group to which the retailer belongs.


52    [4]     head.retl.ky.rdfkey.regn.byte[0:3]
                               [REGN]                         PIC X(4).


              The retailer region group to which the retailer
              belongs.


56    [19]    head.retl.ky.rdfkey.id.byte[0:18]              PIC X(19).


              The retailer ID identifying the retailer.


75    [16]    head.retl.term^id.byte[0:15]                   PIC X(16).
```

```
Offset[Len]   Field Name and Description                    Data Type


              The terminal ID of the terminal at which the
              transaction occurred.

91    [3]     head.retl.shift^num.byte[0:2]                 PIC X(3).

              The shift number with which the transaction is
              associated.

94    [3]     head.retl.batch^num.byte[0:2]                 PIC X(3).

              The batch number with which the transaction is
              associated.

97    [32]    head.term

              The following fields define the terminal and time at
              which the transaction occurred.  These fields are used
              as an alternate key to peruse transactions by terminal
              and time.

97    [4]     head.term.ln.byte[0:3]
                               [LN]                         PIC X(4).

              The logical network with which the terminal is
              associated.

101   [4]     head.term.fiid.byte[0:3]
                               [FIID]                       PIC X(4).

              The FIID of the institution with which the terminal is
              associated.

105   [16]    head.term.term^id.byte[0:15]                 PIC X(16).

              The terminal ID of the terminal at which the
              transaction occurred.

121   [8]     head.term.tim    [TIM]
```

```
Offset[Len]   Field Name and Description                       Data Type


              The time the transaction occurred.


121   [2]     head.term.tim.hh.byte[0:1]                       PIC X(2).

123   [2]     head.term.tim.mm.byte[0:1]                       PIC X(2).

125   [2]     head.term.tim.ss.byte[0:1]                       PIC X(2).

127   [2]     head.term.tim.tt.byte[0:1]                       PIC X(2).

129   [42]    head.tkey


              The following fields identify the terminal, retailer,
              and clerk associated with the transaction.  These fields
              are used as an alternate key to peruse transactions by
              terminal, retailer, and clerk.

129   [16]    head.tkey.term^id.byte[0:15]                    PIC X(16).


              The terminal ID of the terminal at which the
              transaction occurred.


145   [26]    head.tkey.rkey

145   [1]     head.tkey.rkey.rec^frmt                          PIC X(1).


              A code indicating the type of information in this
              record.  Valid values are:

              0 = Batch Totals
              1 = Shift Totals
              2 = Day Totals
              3 = Network Totals
              4 = Clerk Totals
              5 = Data Record
              8 = Services Totals
              9 = Services Totals


146   [19]    head.tkey.rkey.retailer^id.byte[0:18]           PIC X(19).


              The retailer ID identifying the retailer.


165   [6]     head.tkey.rkey.clerk^id.byte[0:5]                PIC X(6).
```

```
Offset[Len]   Field Name and Description                       Data Type

              The clerk identification number.


171   [1]     head.data^flag                                   PIC X(1).


              Indicates whether the USER-DATA field is appended to
              the PTLF record.

              Valid values are:

              0 = No user-data appended
              1 = User-data appended


172   [602]   srvcs^2

172   [163]   srvcs^2.set^rec1
                                [SET-REC1]

172   [4]     srvcs^2.set^rec1.typ.byte[0:3]                   PIC 9(4).

176   [6]     srvcs^2.set^rec1.post^dat
                                [DAT]

176   [2]     srvcs^2.set^rec1.post^dat.yy.byte[0:1]           PIC X(2).

178   [2]     srvcs^2.set^rec1.post^dat.mm.byte[0:1]           PIC X(2).

180   [2]     srvcs^2.set^rec1.post^dat.dd.byte[0:1]           PIC X(2).

182   [2]     srvcs^2.set^rec1.prod^id.byte[0:1]               PIC 9(2).

184   [2]     srvcs^2.set^rec1.rel^num.byte[0:1]               PIC 9(2).

186   [2]     srvcs^2.set^rec1.dpc^num          TYPE BINARY 16 SIGNED.

188   [2]     srvcs^2.set^rec1.term^tim^ofst    TYPE BINARY 16 SIGNED.

190   [16]    srvcs^2.set^rec1.term^id.byte[0:15]             PIC X(16).

206   [71]    srvcs^2.set^rec1.retl

206   [11]    srvcs^2.set^rec1.retl.rttn.byte[0:10]
                                [ID-NUM]                      PIC 9(11).

217   [19]    srvcs^2.set^rec1.retl.acct
                                [ACCT]

217   [19]    srvcs^2.set^rec1.retl.acct.acct^num.byte[0:18]
                                                              PIC X(19).

236   [40]    srvcs^2.set^rec1.retl.nam.byte[0:39]            PIC X(40).
```

Offset	[Len]	Field Name and Description	Data Type
276	[1]	srvcs^2.set^rec1.retl.user^fld1	PIC X(1).
277	[1]	srvcs^2.set^rec1.setl^typ	PIC 9(1).
278	[1]	srvcs^2.set^rec1.bal^flg	PIC 9(1).
279	[1]	srvcs^2.set^rec1.user^fld2	PIC X(1).
280	[6]	srvcs^2.set^rec1.tran^dat [DAT]	
280	[2]	srvcs^2.set^rec1.tran^dat.yy.byte[0:1]	PIC X(2).
282	[2]	srvcs^2.set^rec1.tran^dat.mm.byte[0:1]	PIC X(2).
284	[2]	srvcs^2.set^rec1.tran^dat.dd.byte[0:1]	PIC X(2).
286	[6]	srvcs^2.set^rec1.tran^tim.byte[0:5]	PIC X(6).
292	[1]	srvcs^2.set^rec1.ob^flg	PIC X(1).
293	[10]	srvcs^2.set^rec1.ach^comp^id.byte[0:9]	PIC X(10).
303	[10]	srvcs^2.set^rec1.billing^info.byte[0:9]	PIC X(10).
313	[3]	srvcs^2.set^rec1.auth^crncy^cde.byte[0:2] [CRNCY-CDE]	PIC 9(3).
316	[8]	srvcs^2.set^rec1.auth^conv^rate.byte[0:7]	PIC X(8).
324	[3]	srvcs^2.set^rec1.setl^crncy^cde.byte[0:2] [CRNCY-CDE]	PIC 9(3).
327	[8]	srvcs^2.set^rec1.setl^conv^rate.byte[0:7]	PIC X(8).
335	[1]	srvcs^2.user^fld11	PIC X(1).
336	[416]	srvcs^2.set^rec4 [SET-REC4]	
336	[416]	srvcs^2.set^rec4.srv[0:12]	
336	[2]	srvcs^2.set^rec4.srv[0:12].typ.byte[0:1]	PIC X(2).
338	[2]	srvcs^2.set^rec4.srv[0:12].db^cnt	TYPE BINARY 16 SIGNED.
340	[8]	srvcs^2.set^rec4.srv[0:12].db	TYPE BINARY 64 SIGNED.
348	[2]	srvcs^2.set^rec4.srv[0:12].cr^cnt	TYPE BINARY 16 SIGNED.
350	[8]	srvcs^2.set^rec4.srv[0:12].cr	TYPE BINARY 64 SIGNED.

```
Offset[Len]   Field Name and Description                         Data Type

358   [2]     srvcs^2.set^rec4.srv[0:12].adj^cnt
                                                   TYPE BINARY 16 SIGNED.

360   [8]     srvcs^2.set^rec4.srv[0:12].adj    TYPE BINARY 64 SIGNED.

752   [22]    srvcs^2.user^fld12.byte[0:21]                 PIC X(22).

774   [202]   user^data        [USER-DATA]
```

User-defined information that BASE24-pos can carry in its internal message but does not recognize and does not use for processing.

This user data is available for all messages, but is appended to the message only if the DATA-FLAG field is set to 1.

```
774   [2]     user^data.len                     TYPE BINARY 16 SIGNED.
```

The length of the variable information in the USER-DATA.INFO field.

```
776   [200]   user^data.info.byte[0:199]                   PIC X(200).
```

User-defined information that BASE24 can carry in its internal message.

```
              END   [size   976]
```

Offset[Len] Field Name and Description Data Type

DEF PTLF-CLERK-TOT

0 [610]

0 [172] head [HEAD]

The POS Transaction Log File (PTLF) contains a record of each financial transaction (approved or denied) processed by BASE24-pos for a single processing day. Transactions declined by a Device Handler (for example, bad format), are typically not posted to the PTLF. It also contains settlement records for each POS terminal in the system. This file is an audit record at the transaction level of the system's processing and is extracted daily to provide detailed transaction data for processing by a host.

Records are written to the PTLF sequentially, and two PTLFs are always accessible to the system for logging: the current day's PTLF and the next day's PTLF. Which PTLF a transaction posts to is based on the transaction's PTDF posting date. This is derived from the current business date of the terminal at which the transaction originated. Use of two PTLFs allows BASE24-pos terminals to be cut over at different times. As terminals are cut over, transactions from those terminals begin posting to the next day's PTLF; transactions from terminals that have not been cut over for the day continue to post to the current day's PTLF.

When network settlement occurs, a new PTLF is created and the current day's PTLF is closed to the online system. At that time, the current day's PTLF is available for reporting and extract processing.

LCONF ASSIGN: POS-PTLF

PTLF RECORD STRUCTURE
There are five formats used in writing PTLF records.
o Financial Transaction (PTLF)
o Settlement Totals (PTLF-SET-REC)
o Clerk Totals (PTLF-CLERK-TOT)
o First Services (PTLF-SRVCS-1)
o Second Services (PTLF-SRVCS-2)

The values contained in the HEAD.REC-TYP and HEAD.TKEY. RKEY.REC-FRMT fields identify the type of information contained in the PTLF record. The various value combinations and the resulting record format and contents include:

REC-TYP REC-FRMT RECORD FORMAT AND CONTENTS

Offset[Len] Field Name and Description Data Type

00	-	Initial
01	5	Financial Transaction--Customer
04	0	Settlement Totals--Batch
04	1	Settlement Totals--Shift
04	2	Settlement Totals--Daily
04	3	Settlement Totals--Network
04	4	Clerk Totals
04	8	Second Services
04	9	First Services
20	5	Financial Transaction--Exception (posted)
21	5	Financial Transaction--Exception (not posted)
22	5	Financial Transaction--Exception (partially posted)
23	5	Financial Transaction--Exception (invalid data)

The following fields are included in each record written to the PTLF.

0 [8] head.dat^tim TYPE BINARY 64 SIGNED.

The date and time the record was logged. The value in this field is generated via a call to Tandem's JULIANTIMESTAMP utility.

8 [2] head.rec^typ.byte[0:1] PIC X(2).

A code indicating the type of record. The Authorization logic sets the value in this field when the record is logged. Valid values are:

00 = Initial record
01 = Customer transaction
04 = Administrative transaction
20 = Exception - posted
21 = Exception - not posted
22 = Exception - partially posted
23 = Exception - invalid data encountered in the POS
     Standard Message (PSTM)

In situations where a transaction cannot be completely processed because of a processing error (e.g., invalid data, unable to locate an authorization record, etc), the Authorization process logs the transaction to the PTLF as an execption. Exception transactions are

```
Offset[Len]   Field Name and Description                       Data Type

              included as detail items in the BASE24-pos reports but
              are not included in the BASE24-pos settlement totals.


10    [30]    head.crd


              The values in the following fields describe the
              cardholder and card issuer for the transaction.  This
              is an alternate key used for reporting and perusal
              purposes.


10    [4]     head.crd.ln.byte[0:3]
                               [LN]                            PIC X(4).


              The logical network with which the institution that
              issued the card is associated.


14    [4]     head.crd.fiid.byte[0:3]
                               [FIID]                          PIC X(4).


              The FIID of the institution that issued the card.


18    [22]    head.crd.card


              The values in the following fields identify the card
              used in the transaction.


18    [19]    head.crd.card.crd^num
                               [PAN]


              The card number identifying the card used in the
              transaction.


18    [19]    head.crd.card.crd^num.num.byte[0:18]           PIC X(19).

37    [3]     head.crd.card.mbr^num.byte[0:2]
                               [MBR-NUM]                       PIC 9(3).


              The member number associated with the card used in the
              transaction.


40    [57]    head.retl
```

```
Offset[Len]   Field Name and Description                          Data Type


              The values in the following fields describe the
              retailer involved in the transaction.  These values are
              used for reporting purposes.


40    [35]    head.retl.ky

40    [4]     head.retl.ky.ln.byte[0:3]
                                [LN]                              PIC X(4).


              The logical network with which the retailer is
              associated.


44    [31]    head.retl.ky.rdfkey


              The values in the following fields compose the key to
              the retailer's POS Retailer Definition File (PRDF).
              record.


44    [4]     head.retl.ky.rdfkey.fiid.byte[0:3]
                                [FIID]                            PIC X(4).


              The FIID of the institution with which the retailer is
              associated.


48    [4]     head.retl.ky.rdfkey.grp.byte[0:3]                   PIC X(4).


              The group to which the retailer belongs.


52    [4]     head.retl.ky.rdfkey.regn.byte[0:3]
                                [REGN]                            PIC X(4).


              The retailer region group to which the retailer
              belongs.


56    [19]    head.retl.ky.rdfkey.id.byte[0:18]                  PIC X(19).


              The retailer ID identifying the retailer.


75    [16]    head.retl.term^id.byte[0:15]                       PIC X(16).
```

```
Offset[Len]   Field Name and Description                     Data Type


              The terminal ID of the terminal at which the
              transaction occurred.

91    [3]     head.retl.shift^num.byte[0:2]                  PIC X(3).

              The shift number with which the transaction is
              associated.

94    [3]     head.retl.batch^num.byte[0:2]                  PIC X(3).

              The batch number with which the transaction is
              associated.

97    [32]    head.term

              The following fields define the terminal and time at
              which the transaction occurred.  These fields are used
              as an alternate key to peruse transactions by terminal
              and time.

97    [4]     head.term.ln.byte[0:3]
                                 [LN]                        PIC X(4).

              The logical network with which the terminal is
              associated.

101   [4]     head.term.fiid.byte[0:3]
                                 [FIID]                      PIC X(4).

              The FIID of the institution with which the terminal is
              associated.

105   [16]    head.term.term^id.byte[0:15]                  PIC X(16).

              The terminal ID of the terminal at which the
              transaction occurred.

121   [8]     head.term.tim    [TIM]
```

Offset[Len]		Field Name and Description	Data Type
		The time the transaction occurred.	
121	[2]	head.term.tim.hh.byte[0:1]	PIC X(2).
123	[2]	head.term.tim.mm.byte[0:1]	PIC X(2).
125	[2]	head.term.tim.ss.byte[0:1]	PIC X(2).
127	[2]	head.term.tim.tt.byte[0:1]	PIC X(2).
129	[42]	head.tkey	
		The following fields identify the terminal, retailer, and clerk associated with the transaction. These fields are used as an alternate key to peruse transactions by terminal, retailer, and clerk.	
129	[16]	head.tkey.term^id.byte[0:15]	PIC X(16).
		The terminal ID of the terminal at which the transaction occurred.	
145	[26]	head.tkey.rkey	
145	[1]	head.tkey.rkey.rec^frmt	PIC X(1).
		A code indicating the type of information in this record. Valid values are: 0 = Batch Totals 1 = Shift Totals 2 = Day Totals 3 = Network Totals 4 = Clerk Totals 5 = Data Record 8 = Services Totals 9 = Services Totals	
146	[19]	head.tkey.rkey.retailer^id.byte[0:18]	PIC X(19).
		The retailer ID identifying the retailer.	
165	[6]	head.tkey.rkey.clerk^id.byte[0:5]	PIC X(6).

```
Offset[Len]   Field Name and Description                        Data Type

              The clerk identification number.

171   [1]     head.data^flag                                    PIC X(1).

              Indicates whether the USER-DATA field is appended to
              the PTLF record.

              Valid values are:

              0 = No user-data appended
              1 = User-data appended

172   [236]   clerk^tot

              CLERK-TOT will be used to log the clerk totals to the
              PTLF

172   [163]   clerk^tot.set^rec1
                                 [SET-REC1]

172   [4]     clerk^tot.set^rec1.typ.byte[0:3]                  PIC 9(4).

176   [6]     clerk^tot.set^rec1.post^dat
                                 [DAT]

176   [2]     clerk^tot.set^rec1.post^dat.yy.byte[0:1]          PIC X(2).

178   [2]     clerk^tot.set^rec1.post^dat.mm.byte[0:1]          PIC X(2).

180   [2]     clerk^tot.set^rec1.post^dat.dd.byte[0:1]          PIC X(2).

182   [2]     clerk^tot.set^rec1.prod^id.byte[0:1]              PIC 9(2).

184   [2]     clerk^tot.set^rec1.rel^num.byte[0:1]              PIC 9(2).

186   [2]     clerk^tot.set^rec1.dpc^num        TYPE BINARY 16 SIGNED.

188   [2]     clerk^tot.set^rec1.term^tim^ofst  TYPE BINARY 16 SIGNED.

190   [16]    clerk^tot.set^rec1.term^id.byte[0:15]            PIC X(16).

206   [71]    clerk^tot.set^rec1.retl

206   [11]    clerk^tot.set^rec1.retl.rttn.byte[0:10]
                                 [ID-NUM]                      PIC 9(11).

217   [19]    clerk^tot.set^rec1.retl.acct
                                 [ACCT]

217   [19]    clerk^tot.set^rec1.retl.acct.acct^num.byte[0:18]
                                                               PIC X(19).
```

Offset	[Len]	Field Name and Description	Data Type
236	[40]	clerk^tot.set^rec1.retl.nam.byte[0:39]	PIC X(40).
276	[1]	clerk^tot.set^rec1.retl.user^fld1	PIC X(1).
277	[1]	clerk^tot.set^rec1.setl^typ	PIC 9(1).
278	[1]	clerk^tot.set^rec1.bal^flg	PIC 9(1).
279	[1]	clerk^tot.set^rec1.user^fld2	PIC X(1).
280	[6]	clerk^tot.set^rec1.tran^dat [DAT]	
280	[2]	clerk^tot.set^rec1.tran^dat.yy.byte[0:1]	PIC X(2).
282	[2]	clerk^tot.set^rec1.tran^dat.mm.byte[0:1]	PIC X(2).
284	[2]	clerk^tot.set^rec1.tran^dat.dd.byte[0:1]	PIC X(2).
286	[6]	clerk^tot.set^rec1.tran^tim.byte[0:5]	PIC X(6).
292	[1]	clerk^tot.set^rec1.ob^flg	PIC X(1).
293	[10]	clerk^tot.set^rec1.ach^comp^id.byte[0:9]	PIC X(10).
303	[10]	clerk^tot.set^rec1.billing^info.byte[0:9]	PIC X(10).
313	[3]	clerk^tot.set^rec1.auth^crncy^cde.byte[0:2] [CRNCY-CDE]	PIC 9(3).
316	[8]	clerk^tot.set^rec1.auth^conv^rate.byte[0:7]	PIC X(8).
324	[3]	clerk^tot.set^rec1.setl^crncy^cde.byte[0:2] [CRNCY-CDE]	PIC 9(3).
327	[8]	clerk^tot.set^rec1.setl^conv^rate.byte[0:7]	PIC X(8).
335	[1]	clerk^tot.user^fld13	PIC X(1).
336	[50]	clerk^tot.set^rec5 [SET-REC5]	
336	[2]	clerk^tot.set^rec5.db^cnt	TYPE BINARY 16 SIGNED.
338	[8]	clerk^tot.set^rec5.db^amt	TYPE BINARY 64 SIGNED.
346	[2]	clerk^tot.set^rec5.cr^cnt	TYPE BINARY 16 SIGNED.
348	[8]	clerk^tot.set^rec5.cr^amt	TYPE BINARY 64 SIGNED.
356	[2]	clerk^tot.set^rec5.adj^cnt	TYPE BINARY 16 SIGNED.
358	[8]	clerk^tot.set^rec5.adj^amt	TYPE BINARY 64 SIGNED.

Offset	[Len]	Field Name and Description	Data Type
366	[2]	clerk^tot.set^rec5.cash^cnt	TYPE BINARY 16 SIGNED.
368	[8]	clerk^tot.set^rec5.cash^amt	TYPE BINARY 64 SIGNED.
376	[2]	clerk^tot.set^rec5.chk^cnt	TYPE BINARY 16 SIGNED.
378	[8]	clerk^tot.set^rec5.chk^amt	TYPE BINARY 64 SIGNED.
386	[22]	clerk^tot.user^fld14.byte[0:21]	PIC X(22).
408	[202]	user^data [USER-DATA]	

User-defined information that BASE24-pos can carry in its internal message but does not recognize and does not use for processing.

This user data is available for all messages, but is appended to the message only if the DATA-FLAG field is set to 1.

Offset	[Len]	Field Name and Description	Data Type
408	[2]	user^data.len	TYPE BINARY 16 SIGNED.

The length of the variable information in the USER-DATA.INFO field.

Offset	[Len]	Field Name and Description	Data Type
410	[200]	user^data.info.byte[0:199]	PIC X(200).

User-defined information that BASE24 can carry in its internal message.

END [size 610]