```
Offset[Len]   Field Name and Description                    Data Type

DEF ILFX


0     [4140]


              The fields in the ILF, and their values, varies from
              interchange to interchange, according the different
              message and processing requirements.  In most cases,
              the basic record structure is similar for all ILF
              records.  This is the layout of the generic ILFX
              record.


0     [55]    prikey

0     [55]    prikey.byte.byte[0:54]                       PIC X(55).

              The generic ILF primary key is defined below.  Each
              Interchange Interface will redefine this area.


55    [1]     user^fldb                                     PIC X(1).

              This field is not used.

56    [5]     substate.byte[0:4]                            PIC X(5).

              The exception substate indicator for an authorization
              record.

              0      =  OK, no error
              1      =  System error
              2      =  Format error in message from the interchange
              3      =  Transaction failed pre-screening checks by
                        the Interchange Interface process
              4      =  Denied because the interchange was down
              5      =  Request timeout, denied
              6      =  Interchange down at time of response
              7      =  Could not find original transaction for this
                        reversal
              8-10   =  Reserved
              11-15  =  Interchange Interface-specific

61    [5]     rec^typ.byte[0:4]                             PIC X(5).

              The type of record logged to the ILF based on product
              ID.  Values are:

              01 = ATM
              02 = POS

              Values of 90 and above are reserved for Interchange
              Interface specific record type logging.  These are
```

```
Offset[Len]   Field Name and Description                     Data Type

              typically used for special reporting requirements,
              settlement totals, or chargeback records.


66    [16]    orig^net^pro.byte[0:15]
                               [SYM-NAME]                   PIC X(16).

              The symbolic name of the process which forwarded the
              transaction to the Interchange Interface for outbound
              transactions.   The Interchange Interface uses this
              field when sending back the response to the BASE24
              process.

              For inbound transactions this field contains the
              symbolic name of the process which authorized the
              transaction. The Interchange Interface uses this field
              when a reversal needs to be sent back to the
              transaction authorizer.

82    [6]     cur^dat^add      [DAT]

              The current date (YYMMDD) when this record was
              added to the ILF.

82    [2]     cur^dat^add.yy.byte[0:1]                        PIC X(2).

84    [2]     cur^dat^add.mm.byte[0:1]                        PIC X(2).

86    [2]     cur^dat^add.dd.byte[0:1]                        PIC X(2).

88    [8]     cur^tim^add      [TIM]

              The current time (HHMMSSTT) when this record was added
              to the ILF.

88    [2]     cur^tim^add.hh.byte[0:1]                        PIC X(2).

90    [2]     cur^tim^add.mm.byte[0:1]                        PIC X(2).

92    [2]     cur^tim^add.ss.byte[0:1]                        PIC X(2).

94    [2]     cur^tim^add.tt.byte[0:1]                        PIC X(2).

96    [19]    last^update.byte[0:18]                         PIC X(19).

              The timestamp, in four-word julian format, of when the
              record was created or updated.

115   [52]    sem

              The following fields are used by the Interchange
              Interface to standardized the logging of external
              message fields for reporting purposes.  The data is
              right-justified and blank-filled on the left.
```

```
Offset[Len]   Field Name and Description                       Data Type


115   [4]     sem.tran^typ.byte[0:3]                           PIC X(4).

              The transaction type from the interchange’s external
              message.

119   [8]     sem.resp^cde.byte[0:7]                           PIC X(8).

              The response code from the interchange’s external
              message.

127   [4]     sem.rvsl^cde.byte[0:3]                           PIC X(4).

              The reversal code from the interchange’s external
              message, if present.

131   [6]     sem.swi^dat      [DAT]

              The transaction date from the interchange’s external
              message.

131   [2]     sem.swi^dat.yy.byte[0:1]                         PIC X(2).

133   [2]     sem.swi^dat.mm.byte[0:1]                         PIC X(2).

135   [2]     sem.swi^dat.dd.byte[0:1]                         PIC X(2).

137   [8]     sem.swi^tim      [TIM]

              The transaction time from the interchange’s external
              message.

137   [2]     sem.swi^tim.hh.byte[0:1]                         PIC X(2).

139   [2]     sem.swi^tim.mm.byte[0:1]                         PIC X(2).

141   [2]     sem.swi^tim.ss.byte[0:1]                         PIC X(2).

143   [2]     sem.swi^tim.tt.byte[0:1]                         PIC X(2).

145   [6]     sem.trace^num.byte[0:5]                          PIC X(6).

              The transaction trace number from the interchange’s
              external message.

151   [16]    sem.user^fld.byte[0:15]                         PIC X(16).

              A field reserved for Interchange-specific data from
              the external message.

167   [5]     intrn^msg^savearea^lgth.byte[0:4]                PIC X(5).

              The internal message savearea contains the length
              of a condensed version of the internal messages, i.e.,
```

```
Offset[Len]   Field Name and Description                       Data Type

              STM or PSTM.

172   [710]   atm^d            [ATM-D]


              The following fields are taken from the BASE24-atm
              Standard Internal Message (STM).  This condensed version
              of the STM is stored in the ILF.  For further
              information regarding the ATM fields below see the
              equivalent field in the STM DDL or the "BASE24-atm
              Transaction Processing Manual".


172   [4]     atm^d.typ.byte[0:3]                               PIC 9(4).

176   [2]     atm^d.tran^cde.byte[0:1]                          PIC X(2).

178   [2]     atm^d.from^acct^typ.byte[0:1]                     PIC X(2).

180   [2]     atm^d.to^acct^typ.byte[0:1]                       PIC X(2).

182   [18]    atm^d.rte

182   [16]    atm^d.rte.orig^pro^name.byte[0:15]
                               [SYM-NAME]                      PIC X(16).

198   [1]     atm^d.rte.originator                              PIC X(1).

199   [1]     atm^d.rte.responder                               PIC X(1).

200   [4]     atm^d.crd^ln.byte[0:3]
                               [LN]                             PIC X(4).

204   [4]     atm^d.crd^fiid.byte[0:3]
                               [FIID]                           PIC X(4).

208   [11]    atm^d.rcv^inst^id^num.byte[0:10]
                               [ID-NUM]                        PIC 9(11).

219   [11]    atm^d.crd^iss^id^num.byte[0:10]
                               [ID-NUM]                        PIC 9(11).

230   [6]     atm^d.tran^dat   [DAT]

230   [2]     atm^d.tran^dat.yy.byte[0:1]                       PIC X(2).

232   [2]     atm^d.tran^dat.mm.byte[0:1]                       PIC X(2).

234   [2]     atm^d.tran^dat.dd.byte[0:1]                       PIC X(2).

236   [8]     atm^d.tran^tim   [TIM]

236   [2]     atm^d.tran^tim.hh.byte[0:1]                       PIC X(2).
```

Offset	[Len]	Field Name and Description	Data Type
238	[2]	atm^d.tran^tim.mm.byte[0:1]	PIC X(2).
240	[2]	atm^d.tran^tim.ss.byte[0:1]	PIC X(2).
242	[2]	atm^d.tran^tim.tt.byte[0:1]	PIC X(2).
244	[5]	atm^d.tim^ofst.byte[0:4]	PIC X(5).
249	[6]	atm^d.post^dat [DAT]	
249	[2]	atm^d.post^dat.yy.byte[0:1]	PIC X(2).
251	[2]	atm^d.post^dat.mm.byte[0:1]	PIC X(2).
253	[2]	atm^d.post^dat.dd.byte[0:1]	PIC X(2).
255	[6]	atm^d.acq^ichg^setl^dat [DAT]	
255	[2]	atm^d.acq^ichg^setl^dat.yy.byte[0:1]	PIC X(2).
257	[2]	atm^d.acq^ichg^setl^dat.mm.byte[0:1]	PIC X(2).
259	[2]	atm^d.acq^ichg^setl^dat.dd.byte[0:1]	PIC X(2).
261	[6]	atm^d.iss^ichg^setl^dat [DAT]	
261	[2]	atm^d.iss^ichg^setl^dat.yy.byte[0:1]	PIC X(2).
263	[2]	atm^d.iss^ichg^setl^dat.mm.byte[0:1]	PIC X(2).
265	[2]	atm^d.iss^ichg^setl^dat.dd.byte[0:1]	PIC X(2).
267	[4]	atm^d.term^fiid.byte[0:3] [FIID]	PIC X(4).
271	[16]	atm^d.term^id.byte[0:15] [SYM-NAME]	PIC X(16).
287	[4]	atm^d.term^ln.byte[0:3] [LN]	PIC X(4).
291	[12]	atm^d.seq^num.byte[0:11]	PIC X(12).
303	[343]	atm^d.rqst	
303	[40]	atm^d.rqst.track2.byte[0:39]	PIC X(40).
343	[3]	atm^d.rqst.mbr^num.byte[0:2] [MBR-NUM]	PIC 9(3).
346	[3]	atm^d.rqst.orig^crncy^cde.byte[0:2]	

```
Offset[Len]   Field Name and Description                    Data Type

                                 [CRNCY-CDE]                 PIC 9(3).

349   [41]     atm^d.rqst.mult^crncy

349   [3]      atm^d.rqst.mult^crncy.auth^crncy^cde.byte[0:2]
                                 [CRNCY-CDE]                 PIC 9(3).

352   [3]      atm^d.rqst.mult^crncy.setl^crncy^cde.byte[0:2]
                                 [CRNCY-CDE]                 PIC 9(3).

355   [8]      atm^d.rqst.mult^crncy.auth^conv^rate.byte[0:7]
                                                             PIC 9(8).

363   [8]      atm^d.rqst.mult^crncy.setl^conv^rate.byte[0:7]
                                                             PIC 9(8).

371   [19]     atm^d.rqst.mult^crncy.conv^dat^tim.byte[0:18]
                                                            PIC X(19).

349   [41]     atm^d.rqst.user^fld1.byte[0:40]              PIC X(41).
                                 [REDEFINES MULT^CRNCY]

390   [11]     atm^d.rqst.acq^inst^id^num.byte[0:10]
                                 [ID-NUM]                   PIC 9(11).

401   [1]      atm^d.rqst.user^fld2                          PIC X(1).

402   [2]      atm^d.rqst.rvsl^cde.byte[0:1]                 PIC 9(2).

404   [28]     atm^d.rqst.from^acct.byte[0:27]              PIC X(28).

432   [1]      atm^d.rqst.user^fld3                          PIC X(1).

433   [28]     atm^d.rqst.to^acct.byte[0:27]                PIC X(28).

461   [1]      atm^d.rqst.user^fld4                          PIC X(1).

462   [19]     atm^d.rqst.amt^1.byte[0:18]                  PIC X(19).

481   [19]     atm^d.rqst.amt^2.byte[0:18]                  PIC X(19).

500   [10]     atm^d.rqst.dep^bal^cr.byte[0:9]              PIC X(10).

510   [1]      atm^d.rqst.compl^req                          PIC 9(1).

511   [3]      atm^d.rqst.resp.byte[0:2]                     PIC X(3).

514   [25]     atm^d.rqst.term^name^loc.byte[0:24]          PIC X(25).

539   [22]     atm^d.rqst.term^owner^name.byte[0:21]        PIC X(22).

561   [13]     atm^d.rqst.term^city.byte[0:12]              PIC X(13).

574   [3]      atm^d.rqst.term^st^x.byte[0:2]                PIC X(3).
```

```
Offset[Len]   Field Name and Description                     Data Type


577   [2]     atm^d.rqst.term^cntry^x.byte[0:1]               PIC X(2).

579   [6]     atm^d.rqst.auth^id^resp.byte[0:5]               PIC X(6).

585   [16]    atm^d.rqst.auth^dest.byte[0:15]
                               [SYM-NAME]                    PIC X(16).

601   [6]     atm^d.rqst.orig^dat
                               [DAT]

601   [2]     atm^d.rqst.orig^dat.yy.byte[0:1]                PIC X(2).

603   [2]     atm^d.rqst.orig^dat.mm.byte[0:1]                PIC X(2).

605   [2]     atm^d.rqst.orig^dat.dd.byte[0:1]                PIC X(2).

607   [8]     atm^d.rqst.orig^tim
                               [TIM]

607   [2]     atm^d.rqst.orig^tim.hh.byte[0:1]                PIC X(2).

609   [2]     atm^d.rqst.orig^tim.mm.byte[0:1]                PIC X(2).

611   [2]     atm^d.rqst.orig^tim.ss.byte[0:1]                PIC X(2).

613   [2]     atm^d.rqst.orig^tim.tt.byte[0:1]                PIC X(2).

615   [1]     atm^d.rqst.user^fld4a                           PIC X(1).

616   [19]    atm^d.rqst.amt^3.byte[0:18]                    PIC X(19).

635   [11]    atm^d.rqst.rte^grp.byte[0:10]                  PIC X(11).

646   [236]   atm^d.user^fld5.byte[0:235]                   PIC X(236).

172   [710]   pos^d            [POS-D]
                               [REDEFINES ATM^D]


              The following fields are taken from the BASE24-pos
              Standard Internal Message (PSTM).  This condensed
              version of the PSTM is stored in the ILF.  For further
              information regarding the POS fields below see the
              equivalent field in the PSTM DDL or the "BASE24-pos
              Transaction Processing Manual".


172   [4]     pos^d.typ.byte[0:3]                             PIC 9(4).

172   [4]     pos^d.msg^typ.byte[0:3]                         PIC 9(4).
                               [REDEFINES TYP]
```

Offset	[Len]	Field Name and Description	Data Type
176	[16]	pos^d.orig^pro^name.byte[0:15] [SYM-NAME]	PIC X(16).
192	[16]	pos^d.ast^rtn^pro^name.byte[0:15] [SYM-NAME]	PIC X(16).
208	[1]	pos^d.originator	PIC X(1).
209	[1]	pos^d.responder	PIC X(1).
210	[6]	pos^d.post^dat [DAT]	
210	[2]	pos^d.post^dat.yy.byte[0:1]	PIC X(2).
212	[2]	pos^d.post^dat.mm.byte[0:1]	PIC X(2).
214	[2]	pos^d.post^dat.dd.byte[0:1]	PIC X(2).
216	[4]	pos^d.term^ln.byte[0:3] [LN]	PIC X(4).
220	[4]	pos^d.term^fiid.byte[0:3] [FIID]	PIC X(4).
224	[16]	pos^d.term^id.byte[0:15] [SYM-NAME]	PIC X(16).
240	[25]	pos^d.term^name^loc.byte[0:24]	PIC X(25).
265	[22]	pos^d.term^owner^name.byte[0:21]	PIC X(22).
287	[13]	pos^d.term^city.byte[0:12]	PIC X(13).
300	[3]	pos^d.term^st^x.byte[0:2]	PIC X(3).
303	[2]	pos^d.term^cntry^x.byte[0:1]	PIC X(2).
305	[3]	pos^d.orig^crncy^cde.byte[0:2] [CRNCY-CDE]	PIC 9(3).
308	[5]	pos^d.tim^ofst.byte[0:4]	PIC X(5).
313	[12]	pos^d.seq^num.byte[0:11]	PIC X(12).
325	[10]	pos^d.invoice^num.byte[0:9]	PIC X(10).
335	[10]	pos^d.orig^invoice^num.byte[0:9]	PIC X(10).
345	[19]	pos^d.retl^id.byte[0:18]	PIC X(19).
364	[11]	pos^d.acq^inst^id^num.byte[0:10] [ID-NUM]	PIC 9(11).
375	[11]	pos^d.rcv^inst^id^num.byte[0:10]	

```
Offset[Len]   Field Name and Description                         Data Type

                                 [ID-NUM]                        PIC 9(11).

386   [1]     pos^d.auth^ind2                                     PIC X(1).

387   [190]   pos^d.tran

387   [1]     pos^d.tran.compl^req                                PIC 9(1).

388   [6]     pos^d.tran.tran^cde

388   [2]     pos^d.tran.tran^cde.cc.byte[0:1]                    PIC X(2).

390   [1]     pos^d.tran.tran^cde.t                               PIC X(1).

391   [2]     pos^d.tran.tran^cde.aa.byte[0:1]                    PIC X(2).

393   [1]     pos^d.tran.tran^cde.c                               PIC X(1).

394   [4]     pos^d.tran.dest.byte[0:3]                           PIC X(4).

398   [4]     pos^d.tran.crd^ln.byte[0:3]
                                 [LN]                             PIC X(4).

402   [4]     pos^d.tran.crd^fiid.byte[0:3]
                                 [FIID]                           PIC X(4).

406   [1]     pos^d.tran.user^fld2                                PIC X(1).

407   [28]    pos^d.tran.from^acct.byte[0:27]                    PIC X(28).

435   [3]     pos^d.tran.resp.byte[0:2]                           PIC X(3).

438   [40]    pos^d.tran.track2.byte[0:39]                       PIC X(40).

478   [3]     pos^d.tran.mbr^num.byte[0:2]
                                 [MBR-NUM]                        PIC 9(3).

481   [4]     pos^d.tran.exp^dat.byte[0:3]                        PIC X(4).

485   [1]     pos^d.tran.user^fld3                                PIC X(1).

486   [19]    pos^d.tran.amt^1.byte[0:18]                        PIC X(19).

505   [19]    pos^d.tran.amt^2.byte[0:18]                        PIC X(19).

524   [41]    pos^d.tran.mult^crncy

524   [3]     pos^d.tran.mult^crncy.auth^crncy^cde.byte[0:2]
                                 [CRNCY-CDE]                      PIC 9(3).

527   [3]     pos^d.tran.mult^crncy.setl^crncy^cde.byte[0:2]
                                 [CRNCY-CDE]                      PIC 9(3).

530   [8]     pos^d.tran.mult^crncy.auth^conv^rate.byte[0:7]
```

```
Offset[Len]   Field Name and Description                        Data Type

                                                                 PIC 9(8).

538   [8]     pos^d.tran.mult^crncy.setl^conv^rate.byte[0:7]
                                                                 PIC 9(8).

546   [19]    pos^d.tran.mult^crncy.conv^dat^tim.byte[0:18]
                                                                PIC X(19).

524   [41]    pos^d.tran.user^fld0.byte[0:40]                   PIC X(41).
                               [REDEFINES MULT^CRNCY]

565   [10]    pos^d.tran.apprv^cde.byte[0:9]                    PIC X(10).

575   [1]     pos^d.tran.dft^capture^flg                         PIC 9(1).

576   [1]     pos^d.tran.setl^flg                                PIC 9(1).

577   [54]    pos^d.rte

577   [2]     pos^d.rte.srv.byte[0:1]                            PIC X(2).

579   [2]     pos^d.rte.iss.byte[0:1]                            PIC X(2).

581   [16]    pos^d.rte.pri.byte[0:15]
                               [SYM-NAME]                       PIC X(16).

597   [16]    pos^d.rte.alt1.byte[0:15]
                               [SYM-NAME]                       PIC X(16).

613   [16]    pos^d.rte.alt2.byte[0:15]
                               [SYM-NAME]                       PIC X(16).

629   [1]     pos^d.rte.authr                                    PIC X(1).

630   [1]     pos^d.rte.dflt                                     PIC X(1).

631   [6]     pos^d.tran^dat   [DAT]

631   [2]     pos^d.tran^dat.yy.byte[0:1]                        PIC X(2).

633   [2]     pos^d.tran^dat.mm.byte[0:1]                        PIC X(2).

635   [2]     pos^d.tran^dat.dd.byte[0:1]                        PIC X(2).

637   [8]     pos^d.tran^tim   [TIM]

637   [2]     pos^d.tran^tim.hh.byte[0:1]                        PIC X(2).

639   [2]     pos^d.tran^tim.mm.byte[0:1]                        PIC X(2).

641   [2]     pos^d.tran^tim.ss.byte[0:1]                        PIC X(2).

643   [2]     pos^d.tran^tim.tt.byte[0:1]                        PIC X(2).
```

```
Offset[Len]   Field Name and Description                   Data Type

645   [6]     pos^d.acq^ichg^setl^dat
                                 [DAT]

645   [2]     pos^d.acq^ichg^setl^dat.yy.byte[0:1]          PIC X(2).

647   [2]     pos^d.acq^ichg^setl^dat.mm.byte[0:1]          PIC X(2).

649   [2]     pos^d.acq^ichg^setl^dat.dd.byte[0:1]          PIC X(2).

651   [6]     pos^d.iss^ichg^setl^dat
                                 [DAT]

651   [2]     pos^d.iss^ichg^setl^dat.yy.byte[0:1]          PIC X(2).

653   [2]     pos^d.iss^ichg^setl^dat.mm.byte[0:1]          PIC X(2).

655   [2]     pos^d.iss^ichg^setl^dat.dd.byte[0:1]          PIC X(2).

657   [2]     pos^d.rvsl^cde.byte[0:1]                      PIC 9(2).

659   [2]     pos^d.pt^srv^cond^cde.byte[0:1]               PIC 9(2).

661   [3]     pos^d.pt^srv^entry^mde.byte[0:2]              PIC X(3).

664   [11]    pos^d.crd^iss^id^num.byte[0:10]
                                 [ID-NUM]                 PIC 9(11).

675   [1]     pos^d.msg^orig^ind                            PIC X(1).

676   [1]     pos^d.addr^vrfy^stat                          PIC X(1).

677   [205]   pos^d.product

677   [5]     pos^d.product.lgth.byte[0:4]                  PIC X(5).

682   [200]   pos^d.product.info[0:199]                     PIC X(1).

882   [4]     extrn^msg^lgth.byte[0:3]                      PIC 9(4).

              The external message length contains the length of
              external message that is part of this record.
              The length does not include the length of any
              token data that might be logged in the external
              message savearea.

886   [3254]  extrn^msg

              The external message save area is a buffer which
              includes the external message and any token data that is
              logged.

886   [3254]  extrn^msg.savearea[0:3253]                    PIC X(1).

              END   [size  4140]
```

Offset[Len] Field Name and Description Data Type

Offset[Len]	Field Name and Description	Data Type

DEF OMFX

0 [4075]

The Online Maintenance File (OMF) contains records of daily additions, deletions, and updates made to the BASE24 application files. The OMF provides an audit trail of file maintenance operations. This includes information on the BASE24 operators that have logged on and performed operations, the times file operations were performed, and the actual records that were affected.

The following pages describe the fields included in an OMF extract record. BASE24 provides the ability to extract the OMF.

0 [2] appl^cde.byte[0:1] PIC X(2).

A code identifying the file whose activity is represented by this record. Each BASE24 file is assigned its own file code which allows for distinguishing OMF records. Please refer to the OMF-APPL-CDE-CONSTANTS section in the OMF DDL.

2 [1] fm^typ PIC X(1).

Identifies the type of file maintenance performed and the timing of the image contained in the OMF record. Valid codes are:

A = Added record. When a record is added to an application file, that record is written to the OMF with the value in the FM-TYP field set to A.
B = Updated record; before-image. When a record is updated in an application file, a copy of the record prior to the update is written to the OMF with the value in the FM-TYP field set to B.
C = Updated record; after-image. When a record is updated in an application file, a copy of the record after the update is written to the OMF with the value in the FM-TYP field set to C.
D = Deleted record. When a record is deleted from an application file, that record is written to the OMF with the value in the FM-TYP field set to D.
E = Read record. When a record is read from an application file, that record is written to the OMF with the value in the FM-TYP field set to E.
F = Read next record. When a next record is read from

Offset[Len] Field Name and Description Data Type

```
                an application file, that record is written to the
                OMF with the value in the FM-TYP field set to F.
            I = Institution security error.  When an institution
                security error occurs, a record is written to the
                OMF with the value in the FM-TYP field set to I.
                (For this type of record, the REC-IMAGE field in
                the OMF contains spaces.)
            J = File operation security error.  When a file
                operation security error occurs, a record is
                written to the OMF with the value in the FM-TYP
                field set to J.  (For this type of record, the
                REC-IMAGE field in the OMF contains spaces.)
            O = Operations access record.  When an operator
                accesses the BASE24 operations screens, a record is
                written to the OMF with the value in the FM-TYP
                field set to O.  (For this type of record, the
                REC-IMAGE field in the OMF contains spaces.)
            S = Logon security check.  When an operator attempts to
                log on to BASE24, a record is written to the OMF
                with the value in the FM-TYP field set to S.  If
                the logon is rejected or has an error, the RECORD-
                IMAGE field in the OMF contains the server-
                generated error message.


3     [16]   fm^dat.byte[0:15]                        PIC X(16).


             Date and time the OMF record was written to the file in
             YYMMDD HHMMSSTT format (left-justified and padded with
             blanks).


19    [4]    lnet.byte[0:3]   [LN]                    PIC X(4).


             The current logical network of the user at the time the
             record was logged.


23    [4]    fiid.byte[0:3]   [FIID]                  PIC X(4).


             The current FIID of the user at the time the record was
             logged.  If the operator is SUPER.GROUP, the value in
             this field can be ****.


27    [4]    regn.byte[0:3]   [REGN]                  PIC X(4).


             The current region of the user at the time the
             record was logged.  If the operator is SUPER.GROUP, the
             value in this field can be ****.
```

Offset	[Len]	Field Name and Description	Data Type
31	[4]	brch.byte[0:3] [BRCH]	PIC X(4).

The current branch of the user at the time the record was logged. If the operator is SUPER.GROUP, the value in this field can be ****.

Offset	[Len]	Field Name and Description	Data Type
35	[16]	term^id.byte[0:15] [SYM-NAME]	PIC X(16).

The terminal ID of the physical terminal where the BASE24 operator is performing the file maintenance operations.

Offset	[Len]	Field Name and Description	Data Type
51	[1]	filler	PIC X(1).
52	[4]	user^grpx.byte[0:3]	PIC 9(4).

The user group number specified at logon by the BASE24 operator.

Offset	[Len]	Field Name and Description	Data Type
56	[9]	user^numx.byte[0:8]	PIC 9(9).

The user number specified at logon by the BASE24 operator.

Offset	[Len]	Field Name and Description	Data Type
65	[4010]	rec^image.byte[0:4009]	PIC X(4010).

Records are placed in this field to be audited. Since file records vary in format, they are left-justified in this field with the field length calculated by Super Extract based on the length of the audit record with no trailing blanks.

Device-dependent and Last Tran data from the TDF/PTDF/TTDF will be converted to EBCDIC. This will cause any binary data contained in these fields to be unreadable.

END [size 4075]

Offset[Len] Field Name and Description Data Type

Offset[Len] Field Name and Description Data Type

DEF SAFX

0 [4080]

The Store-and-Forward File (SAF) is used by the Host Interface processes to store completed transactions during periods when the communications link is down between an online processing host and BASE24.

Transaction messages are stored in the SAF in the external format that they are sent to the host.

Once communication with a host is reestablished, the pending SAF records are forwarded to the host and purged from the file. SAF records can also, if necessary, be extracted by an institution for batch processing.

The following page describes the fields included in a SAF record. The information below summarizes other information specific to the SAF.

0 [32] k1

The order of fields in this key is different than the order of the key in SAF because of a problem found in online processing. The key in this record was left unchanged to allow the installment of the online fix without creating the need for Host modifications for extracting.

0 [5] k1.dpc^id.byte[0:4] PIC X(5).

The DPC number associated with the Data Processing Center on Host.

5 [12] k1.timestmp.byte[0:11] PIC 9(12).

The time the transaction was logged to the SAF.

17 [5] k1.unique^key.byte[0:4] PIC X(5).

The length of the actual data in the SAVE-AREA field.

22 [5] k1.prod^id.byte[0:4] PIC X(5).

The product identifier associated with the transaction stored in the SAF. Valid values are:

01 = ATM
02 = POS

```
Offset[Len]   Field Name and Description                          Data Type

              03 = TELLER
              08 = FROM HOST MAINTENANCE
              11 = MAIL
              14 = TELEBANKING

27    [5]     k1.seq^num.byte[0:4]                                PIC X(5).

              A sequential count used by the HISO or HISF module in
              order to ensure that the key is unique.


32    [4048]  save^area.byte[0:4047]                           PIC X(4048).

              The actual transaction message.  Transactions are
              stored in the SAF in the external format in which they
              are sent to the host.


              END   [size  4080]
```

```
Offset[Len]   Field Name and Description                    Data Type

DEF TRHA


0     [8]


              These fields are appended to the beginning of each
              extract record for which numeric fields are written
              in ASCII (the NUMERIC-FLD-FRMT field in the Base
              segment of the ECF is set to A).


0     [6]     lgth.byte[0:5]                                PIC 9(6).

              An ASCII numeric representation of the length of the
              record being extracted plus the length of this header.

6     [2]     typ.byte[0:1]                                 PIC X(2).


              The type of record.  Values are:

              TH = Tape header
              FH = File header
              CF = Continuation record - first
              CL = Continuation record - last
              CR = Continuation record - intermediate
              DR = Data record
              ER = Error record
              TR = Truncation record - intermediate
              FT = File trailer
              TT = Tape trailer.


              END   [size     8]
```

Offset[Len]		Field Name and Description		Data Type
DEF XH				
0	[82]			
		The file header identifies the file whose extracted records follow. Since the file header contains no binary fields, the binary/ASCII and ASCII-only formats are the same.		
0	[1]	char^set		PIC X(1).
		Not used. This field contains a blank.		
1	[6]	extract^dat	[DAT]	
		The date (YYMMDD) of the extracted file. If the extracted file is not a dated file, such as the Institution Definition File (IDF), this field contains the date the file header record was created.		
1	[2]	extract^dat.yy.byte[0:1]		PIC X(2).
3	[2]	extract^dat.mm.byte[0:1]		PIC X(2).
5	[2]	extract^dat.dd.byte[0:1]		PIC X(2).
7	[8]	extract^tim	[TIM]	
		The time (HHMMSSHH) the file header record was created.		
7	[2]	extract^tim.hh.byte[0:1]		PIC X(2).
9	[2]	extract^tim.mm.byte[0:1]		PIC X(2).
11	[2]	extract^tim.ss.byte[0:1]		PIC X(2).
13	[2]	extract^tim.tt.byte[0:1]		PIC X(2).
15	[4]	ln.byte[0:3]	[LN]	PIC X(4).
		The identifier assigned to the logical network in which the file being extracted resides.		

```
Offset[Len]   Field Name and Description                         Data Type


19    [2]     rel^num.byte[0:1]                                  PIC 9(2).


              The BASE24 software release number indicating the
              release of the software with which the extracted file
              is compatible.  The value in this field is set from the
              value in the REL-NUM field in the various product
              segments of the Extract Configuration File (RELEASE NUM
              fields on the respective ECF product screens).


21    [8]     file^id.byte[0:7]                                  PIC X(8).


              A file mnemonic indicating the file that was extracted.
              The entry in this field is left-justified and blank-
              filled.  Valid values are:

              HMBF = Host Mail Box File
              HSF  = Hardware Status File
              ICF  = Interchange Configuration File
              ICFE = Enhanced Interchange Configuration File
              IDF  = Institution Definition File
              ILF  = Interchange Log File
              ITLF = ITS Transaction Log File
              MBF  = Mail Box File
              MEMO = Memo File
              OMF  = Online Maintenance File
              PRDF = POS Retailer Definition File
              PTLF = POS Transaction Log File
              SAF  = Store-and-Forward File
              SVHF = Stored Value History File
              TLF  = Transaction Log File
              TTF  = Teller Transaction File
              TTLF = Teller Transaction Log File
              ULF  = Update Log File


29    [35]    name.byte[0:34]  [FNAME]                          PIC X(35).


              The fully-expanded file name of the extracted file for
              files other than the Interchange Log File (ILF).

              This field contains blanks for ILF extracts because
              records from more than one ILF can be placed between a
              single pair of extract file header and trailer records.
              As a result, the name of a single ILF would not be
              accurate.


64    [18]    user^fld1.byte[0:17]                              PIC X(18).
```

Offset[Len]   Field Name and Description   Data Type

Miscellaneous information, depending on the file being extracted. This information is not present in the file header except as noted below.

ILF/TLF/TTLF--the USER-FLD1 field contains the values of the following LCONF params, in order:

```
File format: 1 = format 1 files ( default )
             2 = format 2 files
```

```
byte 1 = ACCT-NUM-TYP param
byte 2 = DATE-DISPLAY-TYPE param
byte 3 = blank
byte 4 = FILE-FRMT  ( Default = 1 )
```

PRDF/PTLF   -- the USER-FLD1 contains the values of the following LCONF params, in order:

```
byte 1 = ACCT-NUM-TYP param
byte 2 = DATE-DISPLAY-TYPE param
byte 3 = "2"
byte 4 = FILE-FRMT   ( Default = 1 )
```

NOTE: If the above information is present on the tape, it is only four bytes in length (the entire 17 bytes is not used). If the above information is not required for the extract, this field is not included in the file header record unless it is a format 2 file.*

END   [size   82]

Offset[Len] Field Name and Description Data Type

DEF XTA

0 [408]

The file trailer signals the end of the extract records for a particular file. It contains a verification count and amount that can be used by hosts to check their processing.

There are two formats for extract records: binary/ASCII and ASCII-only. The format used is specified by the value in the NUMERIC FLD FORMAT field on Extract Configuration File (ECF) screen 1. The ASCII-only option allows all binary fields on the tape to be converted to ASCII character format. If the value in the NUMERIC FLD FORMAT field is set to B, Super Extract uses the binary format. If the value in the NUMERIC FLD FORMAT field is set to A, Super Extract uses the ASCII character format.

The fields in the binary format are described below.

0 [8] file^id.byte[0:7] PIC X(8).

The file mnemonic of the file being extracted. The entry in this field is left-justified and blank-filled. Valid values for this field are the same as those for the FILE-ID field in the file header record.

8 [35] name.byte[0:34] [FNAME] PIC X(35).

The fully-expanded file name of the extracted file.

43 [1] user^fld1 PIC X(1).

This field is not used.

44 [5] stat.byte[0:4] PIC 9(5).

A code indicating non-system errors. A zero indicates that no error has occurred; any other value indicates that an error has occurred.

```
Offset[Len]   Field Name and Description                      Data Type

49    [19]    amt.byte[0:18]                                 PIC X(19).


              A total kept by Super Extract during the processing of
              the records.  The value in this field is normally set
              to 0.  The table below identifies the files for which
              this field contains a total and indicates the values
              that are included in the total:

              ILF  = Sum of the values in ATM.RQST.AMT-1 fields for
                     BASE24-atm records (BASE24-atm records are
                     identified by a value of 1 in the REC-TYP
                     field).
              ILF  = Sum of the values in POS.TRAN.AMT-1 fields for
                     BASE24-pos records (BASE24-pos records are
                     identified by a value of 2 in the REC-TYP
                     field).
              PTLF = Sum of the values in AUTH.AMT-1 fields for all
                     records with a value of 0210, 0220, 0412, or
                     0420 in the AUTH.TYP field.  Note that if the
                     HEAD.REC-TYP field contains the value 23,
                     indicating the PTLF record contains invalid
                     data, the AUTH.AMT-1 field for the record is not
                     included in the total.
              TLF  = Sum of the values in AUTH.AMT-1 fields for all
                     records with values of 01, 20, 21, or 22 in the
                     HEAD.REC-TYP field.
              TTLF = Sum of the values in AMT-1 fields of the
                     Financial Token for all records with a value of
                     0210,-200420, or 0430 in the SYS.MSG-TYP field.


68    [10]    cnt.byte[0:9]                                  PIC 9(10).


              The number of file records extracted.  This number does
              not include the file header and trailer records.


78    [330]   user^fld2.byte[0:329]                         PIC X(330).


              For extracts of the TLF, PTLF, and TTLF, the first 20
              bytes of this field contain the date and time
              (YYYYMMDDHHMMSSMMMMMM) of the last record extracted
              from the file.*

              END   [size   408]
```