

Publications Reissue Highlights

Manual: *ACI Desktop User Interface Manual*

Number: CF-CS000-01ES

Date: Sep-2009

Software: Release 1.0 version 09.2

The following table highlights the major changes that have been made in the most recent update to the *ACI Desktop User Interface Manual*. The first column of the table lists the sections and appendixes in which major changes have been made. The second column of the table describes the major changes. These changes update the manual to release 1.0, version 09.2.

Section/ Appendix	Major Changes
All	Renames the <i>ACI Java Server Framework Reference Guide</i> to the <i>ACI Java Infrastructure Java Server Reference Guide</i> .
1 & 2	Clarifies that the components of the user interface framework include application servers, rather than Web servers. Clarifies that the modules.lst file is located in the <eshome./ESWeb/ESConfig folder on all platforms.
2	Updates information about the General tab. A new “Calendar starts on” setting has been added to indicate what day of the week calendars start on in the ACI desktop windows. Removes information about the Send Snapshot function. It is no longer supported. Updates the ACI Framework UI desktop and detailed version information.
3	Updates information about the USEC 1.2 mode (the BASE24-eps default). This mode ties filters directly to user profiles.
5	Removes the db.audited.db-service-name from the list of audit properties and adds the db.audited.table-name. The table-name is the physical table name.
6	Updates information about the Version Checker. The prompt for automatic file updating (called VC quiet mode) is no longer used during installation of the ACI desktop.

Section/ Appendix	Major Changes
----------------------	---------------

- | | |
|---|---|
| A | <p>Adds information about the following windows in this version:</p> <ul style="list-style-type: none">• Account Routing Configuration• Account Status Mapping Profile Configuration• Acquirer/Instrument Type Relationship Profile Configuration• American Express CAPN Interface Configuration• AS2805 ISO Interface Configuration• ATM Dial-Up Channel Management• ATM DKM Profile• ATM Multi-byte Translation Configuration• BASE24 ISO8583 (87) IMS/CICS Mapping Configuration• Batch Authorization Configuration• Batch Authorization ISO8583 (93) Host Interface Configuration• Card Block Configuration• Check Management• Check Type Configuration• China Union Pay (CUP) Interface Configuration• Circuit Interface Configuration Window• DIAS Interface Configuration Window• Discover Acquirers Configuration Window• Discover Interface Configuration Window• EFD (eFunds) Interface Configuration Window• (EFD (eFunds)) Interface Terminal Configuration Window• EMV Issuer Authentication Configuration Window• FDR ISO Interface Configuration Window• German BLZ Mapping Window• German ISO Credit Card (GICC) Interface Configuration Window• GICC POS Channel Configuration Window• Interac Global Parameter Configuration Window |
|---|---|

Section/ Appendix	Major Changes
----------------------	---------------

A <i>continued</i>	
-----------------------	--

- Interac Institution ID Routing Configuration Window
- Interac Interface Configuration Window
- Locale Content Configuration Window
- Prefix Block Configuration Window
- PRICE Interface Configuration Window
- Voice Authorization Interface Configuration Window
- ZKA Key Gen Keys Configuration Window

Updates information about the following windows:

- American Express Global Network Services Interface Configuration
- Armed Forces Financial Network (AFFN) Institution Configuration
- ATM Channel Configuration
- ATM Optional Receipt Profile
- Authentication Profile Configuration
- Banknet ISO Interface Configuration
- Cache Administration
- Card Management
- Contingency Interface Configuration
- COOP Interface Configuration
- Credit Union 24 (CU24) Institution Configuration
- CSC Interface Configuration
- Interpay BIM Interface Configuration
- KNET ISO Interface Configuration
- LINK ISO Interface (LIS5) Configuration
- NYCE Acquirers Configuration
- NYCE ISO Interface Configuration
- PIN Transport Key Profile
- Proactive Risk Manager (PRM) Credit/Debit Near Real-Time (NRT) Interface Configuration

Section/ Appendix	Major Changes
A <i>continued</i>	• Proactive Risk Manager (PRM) Credit/Debit Real-Time (RT) Interface Configuration • Proactive Risk Manager (PRM) Enterprise Near Real-Time (NRT) Interface Configuration • Proactive Risk Manager (PRM) Enterprise Real-Time (RT) Interface Configuration • Pulse Interface Configuration • Real Time Feed Interface Configuration • (SAMA Saudi Payments Network (SPAN2)) Interface Terminal Configuration • STAR ISO Interface Configuration • Stop Payment Management • Visa DPS Interface Configuration • VisaNet ISO Interface Configuration
D	Adds the Multibyte Character Data Support appendix. The BASE24-eps Multibyte Character Set Service module provides support for different alphabets, syllabic languages, and character sets that require two or more (multiple) bytes of data to represent a single character.
E	Updates the Open Source Software Agreement verbiage as follows: • Provided content-free formatting changes to better fit HTML standards. • Altered introductory paragraph explaining the purpose of the click through. • Removed Apache Tomcat Version version 3.2, replaced with Apache Tomcat Versions 5.5 and 6.0. • Removed JAVA 2 RUNTIME ENVIRONMENT (J2RE), VERSION 1.3, replaced with JAVA 2 PLATFORM STANDARD EDITION RUNTIME ENVIRONMENT, VERSION 5.0. • Enhanced the verbiage associated with the Sun components. • Altered Bouncy Castle copyright to reflect current date range. • Added ICEFaces license verbiage.