

Publications Reissue Highlights

Manual: *ACI Java Server Framework Reference Guide*

Number: CF-DA000-02-ES

Date: Dec-2005

Software: Release 1.0 Version 05.4

The following table highlights the major changes that have been made in the most recent update to the *ACI Java Server Framework Reference Guide*. The first column of the table lists the sections and appendixes in which major changes have been made. The second column of the table describes the major changes for each section or appendix. These changes update the guide from release 1.0, version 05.2 to release 1.0, version 05.4.

Section/ Appendix	Major Changes
All	Changes all Metadata Manager (MetaMan) application data source short names to long names for clarity. For example, the Application Configuration data source (APPLD) is now referenced as the Application Configuration data source (APPLCNFG) and the External Connections data source (EXTCND) is now referenced as the External Connections data source (EXTRCNCT). The Data Access Layer (DAL) of BASE24-es identifies data sources by their long name.
1	Adds descriptions of the following third-party JARs from the Sun XML Datatypes Library package to the third-party JARs discussion for the JSF: relaxngDatatype and xsdlib. Adds a description of Piccolo to the third-party JARs supported by the JSF. Piccolo is an XML parser for Java that implements Simple API for XML (SAX) interfaces as a non-validating parser and attempts to detect all errors for XML well-formedness.

Section/ Appendix	Major Changes
----------------------	---------------

- | | |
|---|--|
| A | <p>Moves descriptions of the following third-party JARs from the Sun XML Datatypes Library package to the third-party JARs discussion for the JSF in section 1: relaxngDatatype and xsdlib.</p> <p>Adds a description of the datatype.jar.aci.ESXMLDataTypes property. This property identifies the relative Universal Resource Identifier (URI) location of the BASE24-es data types JAR file.</p> <p>Clarifies the properties used to configure automatic user audit reporting. The extract.userauditlog.interval.days property has been replaced by the report.userauditlog.offset.days property and the extract.userauditlog.starttime property has been replaced by the report.userauditlog.report.starttime property. The report.userauditlog.name property has been added.</p> <p>Removes SAF Contingency properties. All contingency in this version is now handled by GoldenGate software rather than through the Contingency Interface.</p> |
| B | <p>Adds a description of the third-party Jakarta-ORO Java classes JAR used by the IFX Manager process.</p> <p>Adds a description of amptc.connectionID property. This property defines the external connection to the Application Management Agent.</p> <p>Adds a description of datatype.jar.aci.ATMDHXMLDataTypes and datatype.jar.aci.ATMXMLDataTypes properties. These properties define the URI location of data type JAR files.</p> <p>Adds descriptions of the devicehandler.DKM.MSG.error.limit and devicehandler.DKM.MSG.transaction.limit properties for the IFX Manager process. These properties control dynamic key management of the message data encryption communications key in an ATM terminal.</p> <p>The text “devicehandler” in all property names has been changed to “dh”. Revises all property names accordingly.</p> <p>Adds several properties (ca.) used by the IFX ATM Manager process to communicate with a certificate authority for automated certificate rollovers as well as dynamic key management properties (dkm) for certificate rollovers. Adds several other properties used exclusively by the IFX ATM Manager process.</p> <p>Add properties for controlling Automated Key Distribution System (AKDS) processing.</p> <p>Adds properties to support the Intelligent Depository Module (IDM) for the Diebold 911/912 Device Handler process.</p> |

Section/ Appendix	Major Changes
----------------------	---------------

- | | |
|---|---|
| B | <p>Adds a description of the <code>dh.atm.screen.error.notification.enabled</code> property for the Diebold 911/912 Device Handler and NCR NDC+ Device Handler processes. This property indicates whether ATM screen error notification is enabled.</p> <p>Adds descriptions of the <code>diebold.deposit.bin.threshold</code> and <code>diebold.deposit.bin.cashcheck</code> properties for the Diebold 911/912 Device Handler process. These properties indicate which bin checks are deposited into when the ATM terminal has an Intelligent Depository Module (IDM).</p> <p>Adds a description of the <code>elmtmap.jar.aci.atmdh-elmtmaps</code> property and revises the description of the <code>elmtmap.jar.aci.atm-elmtmaps</code> property. These properties define the names of JAR files containing element to data validation map properties files.</p> <p>Updates the <code>sample.config.properties</code> file, expands the list of <code>sample.config.properties</code> files provided by ACI, and renames the <code>sample.config.properties</code> files.</p> |
|---|---|

ACI Worldwide Inc.