

Publications Reissue Highlights

Manual: *BASE24 ITS Kernel Configuration Manual*

Number: OK-AE000-01

Version: 3

Date: 07/2000

The following table highlights the major changes that have been made to the *BASE24 ITS Kernel Configuration Manual* in this version. This version updates the manual from Integrated Transaction Services release 1.1 to release 1.3. In this version, the title of the manual was changed from *NET24 ITS Kernel Configuration Manual* to *BASE24 ITS Kernel Configuration Maintenance Manual* because the ITS kernel environment is used only with BASE24 products. The first column of the table lists the sections in which major changes have been made. The second column of the table describes the major changes for each section.

Section/ Appendix	Major Changes
----------------------	---------------

All	The titles of all ITS and IEP manual references have been changed from NET24 to BASE24 because these manuals are used only with BASE24 products. References to these manuals have been changed accordingly throughout the manual.
1	Corrects XPNET system terminology. Removes references to the Network Environment Source File (NEFS) or replaces with references to the Network Environment File (NEF). The NEFS is no longer used under XPNET 3.0. Updates subvolume locations for Event Management Service (EMS) template source files and online log message documentation files.

Section/ Appendix	Major Changes
----------------------	---------------

-
- | | |
|---|---|
| 2 | <p>Replaces references to the Network Environment Source File (NEFS) with references to the Network Environment File (NEF).</p> <p>Updates attribute names and usage, as well as sample ITS station and process definitions, for XPNET 3.0. Configuration requirements for previous versions of XPNET (i.e., 2.0 and 2.1) have been removed. This information can be obtained from the previous version of the manual.</p> <p>Removes references to ITS Queue processes. Under XPNET 3.0, service-based routing replaces generic queue functionality.</p> <p>Clarifies the discussion of queue management.</p> <p>Changes the LIBRARY attribute value to XNLIB.XNLIB for all XPNET process and station definitions. This is the file used for applications running under XPNET 3.0.</p> <p>Updates process and station definitions for XPNET 3.0.</p> |
| 3 | <p>Replaces references to the Network Environment Source File (NEFS) with references to the Network Environment File (NEF).</p> <p>Modifies the process control configuration procedures for XPNET 3.0. The NEFS, Netlist utility, and Queue processes are no longer used. The INFO command with the OBEYFORM modifier can now be used to generate a listing of the current configuration.</p> <p>Updates subvolume locations for release 1.3 MAKE files.</p> <p>Updates process and station definitions for XPNET 3.0.</p> |

Section/ Appendix	Major Changes
----------------------	---------------

-
- | | |
|---|--|
| 4 | <p>Adds full extended memory table names for acronyms in the <i>emt-name</i> variable syntax of the TACL startup command for the Extended Memory Table Build utility.</p> <p>Updates subvolume locations for release 1.3 object files.</p> <p>Corrects a typographical error in the name of the NETLIST-PRI param.</p> <p>Adds the following LCONF params used by the Extended Memory Table Build utility. These params are used to set the amount of memory allocated by the Extended Memory Table Build utility for individual tables.</p> <ul style="list-style-type: none">• CPFEMT-MAX-TBL-SIZE• CUSTEMT-MAX-TBL-SIZE• DESTEMT-MAX-TBL-SIZE• ESEMT-MAX-TBL-SIZE• FPFEMT-MAX-TBL-SIZE• IDFEMT-MAX-TBL-SIZE• IMTEMT-MAX-TBL-SIZE• INTFEMT-MAX-TBL-SIZE• IRTEEMT-MAX-TBL-SIZE• KEYAEMT-MAX-TBL-SIZE• SCMEMT-MAX-TBL-SIZE• SSMEMT-MAX-TBL-SIZE• THFEMT-MAX-TBL-SIZE• TLFEMT-MAX-TBL-SIZE |
| 5 | <p>Updates subvolume locations for release 1.3 online log message documentation files.</p> <p>Removes references to the Network Environment Source File (NEFS).</p> |
| A | <p>This appendix was removed from the manual. Information for Integrated Transaction Services release 1.3 support of XPNET 2.1 and 2.0 can be obtained by reviewing the previous version of this manual.</p> |

ACI Worldwide Inc.