

Publications Change Notice

Manual: *BASE24 Integrated Server Transaction Security Manual*

Number: TB-AE000-13

Version: 2

Date: 11/1998

The following changes have been made to the *BASE24 Integrated Server Transaction Security Manual*. Please remove the pages listed below from the existing manual and replace them with the corresponding updated pages.

Remove Page(s)	Insert New Page(s)	Description of Change
Cover page through page xxii	Cover page through page xxiv	Updates the cover page through page xxiv. This includes the print record, table of contents, preface, and conventions used in this manual.
1-1 through 1-19 (entire section)	1-1 through 1-23	Moves term definitions from the conventions to section 1. Removes references to the Electronic Banking Message Standard Interface. This interface is no longer supported in this release. Clarifies the transaction security processing performed by the Integrated Authorization Server process and adds the transaction security processing performed by the Interface Master process and Integrated Endpoint process. Clarifies the processing performed by the ASMcom and RSMcom utilities. Modifies the dynamic key management discussion to include support provided for RBSI-compliant devices.

Remove Page(s)	Insert New Page(s)	Description of Change
Changes to section 1 <i>continued</i>		Moves the “Definition of Terms” discussion from the “Conventions Used in this Manual” to the introduction. Updates section number references.
3-1 through 3-14 (entire section)	3-1 through 3-15	Adds information to indicate that dynamic key management is supported only for RBSI-compliant devices that send PINs in hardware-encrypted format. Corrects the inbound encryption key discussion. Clarifies the use of previous keys by security modules in different error situations. Separates the external PIN encryption options from the internal PIN encryption options. Adds a note indicating that PINs received from a CSR terminal are always in the clear. Clarifies how the EXTRN PIN ENCRYPT TYPE field should be set for CSR terminals. Updates section number references.
4-1 through 4-6 4-15 through 4-18 4-27 through 4-28 4-35 through 4-38	4-1 through 4-6 4-15 through 4-18 4-27 through 4-28 4-35 through 4-38	Updates section number references.
5-1 through 5-2	5-1 through 5-2	Updates a section number reference.
6-17 through 6-18	6-17 through 6-18	Removes a reference to the Electronic Banking Message Standard Interface. This interface is no longer supported in this release.
7-7 through 7-8	7-7 through 7-8	Updates a section number reference.
8-7 through 8-8	8-7 through 8-8	Updates a section number reference.

Remove Page(s)	Insert New Page(s)	Description of Change
9-5 through 9-6	9-5 through 9-6	Updates a section number reference.
10-7 through 10-8	10-7 through 10-8	Updates a section number reference.
11-1 through 11-43 (entire section)	11-1 through 11-31	Adds a new section for dynamic key management support of RBSI-compliant devices. Rolls existing sections 11 and 12 to sections 12 and 13, respectively.
12-1 through 12-9 (entire section)	12-1 through 12-43	Renames the section from “Dynamic Key Management” to “External Processor Dynamic Key Management”. Removes a sentence stating that dynamic key management is not currently supported by the Interface Master process. Updates a section number reference.
	13-1 through 13-9	Updates the security module usage discussion for the dynamic key management function to include support for RBSI-compliant devices.
A-1 through A-6 A-17 through A-18	A-1 through A-6 A-17 through A-20	Updates illustrations for Institution Definition File (IDF) screens 2, 4, and 40. The IDF now has 45 screens. Adds VCD screens 2 and 4 for dynamic key management support of RBSI-compliant devices. Updates VCD screen 18 to include additional maximum count fields.
B-1 through B-2	B-1 through B-2	Adds a sentence to indicate that clear keys encrypted by the BASE24 Supercrypt utility can also be stored in the INBOUND KEYS:KPT1 and KPT2 fields on Interface Security File (ISF) screen 2.

Remove Page(s)	Insert New Page(s)	Description of Change
C-1 through C-26 (entire appendix)	C-1 through C-27	Clarifies which ASMcom utility procedures do not currently work for the Interface Security File (ISF). Removes the ISF from the “Translate KEK-Encrypted MAC Working Key for Local Storage” procedure. Message authentication is not supported for remote banking interfaces. Clarifies prompts displayed for several procedures.
D-1 through D-6 D-11 through D-14 D-17 through D-18	D-1 through D-6 D-11 through D-14 D-17 through D-18	Clarifies which RSMcom utility procedures do not currently work for the Interface Security File (ISF). Clarifies prompts displayed for several procedures.
E-1 through E-27 (entire appendix)	E-1 through E-30	Adds support for the Atalla A10000E Network Security Processor (NSP).
F-1 through F-16 (entire appendix)	F-1 through F-23	Adds support for the Racal-Guardata RG7100, RG7110, RG7300, RG7310, and RG7400 Host Security Modules (RSMs).
Index-1 through Index-10	Index-1 through Index-11	Updates the Index and Index by Field Name.