

Publications Reissue Highlights

Manual: *BASE24 Transaction Security Services Processing Guide*

Number: BA-AE000-14

Date: Dec-2005

Software: Release 6.0, Version 6 (TSS Release 05.4)

The following table highlights the major changes that have been made in the most recent update to the *BASE24 Transaction Security Services Processing Guide*. The first column of the table lists the sections and appendixes in which major changes have been made. The second column of the table describes the major changes for each section or appendix. These changes update the guide to TSS release 05.4 for BASE24 release 6.0, version 6.

Section/ Appendix	Major Changes
1	Removes the option for sending user auditing messages from the C++ User Interface process to the UAUD application. All user auditing messages from the C++ User Interface process must now be logged directly to the User Audit Log File (UALOGD). Adds a note to the “Configuration” topic to indicate that the ESWEB process, Version Checker, and USEC applications can reside on or off the HP NonStop platform. Updates the “User Auditing” topic to indicate that if you update or delete a profile, all data records for the profile are updated or deleted and are included in the audit trail.
2, 7, 10	Adds notes to indicate that when you make a change to the CONFCSV, you must stop and restart the process that uses the changed data. To ensure that no transactions currently in progress are lost, you should stop the process in an orderly fashion. The change does not take effect until after the process is stopped and restarted.
2	Clarifies for which functions recursive calls are made for keys in the CSECD.

Section/ Appendix	Major Changes
3	Removes additional configuration requirements for XPNET, TCP/IP, HTTP, and OSS as these should be determined during installation and are beyond the scope of this guide. Adds descriptions of the PIN_VRFY_FAIL_RETRY_IND and PIN_XLATE_DISK_READ Environment attributes. Adds a description of the UI_AUDIT_OUTPUT_DATA_TYP Environment attribute. Updates the description of the Security Device Configuration window and its fields for support of Bull BNTng HSMs. Adds a note to the Configuration String field description for the Security Device Configuration window to indicate that command options should be configured in the NSP's CONFIG.PRM file rather than in this field when using the Boxcar Interface Module to communicate with Atalla NSPs.
4	Adds support for the Bull BNTng HSM. Clarifies that the Eracom ProtectHost White AMB host security module (HSM) can be connected using TCP/IP and the Remote Application Manager (RAM) process as well as using the Ethernet (IEEE 802.3) communications interface. Clarifies that the MAC Generate/Verify (MS) command for Thales e-Security HSMs is now available in standard Thales e-Security products.
7	Adds an MDSDEST entry example for Bull BNTng HSMs and for connecting an Eracom ProtectHost White AMB host security module (HSM) using an Ethernet connection and the Blocker process as well as using TCP/IP and the Remote Application Manager (RAM) process.
9	Updates the syntax of the KEYGEN command for support of shared Wincor Nixdorf signature devices.
10	Corrects the example run command syntax for starting the Trace Viewer utility and indicates that output from the utility is written to the location specified by the MTRCRC assign in the CONFCSV.
B	Adds Automated Key Distribution System support for shared Wincor Nixdorf signature devices. These devices emulate the NCR NDC+ or Diebold 912 message formats and use a signature-based method of remote key loading. Adds a description of the AKDS Capacity Report. You must generate and send this report to ACI on a monthly basis for reconciliation with your AKDS usage (number of ATM terminals) against your AKDS capacity license.

Section/ Appendix	Major Changes
------------------------------	----------------------

-
- | | |
|---|--|
| D | Adds a new “Cryptographic Support” topic that explains how the EMV format and cryptographic version number control security requirements in EMV online transaction processing.

Adds EMV 2000 impacts for Bull BNTng HSMs. |
|---|--|

ACI Worldwide Inc.