

Offset[Len] Field Name and Description Data Type

DEF ITS-TLFXA

0	[4072]		
0	[12]	hdra	
0	[4]	hdra.ver.byte[0:3]	PIC 9(4).
4	[2]	hdra.ctx^cde.byte[0:1]	PIC 9(2).
6	[2]	hdra.ctx^st.byte[0:1]	PIC 9(2).
8	[4]	hdra.olf^byte^cnt.byte[0:3]	PIC 9(4).
12	[414]	mlfa	
12	[60]	mlfa.intf	
12	[28]	mlfa.intf.pan [PAN]	
12	[28]	mlfa.intf.pan.num.byte[0:27]	PIC X(28).
40	[18]	mlfa.intf.amt.byte[0:17]	PIC 9(18).
58	[12]	mlfa.intf.seq^num.byte[0:11] [ITD-SEQ-NUM]	PIC X(12).
70	[2]	mlfa.intf.discrim.byte[0:1]	PIC 9(2).
72	[36]	mlfa.pan	
72	[8]	mlfa.pan.iss	
72	[4]	mlfa.pan.iss.lgnt.byte[0:3] [LGNT-DEF]	PIC X(4).
76	[4]	mlfa.pan.iss.fiid.byte[0:3] [FIID-DEF]	PIC X(4).
80	[28]	mlfa.pan.pan [PAN]	
80	[28]	mlfa.pan.pan.num.byte[0:27]	PIC X(28).
108	[38]	mlfa.acct^data	
108	[8]	mlfa.acct^data.iss	
108	[4]	mlfa.acct^data.iss.lgnt.byte[0:3] [LGNT-DEF]	PIC X(4).
112	[4]	mlfa.acct^data.iss.fiid.byte[0:3] [FIID-DEF]	PIC X(4).

Offset	Len	Field Name and Description	Data Type
116	[30]	mlfa.acct^data.acct	
116	[28]	mlfa.acct^data.acct.num.byte[0:27] [ACCT-NUM-DEF]	PIC X(28).
144	[2]	mlfa.acct^data.acct.typ.byte[0:1] [ACCT-TYP-DEF]	PIC X(2).
146	[136]	mlfa.bcd	
146	[30]	mlfa.bcd.acct1	
146	[28]	mlfa.bcd.acct1.num^bcd.byte[0:27] [ACCT-NUM-DEF]	PIC X(28).
174	[2]	mlfa.bcd.acct1.typ.byte[0:1] [ACCT-TYP-DEF]	PIC X(2).
176	[30]	mlfa.bcd.acct2	
176	[28]	mlfa.bcd.acct2.num^bcd.byte[0:27] [ACCT-NUM-DEF]	PIC X(28).
204	[2]	mlfa.bcd.acct2.typ.byte[0:1] [ACCT-TYP-DEF]	PIC X(2).
206	[5]	mlfa.bcd.acq^obj^id.byte[0:4]	PIC 9(5).
211	[5]	mlfa.bcd.auth^obj^id.byte[0:4]	PIC 9(5).
216	[5]	mlfa.bcd.msg^substate.byte[0:4]	PIC 9(5).
221	[1]	mlfa.bcd.user^fld1	PIC X(1).
222	[2]	mlfa.bcd.prod^id.byte[0:1]	PIC X(2).
224	[22]	mlfa.bcd.refr	
224	[2]	mlfa.bcd.refr.cnt.byte[0:1]	PIC 9(2).
226	[20]	mlfa.bcd.refr.file[0:9]	
226	[1]	mlfa.bcd.refr.file[0:9].type	PIC X(1).
227	[1]	mlfa.bcd.refr.file[0:9].ind	PIC X(1).
246	[18]	mlfa.bcd.tim^entry^ts.byte[0:17]	PIC 9(18).
264	[18]	mlfa.bcd.tim^log^ts.byte[0:17]	PIC 9(18).
282	[144]	mlfa.ascii	
282	[22]	mlfa.ascii.acq [ITD-ACQ]	

Offset	Len	Field Name and Description	Data Type
282	[4]	mlfa.ascii.acq.fiid.byte[0:3] [FIID-DEF]	PIC X(4).
286	[3]	mlfa.ascii.acq.inst^cntry^cde.byte[0:2]	PIC X(3).
289	[11]	mlfa.ascii.acq.id^cde.byte[0:10] [ID-CDE-DEF]	PIC X(11).
300	[4]	mlfa.ascii.acq.lgnt.byte[0:3] [LGNT-DEF]	PIC X(4).
304	[4]	mlfa.ascii.act [ITD-ACT]	
304	[3]	mlfa.ascii.act.cde.byte[0:2] [ACT-CDE-DEF]	PIC X(3).
307	[1]	mlfa.ascii.act.ind	PIC X(1).
308	[22]	mlfa.ascii.auth [ITD-AUTH]	
308	[16]	mlfa.ascii.auth.nam.byte[0:15] [SYM-NAM-DEF]	PIC X(16).
324	[6]	mlfa.ascii.auth.stan.byte[0:5]	PIC 9(6).
330	[2]	mlfa.ascii.auth^ind [ITD-AUTH-IND]	
330	[1]	mlfa.ascii.auth^ind.flg	PIC X(1).
331	[1]	mlfa.ascii.auth^ind.xfill	PIC X(1).
332	[6]	mlfa.ascii.captr^dat [ITD-CAPTR-DAT]	
332	[2]	mlfa.ascii.captr^dat.yy.byte[0:1]	PIC X(2).
334	[2]	mlfa.ascii.captr^dat.mm.byte[0:1]	PIC X(2).
336	[2]	mlfa.ascii.captr^dat.dd.byte[0:1]	PIC X(2).
338	[20]	mlfa.ascii.iss [ITD-ISS]	
338	[4]	mlfa.ascii.iss.fiid.byte[0:3] [FIID-DEF]	PIC X(4).
342	[11]	mlfa.ascii.iss.id^cde.byte[0:10] [ID-CDE-DEF]	PIC X(11).
353	[4]	mlfa.ascii.iss.lgnt.byte[0:3] [LGNT-DEF]	PIC X(4).
357	[1]	mlfa.ascii.iss.discrd^non^fncl^rvsl	PIC X(1).

Offset[Len]	Field Name and Description	Data Type
358 [12]	mlfa.ascii.local^txn [ITD-LOCAL-TXN]	
358 [6]	mlfa.ascii.local^txn.dat [DAT]	
358 [2]	mlfa.ascii.local^txn.dat.yy.byte[0:1]	PIC X(2) .
360 [2]	mlfa.ascii.local^txn.dat.mm.byte[0:1]	PIC X(2) .
362 [2]	mlfa.ascii.local^txn.dat.dd.byte[0:1]	PIC X(2) .
364 [6]	mlfa.ascii.local^txn.tim.byte[0:5]	PIC X(6) .
370 [4]	mlfa.ascii.mti.byte[0:3] [ITD-MTI]	PIC X(4) .
374 [4]	mlfa.ascii.mti^orig.byte[0:3] [ITD-MTI-ORIG]	PIC X(4) .
378 [6]	mlfa.ascii.proc^cde [ITD-PROC-CDE]	
378 [2]	mlfa.ascii.proc^cde.txn^cde.byte[0:1] [TXN-CDE-DEF]	PIC X(2) .
380 [2]	mlfa.ascii.proc^cde.acct1^typ.byte[0:1] [ACCT-TYP-DEF]	PIC X(2) .
382 [2]	mlfa.ascii.proc^cde.acct2^typ.byte[0:1] [ACCT-TYP-DEF]	PIC X(2) .
384 [14]	mlfa.ascii.pt^svc [ITD-PT-SVC]	
384 [1]	mlfa.ascii.pt^svc.crd^data^input^cap	PIC X(1) .
385 [1]	mlfa.ascii.pt^svc.crdhldr^auth^cap	PIC X(1) .
386 [1]	mlfa.ascii.pt^svc.crd^captr^cap	PIC X(1) .
387 [1]	mlfa.ascii.pt^svc.oper^environ	PIC X(1) .
388 [1]	mlfa.ascii.pt^svc.crdhldr^prsn	PIC X(1) .
389 [1]	mlfa.ascii.pt^svc.crd^prsn	PIC X(1) .
390 [1]	mlfa.ascii.pt^svc.crd^data^input^mde	PIC X(1) .
391 [1]	mlfa.ascii.pt^svc.crdhldr^auth^method	PIC X(1) .
392 [1]	mlfa.ascii.pt^svc.crdhldr^auth^entity	PIC X(1) .
393 [1]	mlfa.ascii.pt^svc.crd^data^output^cap	PIC X(1) .

Offset	[Len]	Field Name and Description	Data Type
394	[1]	mlfa.ascii.pt^svc.term^output^cap	PIC X(1).
395	[1]	mlfa.ascii.pt^svc.pin^captr^cap	PIC X(1).
396	[1]	mlfa.ascii.pt^svc.pin^prsn^flg	PIC X(1).
397	[1]	mlfa.ascii.pt^svc.xfill	PIC X(1).
398	[4]	mlfa.ascii.rte^cde.byte[0:3] [ITD-RTE-CDE]	PIC X(4).
402	[2]	mlfa.ascii.rte^flr [ITD-RTE-FLR]	
402	[1]	mlfa.ascii.rte^flr.flg	PIC X(1).
403	[1]	mlfa.ascii.rte^flr.xfill	PIC X(1).
404	[2]	mlfa.ascii.rte^typ [ITD-RTE-TYP]	
404	[1]	mlfa.ascii.rte^typ.flg	PIC X(1).
405	[1]	mlfa.ascii.rte^typ.xfill	PIC X(1).
406	[16]	mlfa.ascii.term^id.byte[0:15] [ITD-TERM-ID]	PIC X(16).
422	[2]	mlfa.ascii.txn^originator [ITD-TXN-ORIGINATOR]	
422	[1]	mlfa.ascii.txn^originator.flg	PIC X(1).
423	[1]	mlfa.ascii.txn^originator.xfill	PIC X(1).
424	[2]	mlfa.ascii.txn^responder [ITD-TXN-RESPONDER]	
424	[1]	mlfa.ascii.txn^responder.flg	PIC X(1).
425	[1]	mlfa.ascii.txn^responder.xfill	PIC X(1).
426	[3646]	olfa[0:3645]	PIC X(1).
		END [size 4072]	