

Future Updates

Manual: *BASE24-atm Authorization Manual*

Number: AT-AE000-08

Date: 11/2003

Software: Release 6.0, version 4

The following changes affect the *BASE24-atm Authorization Manual* for release 6.0, version 4. These changes will be made the next time the manual is updated.

Enhanced Expiration Date Processing

The following additions will be made to the expiration date processing steps in BASE24-atm Authorization processing. The following authorization level and methods use expiration date processing:

- Authorization level 1 (online)
- Negative Authorization
- Negative Authorization with Usage Accumulation
- Positive Authorization
- Positive Balance Authorization

The expiration date indicates whether the card has expired. In the EXP DATE field on IDF screen 2, institutions indicate whether BASE24-atm should prescreen the card expiration date. If the EXP DATE field indicates that the expiration date should be checked during prescreening, the Authorization process performs either basic or expanded expiration date checking. Basic expiration date checking includes verifying that the expiration date on the CAF (Positive Authorization and Positive Balance Authorization only) or in the request message is later than the transaction date. Expanded expiration date checking includes in depth checks based on the expiration date in the request message.

Basic Expiration Date Checking

The Authorization process reads the EXP CHECK TYPE field on screen 1 of the CPF to determine if the expiration date should be checked for this card prefix.

Based on the value set in the EXP CHECK TYPE field, the Authorization process does not prescreen the expiration date of the card, uses the expiration date in the Track 1 or Track 2 data of the card to perform the prescreening check, or uses the expiration date indicated in the EXPIRATION DATE field on screen 2 of the CAF to perform the prescreening check. The expiration date indicated in the EXPIRATION DATE field is used to perform the prescreening check only if the institution is using the Positive Authorization method or the Positive Balance Authorization method.

Expanded Expiration Date Checking

Expanded expiration date checking enables an institution to use the expiration date in the request message to perform the following checks:

- Whether the expiration date is present in the request message
- Whether the card expiration date in transaction data can be compared against the card expiration date in the card database
- Whether the expiration date falls within the card validity period
- Whether data exists for a second card using the same CAF record

Expanded expiration date checking takes place prior to basic expiration date checking.

Expiration Date in the Transaction Request Message. Acquirers and issuers can configure whether an expiration date is required in the transaction request message. Before basic expiration date checking occurs, the Authorization process reads the value of the EXPIRATION DATE PROCESSING FLAG field on CPF screen 3 to determine whether an expiration date is required in the transaction request message. If the field contains the value 1 or 2, the expiration date must be present, and the Authorization process checks the request message for an expiration date. If the expiration date is present, Authorization process continues expanded expiration date processing. If the expiration date is not present, the Authorization process denies the transaction with a response code of 51 (expired card).

If the EXPIRATION DATE PROCESSING FLAG field contains a value of 0, the expiration date does not have to be present in the request message. If the expiration date is present, other expanded expiration date checks that require an expiration date from the request message can be performed. If the expiration date is not present, the Authorization process reads the value of the EXPIRATION DATE COMPARISON field on CPF screen 3 to determine the expiration date used in further checks. This processing is described below.

Expiration Date Comparison. Expiration date comparison processing enables the Authorization process to compare the expiration date in the request message to the expiration date held in the CAF. This processing also enables the use of the expiration date held in the CAF if no expiration date is present in the authorization request message. This processing is performed based on the value of the EXPIRATION DATE COMPARISON field on CPF screen 3. The Authorization process reads the value of the EXPIRATION DATE COMPARISON field when any of the following conditions exist.

- The EXPIRATION DATE PROCESSING FLAG field on CPF screen 3 is set to a value of 1 or 2 and an expiration date is present in the request message.
 - If the value of the EXPIRATION DATE COMPARISON field is set to the value 0, a comparison is not required, and the Authorization process continues with the next step of expanded expiration date checking.
 - If the value of the field is 1, the date in the message is compared against the expiration date held in the CAF. If the values match, the expiration date checking continues with the next step of expanded expiration date processing. If the values do not match, the Authorization process declines the transaction with a response code of 51 (expired card).
- The EXPIRATION DATE PROCESSING FLAG field on CPF screen 3 is set to a value of 0 and the expiration date is present in the request message.
 - If the value of the EXPIRATION DATE COMPARISON field is set to the value 0, a comparison is not required, and the Authorization process continues with the next step of expanded expiration date checking.
 - If the value of the field is 1, the date in the message is compared against the expiration date held in the CAF. If the values match, the expiration date checking continues with the next step of expanded expiration date processing. If the values do not match, the Authorization process declines the transaction with a response code of 51 (expired card).

- The EXPIRATION DATE PROCESSING FLAG field on CPF screen 3 is set to a value of 0 and the expiration date is not present in the request message.
 - If the EXPIRATION DATE COMPARISON field is set to a value of 0, no other expanded expiration date checking is performed.
 - If the EXPIRATION DATE COMPARISON field is set to a value of 1, the Authorization process uses the expiration date in the CAF for the other expanded expiration date processing checks.

Card Validity Period. Most card issuers reissue cards after a few years. Thus, the expiration date is within a few years of the transaction date. An expiration date many years ahead of the transaction date could indicate a fraudulent card. Card issuers can configure the maximum validity period of a card using the CARD VALIDITY PERIOD field on CPF screen 3.

Once the Authorization process has verified that the card expiration date is valid, it reads the value of the CARD VALIDITY PERIOD field on CPF screen 3. If the field is set to a value of 0, the Authorization process continues with the next step of expanded expiration date checking. If the field contains a nonzero value, the authorization process adds that value to the current transaction date to find the calculated card validity period. If the calculated card expiration date from the request message (if the EXPIRATION DATE PROCESSING FLAG field on CPF screen 3 contains a value of 1 and the expiration date is present) or from the CAF (if the EXPIRATION DATE PROCESSING FLAG is set to a value of 0) is not later than the calculated end of the card validity period, the calculated expiration date is used in subsequent authorization processing. If the calculated card expiration date is later than the calculated end of the card validity period, the Authorization process declines the transaction with a response code of 51 (expired card).

Second Card Data. When multiple cards are issued with the same number, the member number distinguishes among the cards. If a card issuer does not use the member number as an issue number for the PAN, the BASE24 system enables you to configure a second card with the same PAN in the CAF. This enables two physical cards with different expiration dates to be in circulation.

Second card processing requires a comparison of expiration dates (i.e., the Authorization process compares the expiration date in the authorization request message to the two expiration dates held in the CAF). The EXPIRATION DATE COMPARISON field on CPF screen 3 indicates whether expiration date comparisons of any type are performed. If this field is set to a value of 0, no comparison between the first and second cards is performed. If the field is set to a value of 1, the Authorization process compares the values in the EXPIRATION DATE field on CAF screen 2 and the EXPIRATION DATE field on CAF screen 7.

If the value from CAF screen 7 is zeros or is blank, no second card data is available, and no more expanded expiration date processing is performed. The Authorization process continues with basic expiration date checking. If the value from CAF screen 2 is zeros or is blank, then the Authorization process uses the second card data from CAF screen 7 for subsequent authorization processing performed on the transaction.

Note: If second card data is used in the transaction (i.e., the data from the EXPIRATION DATE field on CAF screen 7) is used for subsequent processing, the value from the CARD STATUS field on CAF screen 7 replaces the value from the CARD STATUS field on CAF screen 2.