



EXTERNAL SOFTWARE RELEASE NOTES

Release 6.0 Offline PIN Management

for

EPS-Net Interchange Interface

Copyright © ACI Worldwide (EMEA) Limited 2003

This document is the property of ACI Worldwide (EMEA) Ltd and the information contained herein is confidential. This document, either in whole or in part, must not be reproduced or disclosed to others or used for purposes other than that for which it has been supplied, without prior written permission or, if any part hereof is furnished by virtue of a contract with a third party, as expressly authorised under that contract.

BASE24 is a trademark of ACI Worldwide, Nebraska, USA.



Change History

Version 1, 02/2003 (Preliminary)



CONTENTS

1. INTRODUCTION.....	1
1.1 OVERVIEW	1
1.2 SYSTEM IMPACT.....	1
1.2.1 Device Impact	1
1.2.2 External Interface Impact	1
1.2.3 Operational Interface Impact.....	1
1.3 SUBVOLUMES INCLUDED IN DELIVERY	1
2. IMPLEMENTATION CONSIDERATIONS.....	3
2.1 HARDWARE DEPENDENCIES.....	3
2.2 SOFTWARE DEPENDENCIES	3
2.3 DEVICE REQUIREMENTS.....	3
2.4 SECURITY REQUIREMENTS.....	3
2.5 DISK FILE REQUIREMENTS.....	3
2.6 MEMORY REQUIREMENTS.....	3
2.7 PERFORMANCE CONSIDERATIONS.....	3
2.8 EXTERNAL INTERFACE IMPACT.....	3
2.9 CONVERSION REQUIREMENTS.....	3
2.10 BACKOUT STRATEGY	3
2.11 OPERATIONAL INTERFACE IMPACT	3
2.11.1 Additional Log Messages	3
2.12 OPERATIONAL PROCEDURES.....	3
2.13 USER GUIDE / MANUAL UPDATES	3
2.14 IMPACTS ON OTHER PRODUCTS	4
2.15 FUTURE REQUIREMENTS	4
3. LOGICAL NETWORK CONFIGURATION FILE (LCONF).....	5
3.1 LCONF ASSIGNS.....	5
3.2 LCONF PARAMS.....	5
EMV-PIN-UNBLOCK-SCRIPT	5
4. CONFIGURATION REQUIREMENTS.....	6
4.1 ICF	6
5. DATA REQUIREMENTS	7
6. MAKE INSTALLATION INSTRUCTIONS	8
7. SOFTWARE RELEASE FILE LIST.....	9
APPENDIX A: ROLLING CODE METHODOLOGY UPDATE	10

1. Introduction

1.1 Overview

This document provides the installation instructions for the Release 6.0 Offline PIN Management enhancements for EPS-Net Interchange Interface Support.

In order to ensure that card issuers can successfully manage the offline PIN function, e.g. ensuring that the offline PIN is synchronised with the online PIN known to the issuer, there is a requirement to implement an offline PIN Management Service. The management of the offline PIN function on the card introduces two new administrative functions for card issuers:

- Support for offline PIN change, where the cardholder wants to change their PIN to a new value;
- Support for offline PIN unblocking, where the PIN Try Counter on the card has reached zero and needs to be reset to the normal value (the PIN Try Limit).

In addition, processing to validate ISO Country Code part of Card Acceptor Name and Location (Data Element 43) has been included.

Note that these enhancements have been developed using the Rolling Code Methodology. Customers may need to apply fixes to their system before implementing this enhancement. See Appendix A for more details on the Rolling Code Methodology.

1.2 System Impact

Consideration should also be given to the following impacts.

1.2.1 Device Impact

ATM devices should be EMV-capable to support PIN Change and PIN Unblock transactions.

1.2.2 External Interface Impact

PIN Change transactions will be identified at EPS-Net Interchange by a processing code of '92'.

PIN Unblock transactions will be identified at EPS-Net Interchange by a processing code of '91'.

Host systems that process TLF or ILF Extract files must be capable of identifying an internal BASE24 transaction code of '81' as a PIN Change transaction, and "82" as a PIN Unblock transaction. The TLF and ILF Extract records format will change if the PIN Change token (containing new PIN data) and/or the Issuer Script Results token is extracted.

1.2.3 Operational Interface Impact

The TLF perusal screens will display a transaction code of '81' (PIN Change transaction) and '82' (PIN Unblock transaction)

1.3 Subvolumes included in delivery

The following subvolumes will be included in the release as standard:

- **SW60EURO**
 - EURODDL - Added support for field 125.
 - EUROG - Added support for PIN Change and PIN Unblock transaction codes.

Data Requirements

- EUROLIBS
 - Added support for field 125.
 - Added support for PIN Change and PIN Unblock transactions.
 - Added support for validating ISO Country Code of Card Acceptor Name and Location (DE 043).
- EUROS
 - Added support for PIN Change and PIN Unblock transactions.

If EMV has been licensed then the following subvolume will also be included in the release:

- **SW60IEUR**
 - EUROEMVS
 - Added support for PIN Change and PIN Unblock transactions.

2. Implementation Considerations

2.1 Hardware Dependencies

Not applicable.

2.2 Software Dependencies

The interface is compatible with XPNET version 3.0.

The PIN Management service will only be available in Release 6.0 systems updated with other [PIN@POS](#) changes.

2.3 Device Requirements

Not applicable.

2.4 Security Requirements

Not applicable.

2.5 Disk File Requirements

Not applicable.

2.6 Memory Requirements

Not applicable.

2.7 Performance Considerations

Not applicable.

2.8 External Interface Impact

Not applicable.

2.9 Conversion Requirements

None.

2.10 Backout Strategy

Not applicable.

2.11 Operational Interface Impact

2.11.1 Additional Log Messages

Log Message No	Severity	Text
3310	2	“UNABLE TO ADD TOKEN \\\, NO ROOM AVAILABLE. PAN\\?, SEQ NUM \\?”
3320	3	“ERROR WHILE ATTEMPTING TO ADD TOKEN \\\. PAN\\?, SEQ NUM \\?, ERROR #.”

2.12 Operational Procedures

Not applicable.

2.13 User Guide / Manual Updates

The BASE24 EPS-Net Interchange Interface Manual Release 6.0 SW-DS860-60 has been updated.

2.14 Impacts on Other Products

None.

2.15 Future Requirements

Not applicable.

3. Logical Network Configuration File (LCONF)

3.1 LCONF Assigns

None.

3.2 LCONF Params

EMV-PIN-UNBLOCK-SCRIPT

Format : Process Name: *****

PARAM NAME EMV-PIN-UNBLOCK-SCRIPT

Text: 72129F1800860D8424000008

Usage: The script template for the PIN UNBLOCK script command, excluding the MAC.

4. Configuration Requirements

For more details on general [PIN@POS](#) Configuration Requirements reference the External Software Release Notes Release 6.0 Offline PIN Management Authorisation Processing and Infrastructure.

4.1 ICF

The PIN CHANGE option in the NOT ON US and TRANSACTION ALLOWED menu (Screen 7) must be set to 'Y' to allow the ATM PIN Management transactions to be processed.

5. Data Requirements

If any data files must be changed as a result of bringing your source up to the fix level that this enhancement was developed against, file conversions may be necessary. These will be documented in those fixes.

For more details on general [PIN@POS](#) Data Requirements reference the External Software Release Notes Release 6.0 Offline PIN Management Authorisation Processing and Infrastructure.

6. Make Installation Instructions

To install this release the following tasks must be performed in the order they are listed:

- 1) [Analyse the fix levels of your system. If necessary, apply any fixes required or replace sources with current versions.](#)
- 2) Restore the files listed in the software release files list (in section 6) to the target subvolumes.
- 3) Release 6.0 build for BASE, ATM and the EPS-Net Interchange modules:
 - i). Move to the BA60MAKE subvolume.
 - ii). Edit CUSTMACS and set the following flags to TRUE in order to create the required executable modules:

atm_on	– to enable ATM product build
base_on	– to enable BASE product build
euro_on	– to enable EPS-Net Interchange Interface subvolume build
euro_emv_on	– to enable EPS-Net Interchange Interface EMV module build
classic_on	– to enable product processing leg of make build
switch_on	– to enable switch processing leg of make build.

The remaining flags will be set according to each customer's environment and therefore should remain unaltered.

NOTE: switch_on flag is set on by default. If a customer is not licensed to run the switch performance monitoring module this flag should be turned off.

- iii). Move to the BA60SRC subvolume.
- iv). MAKE the all the release 6.0 modules impacted by the above restored files by obeying the B24C file.
- v). Check the Peruse output to confirm successful completion of MAKE.

7. Software Release File List

BASE24 Version 6.0 Implementation

The list below specifies the files supplied to support the building of those modules that support Release 6.0 Offline PIN Management for EPS-Net Interchange:

\$BAR60.SW60EURO

EURODDL
EUROG
EUROS
EUROLIBS

\$BAR60.SW60IEUR

EUROEMVS

\$BAR60.BA60DDL

DDLGILF

\$BAR60.BA60SRC

HISWUTLS

APPENDIX A: Rolling Code Methodology Update

The following information first appeared in BASE24 Update (C-Vol #2, Issue #04-01, Jul-1-02).

The Rolling Code Methodology allows enhancements and maintenance to be performed on a single version of software. Software changes are developed and unit-tested based upon all fixes completed for a module, which provides a more stable version of code resulting in higher software quality.

On a weekly basis, each fix delivered by HELP24 is reviewed by the ACI Fix Review Committee to determine the potential impact to other customers. HELP24 regularly issues Hotline letters covering critical fixes to customers who might be affected. Customers should review the HELP24 Hotline letters to determine whether their environment requires any critical fixes.

The Challenge

The consolidation of software changes into a single version of software has increased the amount of change and dependencies between enhancements and fixes. Concurrently, customers may want to minimize software changes but without routine customer software updates, the scope and complexity of customer maintenance expands when the customer requires a specific fix.

ACI Worldwide understands that software dependencies may complicate customer projects. While routine customer maintenance is the best method to avoid issues, we realize there are practical implications with staying current. We appreciate customers' desire to receive only those software changes required to resolve a single case or implement an enhancement but that is not always possible.

ACI Worldwide recommends that customers review their current level of software changes and schedule maintenance activities regularly. Fix History User Bulletin files, containing current fix level information, are available on request through your customer manager. At any time, customers can request all current fix files, or possibly a new shipment of the source files, to allow them to get current. This will minimize version mismatch and ease implementation of future software changes.

Improvements

We are responding to customer feedback to provide improvements for handling dependency fixes. The improvements included with 6.0:

- o Separated the device dependent DDL's from the BASE files
- o Updated our internal processes relating to history section standards and dependency fix tracking by including a new file for each major enhancement which will itemize all files impacted by that enhancement
- o When numerous dependency fixes are detected, we will refine the list by providing only those fixes affecting products (e.g. BASE, ATM, POS, TLR, Switch.) licensed by the customer. We will continue to send all direct and prerequisite dependency fixes for all modules within the licensed product. This will ensure customers have any required prerequisite fix at their site to avoid additional requests for other software changes.

Future Considerations

We continue to research tools to assist our customers' efforts. Efforts are under way to improve the Fix



Software Release File List

tool that will help customers with significant customizations automate their release upgrades. In addition, the ACI Worldwide web site is being enhanced to allow customers to download mandates and fixes in a secured environment.

Any specific input on tools you believe will help would be appreciated and should be provided to your Customer Manager.