



## **EXTERNAL SOFTWARE RELEASE NOTES**

### **BASE24 RELEASE 6.0**

**For**

**LINK Interchange Interface**

**Enhancement 06**

**03.1 Mandates**

Version: 2.0  
Author: Shai Naik  
Date: 19 February 2003

Copyright © ACI Worldwide (EMEA) Limited 2003

This document is the property of ACI Worldwide (EMEA) Ltd and the information contained herein is confidential. This document, either in whole or in part, must not be reproduced or disclosed to others or used for purposes other than that for which it has been supplied, without prior written permission or, if any part hereof is furnished by virtue of a contract with a third party, as expressly authorised under that contract.

BASE24 is a trademark of ACI Worldwide, Nebraska, USA.



## Change History

| Author & Reviewers                              | Date                | Version | Description of Changes                                                                                                 |
|-------------------------------------------------|---------------------|---------|------------------------------------------------------------------------------------------------------------------------|
| Mohammed Hamid<br>Murray Chapman                | 24 October 2002     | 0.1     | Initial version                                                                                                        |
| Mohammed Hamid<br>Murray Chapman                | 25 October 2002     | 0.2     | Updated following first review                                                                                         |
| Murray Chapman<br>Dave Barton<br>Mohammed Hamid | 23 December<br>2002 | 0.3     | Added reference to rolling code                                                                                        |
| Murray Chapman<br>Dave Barton                   | 6 January 2003      | 0.4     | Updated following review. Added Implementation Considerations and Configuration Impact from the Product Specification. |
| Murray Chapman                                  | 8 January 2003      | 1.0     | Signed off version.                                                                                                    |
| Shai Naik<br>Murray Chapman                     | 12 February 2003    | 1.1     | Modified following comments by Help24 resulting from Installation exercise.                                            |
| Murray Chapman                                  | 19 February 2003    | 2.0     | Signed off version.                                                                                                    |



## CONTENTS

|          |                                                          |           |
|----------|----------------------------------------------------------|-----------|
| <b>1</b> | <b>INTRODUCTION.....</b>                                 | <b>1</b>  |
| 1.1      | OVERVIEW.....                                            | 1         |
| 1.2      | LINK INTERCHANGE INTERFACE IMPACT .....                  | 1         |
| 1.3      | SUBVOLUMES INCLUDED IN THE DELIVERY .....                | 1         |
| <b>2</b> | <b>ASSUMPTIONS AND RESTRICTIONS.....</b>                 | <b>2</b>  |
| 2.1      | ASSUMPTIONS .....                                        | 2         |
| 2.2      | RESTRICTIONS .....                                       | 2         |
| <b>3</b> | <b>IMPLEMENTATION CONSIDERATIONS.....</b>                | <b>3</b>  |
| <b>4</b> | <b>LOGICAL NETWORK CONFIGURATION FILE (LCONF).....</b>   | <b>5</b>  |
| 4.1      | LCONF ASSIGNS .....                                      | 5         |
| 4.2      | LCONF PARAMS.....                                        | 5         |
| <b>5</b> | <b>CONFIGURATION REQUIREMENTS.....</b>                   | <b>6</b>  |
| <b>6</b> | <b>DATA REQUIREMENTS.....</b>                            | <b>7</b>  |
| <b>7</b> | <b>INSTALLATION INTO RELEASE 6.0 ENVIRONMENT .....</b>   | <b>8</b>  |
| <b>8</b> | <b>INSTALLATION INTO RELEASE 5.1.2 ENVIRONMENT .....</b> | <b>9</b>  |
| <b>9</b> | <b>SOFTWARE RELEASE FILE LIST .....</b>                  | <b>10</b> |
| 9.1      | BASE24 VERSION 6.0 IMPLEMENTATION.....                   | 10        |
| 9.2      | FIX FILE AND MODULE RELATIONSHIP .....                   | 10        |
|          | <b>APPENDIX A: ROLLING CODE METHODOLOGY UPDATE .....</b> | <b>11</b> |

# 1 Introduction

## 1.1 Overview

This document provides the installation instructions for BASE24 LINK Interchange Interface 03.1 Mandates.

The BASE24 LINK Interchange Interface is a Global product, implemented and supported by ACI Worldwide (EMEA) Limited.

This document covers the enhancements required at BASE24 Release 6.0 to the LINK ISO Interchange Interface (LIS5). LINK operates the national ATM switch for the United Kingdom, and the LINK ISO Interchange Interface (LIS5) supports the online interface between LINK members and the LINK network.

**Note that these enhancements have been developed using the Rolling Code Methodology. Customers may need to apply fixes to their system before implementing this enhancement. See Appendix A for more details on the Rolling Code Methodology.**

## 1.2 LINK Interchange Interface Impact

The following modifications are to be made to the LINK ISO Interchange Interface (LIS5) module for the 03.1 Mandates:

- Support of a new field, Point of Service Data (field 61);
- Clarification of the format and contents of Card Acceptor Name and Location (field 43);
- Change to Pre-pay processing.

In addition, a number of minor changes are being made to enhance the LINK Pre-pay solution and to correct faults.

## 1.3 Subvolumes included in the delivery

The following subvolumes will be included in the release as standard:

- **SW60LINK**
  - ATLINKS
  - BALINKG
  - LINKDDL

If EMV has been licensed then the following subvolume will also be included in the release:

- **SW60ILNK**
  - LINKEMVS



## **2 Assumptions and Restrictions**

### **2.1 Assumptions**

None.

### **2.2 Restrictions**

None.

## **3 Implementation Considerations**

### **3.1 Hardware Dependencies**

Not applicable.

### **3.2 Software Dependencies**

The interface is compatible with XPNET version 3.0.

The interface has been developed on the rolling Release 6.0 software. As this is a Switch 6.0 Interface, it will also be able to run in a Release 3.4/4.0, a Release 5.0, Release 5.1.2, Release 5.2 or Release 5.3 system.

### **3.3 Device Requirements**

None.

### **3.4 Security Requirements**

None.

### **3.5 Disk File Requirements**

None.

### **3.6 Memory Requirements**

Not applicable.

### **3.7 Performance Considerations**

Not applicable.

### **3.8 External Interface Impact**

Not applicable.

### **3.9 Conversion Requirements**

The LINK format of the Switch Data Token will change to include additional data.

Therefore, Host systems that process TLF Extract records may have to be enhanced if the Switch Data Token is extracted.

### **3.10 Backout Strategy**

Not applicable.

### **3.11 Operational Interface Impact**

#### **3.11.1 Additional Log Messages**

None.

### **3.12 Operational Procedures**

Not applicable.

### **3.13 User Guide / Manual Updates**

The BASE24 LINK (LIS5) INTERCHANGE INTERFACE MANUAL RELEASE 6.0 SW-DS969-60 has been updated.

### **3.14 Impacts on Other Products**

None.



### 3.15 Future Requirements

PIN@POS will be supported in a future product development.

## 4 Logical Network Configuration File (LCONF)

### 4.1 LCONF Assigns

None.

### 4.2 LCONF Params

#### 4.2.1 EMV-PIN-UNBLOCK-SCRIPT

Format : Process Name:\*\*\*\*\*

PARAM: EMV-PIN-UNBLOCK-SCRIPT

Name: hhhhhhhhhhhhhhhh where h is a hexadecimal character.

Text: The script template for the PIN UNBLOCK script command, excluding the MAC. If EMV PIN authorisation is not being carried out on BASE24 any combination of hexadecimal characters can be used.



## 5 Configuration Requirements

Acquirers may choose to use the two characters of state information in the ATD as a continuation of the city, provided that no issuers rely on values of the state field. For example, “Chelsea, London’ could entered as “Chelsea, Lond” in the CITY field on the ATD and “on” in the STATE field.



## 6 Data Requirements

If any data files will be changed as a result of bringing your source up to the fix level that this enhancement was developed against, file conversions may be necessary. These will be documented in those fixes.

## 7 Installation Into Release 6.0 Environment

The following instructions apply when implementing a Release 6.0 interface into a Release 6.0 environment. To install this release the following tasks must be performed in the order they are listed.

- 1) Analyse the fix levels of your system. If necessary, apply any fixes required or replace sources with current versions.
- 2) Restore the files from the tape.
- 3) Use MAKESCAN or MAKE to update the MAKE files to point to correct system, volume and subvolume
- 4) Move to the BA60MAKE subvolume. Edit CUSTMACS and set 'LINK\_ON' and 'LINK\_ATM\_ON' to \$(TRUE).
- 5) Ensure that the MAKE flags SW\_PRE\_60\_LCONF\_ON and FORTIFY\_ON are set to \$(FALSE).
- 6) If EMV is supported ensure that LINK\_EMV\_ON is set to \$(TRUE), otherwise set it to \$(FALSE).

**The remaining flags will be set according to each customer's environment and therefore should remain unaltered.**

- 7) Obey B24C to compile LINK.
- 8) Check PERUSE for successful completion of MAKE. This should result in the production of the following objects and library files:- (note: the MAKE may result in other files being built depending on what flags have been turned on).

**SW60ILNK:**

LINKEMVO

**SW60LINK:**

|         |         |          |         |      |
|---------|---------|----------|---------|------|
| ATLINKE | ATLINKO | BALINKE  | BALINKO | LINK |
| LINKCOB | LINKTAL | LINKTPLT | RQLINKO |      |

- 9) Move the LINK object into the executable environment.

## 8 Installation Into Release 5.1.2 Environment

The following instructions apply when implementing a Release 6.0 interface into a Release 5.1.2 environment. To install this release the following tasks must be performed in the order they are listed.

- 1) Analyse the fix levels of your Release 6.0 system. If necessary, apply any fixes required or replace sources with current versions.
- 2) Restore the files from the tape.
- 3) Use MAKESCAN or MAKE to update MAKE files to point to the correct system, volume, and subvolume.
- 4) Release 6.0 build for BASE and LINK Interface:  
Move to the BA60MAKE subvolume. Edit CUSTMACS and ensure that the following flags are set to \$(TRUE) in order to create the required executable object:
 

|             |                                                         |
|-------------|---------------------------------------------------------|
| BASE_ON     | – to enable BASE product build.                         |
| CLASSIC_ON  | – to enable product processing leg of make build.       |
| SWITCH_ON   | – to enable switch processing leg of make build.        |
| SWI_RPT_ON  | – to build switch reports modules in SW60RPT subvolume. |
| LINK_ON     | – to build LINK Base module.                            |
| LINK_ATM_ON | – to build LINK ATM module.                             |
| FORTIFY_ON  | – to ensure a fortified LINK module is built.           |
| LINK_EMV_ON | – if ICC supported                                      |

**It is important that the following flag be set to \$(TRUE):**  
**sw\_pre\_60\_lconf\_on** – to ensure that the correct LCONF DDL is used.

**It is also important to check that the define BADDL\_DDLFCNF, located in BA60DDL.BADDLMM, points to the Release 5.1.2 version i.e.BA51DDL.DDLFCNF.**

**The remaining flags will be set according to each customer's environment and therefore should remain unaltered.**

- 5) Edit the B24C obey file and uncomment the required run command.
- 6) MAKE the release 6.0 modules by obeying the B24C file.
- 7) Check the Peruse output to confirm successful completion of MAKE. The following objects/files should be built:
 

**SW60RPT:**

|         |         |
|---------|---------|
| RP01SWI | RP09SWI |
|---------|---------|

**SW60LINK:**

|         |         |          |         |         |
|---------|---------|----------|---------|---------|
| ATLINKE | ATLINKO | BALINKE  | BALINKO | LINK    |
| LINKCOB | LINKTAL | LINKTPLT | RP01LNK | RP09LNK |
| RQLINKO | RQLINKO |          |         |         |
- 8) Move the LINK object into the executable environment.

## 9 Software Release File List

### 9.1 BASE24 Version 6.0 Files

If the enhancement is to be supplied as complete modules, the list below specifies the files to be included in the delivery.

|                         | Module Location | Module   |                                   |
|-------------------------|-----------------|----------|-----------------------------------|
| Standard LINK Interface | \$vol.SW60LINK  | ATLINKS  | Supplied as standard              |
|                         |                 | BALINKG  | Supplied as standard              |
|                         |                 | LINKDDL  | Supplied as standard              |
| EMV Extension           | \$vol.SW60ILNK  | LINKEMVS | Supplied if EMV has been licensed |

### 9.2 Fix File and Module Relationship

If the enhancement is to be supplied as fix files, the list below specifies the SCNs to be included in the delivery.

| Module   | SCN     |                                   |
|----------|---------|-----------------------------------|
| ATLINKS  | SW06124 | Supplied as standard              |
| BALINKG  | SW06125 | Supplied as standard              |
| LINKDDL  | SW06126 | Supplied as standard              |
| LINKEMVS | SW06127 | Supplied if EMV has been licensed |

## APPENDIX A: Rolling Code Methodology Update

*The following information first appeared in BASE24 Update (C-Vol #2, Issue #04-01, Jul-1-02).*

The Rolling Code Methodology allows enhancements and maintenance to be performed on a single version of software. Software changes are developed and unit-tested based upon all fixes completed for a module, which provides a more stable version of code resulting in higher software quality.

On a weekly basis, each fix delivered by HELP24 is reviewed by the ACI Fix Review Committee to determine the potential impact to other customers. HELP24 regularly issues Hotline letters covering critical fixes to customers who might be affected. Customers should review the HELP24 Hotline letters to determine whether their environment requires any critical fixes.

### The Challenge

The consolidation of software changes into a single version of software has increased the amount of change and dependencies between enhancements and fixes. Concurrently, customers may want to minimize software changes but without routine customer software updates, the scope and complexity of customer maintenance expands when the customer requires a specific fix.

ACI Worldwide understands that software dependencies may complicate customer projects. While routine customer maintenance is the best method to avoid issues, we realize there are practical implications with staying current. We appreciate customers' desire to receive only those software changes required to resolve a single case or implement an enhancement but that is not always possible.

ACI Worldwide recommends that customers review their current level of software changes and schedule maintenance activities regularly. Fix History User Bulletin files, containing current fix level information, are available on request through your customer manager. At any time, customers can request all current fix files, or possibly a new shipment of the source files, to allow them to get current. This will minimize version mismatch and ease implementation of future software changes.

### Improvements

We are responding to customer feedback to provide improvements for handling dependency fixes. The improvements included with 6.0:

- Separated the device dependent DDL 's from the BASE files
- Updated our internal processes relating to history section standards and dependency fix tracking by including a new file for each major enhancement which will itemize all files impacted by that enhancement
- When numerous dependency fixes are detected, we will refine the list by providing only those fixes affecting products (e.g. BASE, ATM, POS, TLR, Switch.) licensed by the customer. We will continue to send all direct and prerequisite dependency fixes for all modules within the licensed product. This will ensure customers have any required prerequisite fix at their site to avoid additional requests for other software changes.

### Future Considerations

We continue to research tools to assist our customers' efforts. Efforts are under way to improve the Fix tool that will help customers with significant customizations automate their release upgrades. In addition,



the ACI Worldwide web site is being enhanced to allow customers to download mandates and fixes in a secured environment.

Any specific input on tools you believe will help would be appreciated and should be provided to your Customer Manager.