



BASE24[®]

CPF and PTDF Conversion Guide
from EMEA Release 5.1.2, 5.2, and 5.3 to Global Release 6.0



Change History

Version 1, 05/2002 (Preliminary)

Related Documents

1.	Release 6.0 Data File Impacts, BA60UC04.AAREADME
2.	BASE24 Release 6.0 Implementation Guide, version 2.0, January 2002

CONTENTS

1	General Description	1
1.1	Introduction	1
1.2	Standard Code	1
1.3	EMEA Code	1
1.4	Hardware Requirements	2
1.5	Software Requirements	2
2	Conversion Impact from 5.1.2 or 5.2 to 5.3	3
2.1	CPF	3
2.2	PTDF	3
3	Conversion Impact from 5.3 To 6.0	4
3.1	CPF	4
3.2	PTDF	4
4	Building the Conversion Object Files	5
4.1	Files Needed to Convert to EMEA Release 5.3	5
4.2	Files Needed to Convert to Global Release 6.0	6
5	Converting From 5.1.2 or 5.2 to 5.3	8
5.1	CPF Conversion Run File (CPFE1R)	8
5.2	PTDF Conversion Run File (PTDFE2R)	9
6	Converting from 5.3 to 6.0	11
6.1	CPF Conversion Run File (CNVCPFR)	11
6.2	PTD Conversion Run File (CNVPTDR)	12

1 General Description

1.1 Introduction

As part of the upgrade to BASE24 release 6.0, data files have changed and thus a conversion is required to be performed on these files.

This is the conversion method that has traditionally been used. The input file (existing file) and output file (converted/initialized file) are two different files. The conversion programs reads the records from the input file, adds new fields and initializes appropriate fields and then writes the record to the output file. This method is required when changing the structure of a file (e.g., increasing the record length, adding/deleting fields from segments, reorganizing fields within the record structure, etc.). This method can also be used to initialize existing user fields in a record.

This method requires system down time to convert the file (also requires an operator to manually rename the files that have been converted), move in the new objects of modules that access the file (e.g., device handler, auth, etc.) and then restart the objects.

This method impacts all BASE24 customers who use the file being converted even if they are not taking advantage of the enhancement for which the modifications are being made.

1.2 Standard Code


For information regarding the standard conversion process and impacts please refer to the **Release 6.0 Data File Impacts document** [document reference 1] and **BASE24 Release 6.0 Implementation Guide** [document reference 2].

1.3 EMEA Code


This document is specifically for EMEA customers who are either at EMEA 5.1.2, 5.2 or 5.3 and are upgrading to Global 6.0.

The Conversion process is as follows (depending on the present version of code)...


1.3.1 EMEA 5.1.2 to Global 6.0



1.3.2 EMEA 5.2 to Global 6.0



1.3.3 EMEA 5.3 to Global 6.0



This specification includes the following

- Conversion Impact
- Lists the files required to perform the conversion.
- Building of the files using the conversion source code
- Process to convert from releases 5.1.2 and 5.2 to release 5.3
- Process to convert from release 5.3 to release 6.0

1.4 Hardware Requirements

Tandem NSK platform running OS D45 or greater.

1.5 Software Requirements

BASE24 Release 6.0

2 Conversion Impact from 5.1.2 or 5.2 to 5.3

2.1 CPF

For customers wishing to convert from a EMEA 5.x system, the conversion will copy the existing ICC CPF segment to the new CPF and initialize the following new EMV specific fields.

2.1.1 Setting of ICC fields

The following new EMV fields added for Release 5.3 are initialized as indicated

Fields	Setting
ACTION^TABLE^INDEX	1
ICC^PREFIX^RTE	<space>
EMV^ISS^APP^DATA^FMT	0
PRE^SCRN^CHK^TVR^CVR	N
PRE^SCRN^CHK^ROLC	N
PRE^SCRN^CHK^FALLBACK	N
FALLBACK^ACTN [0]	0
FALLBACK^ACTN [1]	0

2.2 PTDF

For customers wishing to convert from a EMEA 5.x system the conversion will initialize both EMEA multi-currency and EMV specific fields added for Release 5.3.

2.2.1 Setting of Multi-currency and EMV fields

Set the fields as indicated

Fields	Setting
LAST^STATUS^DATE	0
LAST^STATUS^TIME	0
STATUS^REASON^CODE	<space>
PRE^COMMS^FLR^LMT	0
POST^COMMS^FLR^LMT	0
PRE^COMMS^LMT^FLG	0
POST^COMMS^LMT^FLG	0
MULT^CRNCY^TTLS	0
EMV^TERM^CAP.CARD^DATA^INPUT	0
EMV^TERM^CAP.CVM	0
EMV^TERM^CAP.SEC	0

3 Conversion Impact from 5.3 To 6.0

3.1 CPF

For customers wishing to convert from an EMEA 5.3 system who wish to preserve the EMV specific data in the CPF, the EMEA CPF conversion will need to be run in place of the standard conversion program which simply initializes the EMV specific fields.

3.1.1 Setting of EMV fields

The following EMV fields were set from the corresponding EMV fields

New Fields	Taken From
ACTION_TABLE_INDEX	ACTION^TABLE^INDEX
EMV_PREFIX_RTE	ICC_PREFIX_ROUTE
EMV_ISS_APPL_DATA_FRMT	EMV^ISS^APP^DATA^FMT
PRE_SCRN_CHK_TVR_CVR	PRE^SCRN^CHK^TVR^CVR
PRE_SCRN_CHK_RSN_ONL_CDE	PRE^SCRN^CHK^ROL
PRE_SCRN_CHK_FALLBACK	PRE^SCRN^CHK^FALLBACK
FALLBACK_ACT_ATM	FALLBACK^ACTN[0]
FALLBACK_ACT_POS	FALLBACK^ACTN[1]

3.2 PTDF

For customers wishing to convert from a EMEA 5.3 system who wish to preserve the EMV specific and Multi-Currency specific data in the PTDF, the EMEA PTDF conversion will need to be run in place of the standard conversion program which simply initializes the corresponding specific fields.

3.2.1 Setting of Multi-Currency and EMV fields.

Updated the following fields from the old PTDF records

```

PTDS_CORE.PRE_COMM_FLR_LMT
PTDS_CORE.POST_COMM_FLR_LMT
PTDS_CORE.PRE_COMM_LMT_FLG
PTDS_CORE.POST_COMM_LMT_FLG
PTDS_CORE.MULT_CRNCY_TTL
PTDS_CORE.EMV_TERM_CAP.CRD_DATA_INPUT
PTDS_CORE.EMV_TERM_CAP.CVM
PTDS_CORE.EMV_TERM_CAP.SEC

```


4 Building the Conversion Object Files

4.1 Files Needed to Convert to EMEA Release 5.3

4.1.1 List of files

The following is a list of the conversion files from sub volume BA53EUC3 needed to build the 5.3 conversion object.

- BAEUC3C - File used to start a File Conversion Programs MAKE.
- BAEUC3FM - File Conversion Programs FM File used to hold the MAKE macros that specify the configuration options used to build the File Conversion Programs sub volume
- BAEUC3M - File Conversion Programs MAKE File used to build the File Conversion Programs sub volume.
- BAEUC3MM - File Conversion Programs MM File used to hold the MAKE macros that specify the locations of the files required to build the File Conversion Programs sub volume.
- CPFE1M - CPF File 5.1 to 5.3 Conversion Program MAKE File.
- CPFE1R - CPF File 5.1 to 5.3 Conversion Program Run File.
- CPFE1S - CPF File 5.1 to 5.3 Conversion Program Source File.
- PTDFE2M - PTDF File 5.2 to 5.3 Conversion Program MAKE File.
- PTDFE2R - PTDF File 5.2 to 5.3 Conversion Program Run File.
- PTDFE2S - PTDF File 5.2 to 5.3 Conversion Program Source File.

4.1.2 Building the Objects

1. Ensure that the location of the files are correct in BAEUC3MM
2. Ensure that the file locations of the old files and new files are correct in BAEUC3C
3. Ensure the flag POS_ON is set to true, this will enable the PTDFE2O object file to be built
4. Obey BAEUC3C
5. Check the peruse output to confirm the successful completion of the MAKE
6. The following files should be built as a result of running the MAKE
 - CPFE1E - CPF File 5.1 to 5.3 Conversion Program Externals File.
 - CPFE1O - CPF File 5.1 to 5.3 Conversion Program Compile output File.
 - CPFE1 - CPF File 5.1 to 5.3 Conversion Program Object File
 - PTDFE2E - PTDF File 5.2 to 5.3 Conversion Program Externals File.
 - PTDFE2O - PTDF File 5.2 to 5.3 Conversion Compile Output File
 - PTDFE2 - PTDF File 5.2 to 5.3 Conversion Program Object File.

4.2 Files Needed to Convert to Global Release 6.0

4.2.1 CPF

4.2.1.1 List of Files

The following is a list of files from sub volume BA60EUC4 required to convert the EMEA 5.3 CPF to 6.0 CPF

- BAUC04FM - File Conversion Programs FM File used to hold the MAKE macros that specify the configuration options used to build the File Conversion Programs sub volume
- BAUC04M - File Conversion Programs MAKE File used to build the File Conversion Programs sub volume.
- BAUC04MM - File Conversion Programs MM File used to hold the MAKE macros that specify the locations of the files required to build the File Conversion Programs sub volume.
- CNVCPFM - CPF File 5.3 to 6.0 Conversion Program Make File.
- CNVCPFR - CPF File 5.3 to 6.0 Conversion Program Run File.
- CNVCPFS - CPF File 5.3 to 6.0 Conversion Program Source File.

4.2.1.2 Building The Conversion CPF Program

1. Ensure that the location of the files are correct in BAUC04MM
2. Alter standard BASE24 Overall MAKE Run File BA60MAKE.B24C to invoke BAUC04M
3. Obey B24C
4. Check the peruse output to confirm the successful completion of the MAKE
5. The following files should be built as a result of running the MAKE
 - CNVCPFE - CPF File 5.3 to 6.0 Conversion Program Externals File.
 - CNVCPFO - CPF File 5.3 to 6.0 Conversion Compile Output file.
 - CNVCPF - CPF File 5.3 to 6.0 Conversion Program Object file.

4.2.2 PTD

4.2.2.1 List Of Files

The following is a list of files from sub volume PS60EUC4 required to convert the EMEA 5.3 PTDF to Global 6.0 PTD

- PSUC04FM - File Conversion Programs FM File used to hold the MAKE macros that specify the configuration options used to build the File Conversion Programs sub volume.
- PSUC04M - File Conversion Programs MAKE File used to build the File Conversion Programs sub volume.
- PSUC04MM - File Conversion Programs MM File used to hold the MAKE macros that specify the locations of the files required to build the File Conversion Programs sub volume.
- CNVPTDM - PTD File 5.3 to 6.0 Conversion Program Make File.
- CNVPTDR - PTD File 5.3 to 6.0 Conversion Program Run File.
- CNVPTDS - PTD File 5.3 to 6.0 Conversion Program Source File.

4.2.2.2 Building The Conversion PTD Program

1. Ensure that the location of the files are correct in PSUC04MM
2. Alter standard BASE24 Overall MAKE Run File BA60MAKE.B24C to invoke PSUC04M
3. Obey B24C
4. Check the peruse output to confirm the successful completion of the MAKE
5. The following files should be built as a result of running the MAKE
 - CNVPTDE - PTD File 5.3 to 6.0 Conversion Program Externals File.
 - CNVPTDO - PTD File 5.3 to 6.0 Conversion Compile Output file.
 - CNVPTD - PTD File 5.3 to 6.0 Conversion Program Object file.

5 Converting From 5.1.2 or 5.2 to 5.3

To convert the CPF and/or PTDF from either EMEA 5.1.2 or 5.2 to release EMEA 5.3 the respective run file will need to be updated to reference the correct file locations.

Both the CPF and PTDF run files are shown below with <new> being replaced by the location of the new EMEA 5.3 CPF/PTDF file and <old> begin replaced by the old EMEA 5.1.2 or 5.2 CPF/PTDF file.

5.1 CPF Conversion Run File (CPFE1R)

```

=====
==#
==#
==#
==#
==#          AAAAAAAAA          CCCCCCCCCCCCCC IIIIIIII
==#          AAAAAAAAA          CCCCCCCCCCCCCC IIIIIIII
==#          AAAAAAAAA          CCCCCCCCCCCCCC IIIIIIII
==#          AAAAAAAAA          CCCCCC          IIIIIIII
==#          AAAAAAAAA          CCCCC          IIIIIIII
==#          AAAAAA   AAAAAAACCCCC          IIIIIIII
==#          AAAAAA   /\  AAAAAAACCCCC          IIIIIIII
==#          AAAAAA   /  \  AAAAAAACCCCCCCCCCCCCC IIIIIIII
==#          AAAAAA   /  \  AAAAAAACCCCCCCCCCCCCC IIIIIIII
==#          AAAAAA   /  \  AAAAAA CCCCCCCCCCCCCC IIIIIIII
==#          /_____ \
==#
==#
==#
==#      Copyright (C) ACI Worldwide 2000.
==#
==#      This document is the property of Applied Communications
==#      Inc. Limited and the information contained herein is
==#      confidential. This document, either in whole or in part,
==#      must not be reproduced or disclosed to others or used for
==#      purposes other than that for which it has been supplied
==#      without prior written permission or, if any part hereof
==#      is furnished by virtue of a contract with a third party,
==#      as expressly authorised under that contract.
==#
==#      "BASE24" is a trademark of Applied Communications Inc.,
==#      Nebraska, USA.
==#
==#
==#          ACI Worldwide (EMEA) Limited
==#          59 Clarendon Road
==#          Watford, HERTS WD17 1LA
==#          United Kingdom
==#          Telephone: (01923) 816393
==#          International: +44 1923 816393
==#          Facsimile: (01923) 816133
==#          International: +44 1923 816133
==#
==#
=====
==#
==#          BASE24 Release 5.3
==#
==#          EMEA CPF File Conversions program Run File.
==#
==#          written by
==#
==#          A C I   W O R L D W I D E   ( E M E A )   L I M I T E D
==#
=====
==# Record of Changes:
==#
==#      DATE      PERSON/EMP #   Change
==#      -----
==#      24/08/00  Sharmee        Initial Release
==#               Bhatt
=====
==#
==# CPF Conversion Run File
==# This conversion program converts EMEA 5.1 CPF file into

```

CPF & PTDF Conversion Guide

```

== the EMEA BASE24 5.3 CPF file.
==
== The file named CPF in the "IN" portion of the run statement is
== the 5.1 CPF file. The file named CPF at the end of the run
== statement is the EMEA 5.3 CPF file.

CLEAR ALL

== Setting the PARAM^OPTION1 to 1 will initialize manual CVD fields on
== screen 2 to default values.
== Setting the PARAM^OPTION1 to 0 will leave the manual CVD fields on
== screen 2 unchanged.

PARAM PARAM^OPTION1 1

== Setting the DRY^RUN^FLAG parameter to 1 will run the
== conversion program but will not write records to the new file.
== Setting the DRY^RUN^FLAG parameter to 0 will run the
== conversion program and will also write records to the new file.

PARAM DRY^RUN^FLAG 0

FUP PURGEDATA <new>.CPF
FUP PURGEDATA <new>.CPF0

RUND $vol.subvol.CPF01 /IN <old>.CPF, OUT $S.#CPF01/ <new>.cpf

CLEAR ALL

```

5.2 PTDF Conversion Run File (PTDFE2R)

```

=====
==#
==#
==#
==#
==#          AAAAAAA          CCCCCCCCCCCCCC IIIIIIII
==#          AAAAAAAAAA          CCCCCCCCCCCCCC IIIIIIII
==#          AAAAAAAAAAAAA          CCCCCCCCCCCCCC IIIIIIII
==#          AAAAAAAAAAAAAAA          CCCCCC          IIIIIIII
==#          AAAAAAAAAAAAAAA CCCCCC          IIIIIIII
==#          AAAAAAA  AAAAAAAACCCCC          IIIIIIII
==#          AAAAAAA /\ AAAAAAAACCCCC          IIIIIIII
==#          AAAAAAA / \ AAAAAAAACCCCCCCCCCCCCC IIIIIIII
==#          AAAAAAA / \ AAAAAAAACCCCCCCCCCCCCC IIIIIIII
==#          AAAAAAA / \ AAAAAAA CCCCCCCCCCCCCC IIIIIIII
==#          /_____ \
==#
==#
==#
==#
==#          Copyright (C) ACI Worldwide 2000.
==#
==#          This document is the property of Applied Communications
==#          Inc. Limited and the information contained herein is
==#          confidential. This document, either in whole or in part,
==#          must not be reproduced or disclosed to others or used for
==#          purposes other than that for which it has been supplied
==#          without prior written permission or, if any part hereof
==#          is furnished by virtue of a contract with a third party,
==#          as expressly authorised under that contract.
==#
==#          "BASE24" is a trademark of Applied Communications Inc.,
==#          Nebraska, USA.
==#
==#          ACI Worldwide (EMEA) Limited
==#          59 Clarendon Road
==#          Watford, HERTS WD1 1LA
==#          United Kingdom
==#          Telephone: (01923) 816393
==#          International: +44 1923 816393
==#          Facsimile: (01923) 816133
==#          International: +44 1923 816133
==#
==#
=====

```

CPF & PTDF Conversion Guide

```

==#
==#          BASE24 Release 5.3
==#
==#          EMEA PTDF File Conversions program Run File.
==#
==#          written by
==#
==#          A C I   W O R L D W I D E   ( E M E A )   L I M I T E D
==#
==#####
== Record of Changes:
==
== DATE      PERSON/EMP #   Change
== -----
== 24/08/00   Sharmee        Initial Release
==           Bhatt
==#####

== PTDF Conversion Run File
== This conversion program converts EMEA 5.2 PTDF file into
== the EMEA BASE24 5.3 PTDF file.
==
== The file named PTDF in the "IN" portion of the run statement is
== the 5.2 PTDF file. The file named PTDF at the end of the run
== statement is the EMEA 5.3 PTDF file.

CLEAR ALL

== Setting the DRY^RUN^FLAG parameter to 1 will run the
== conversion program but will not write records to the new file.

PARAM DRY^RUN^FLAG 0

FUP PURGEDATA <new>.PTDF
FUP PURGEDATA <new>.PTDF0
FUP PURGEDATA <new>.PTDF1

RUN $vol.subvol.PTDFE2 /IN <old>.PTDF, OUT $S.#PTDF01/ <new>.ptdf

CLEAR ALL

```

Once the relevant changes have been made to the run file, simply obey them. Check the peruse output to determine the successful completion of the conversion and to examine the number of records converted.

6 Converting from 5.3 to 6.0

To convert the CPF and/or PTD from either EMEA 5.3 to Global release 6.0 the respective run file will need to be updated to reference the correct file locations.

Both the CPF and PTD run files are shown below with <new> being replaced by the location of the new Global 6.0 CPF/PTD file and <old> begin replaced by the old EMEA 5.3 CPF/PTD file.

6.1 CPF Conversion Run File (CNVCPFR)

```

=====
==#
==#                                     BASE24                                     #
==#                                     -----                                     #
==#                                     #
==#                                     CPF Conversion Run File                       #
==#                                     #
==#                                     Proprietary Software Product                 #
==#                                     #
==#                                     ACI Worldwide Inc.                         #
==#                                     330 South 108th Avenue                     #
==#                                     Omaha, Nebraska 68154                     #
==#                                     (402) 390-7600                             #
==#                                     #
==#                                     Copyright by ACI Worldwide Inc. 2001         #
==#                                     #
==#                                     All Rights Reserved. No part of this document may be #
==#                                     reproduced in any manner without the prior written consent of #
==#                                     ACI Worldwide Inc. This material is a trade secret and its #
==#                                     confidentiality is strictly maintained. Use of any copyright #
==#                                     notice does not imply unrestricted or public access to these #
==#                                     materials.                                     #
==#                                     #
==#                                     BASE24 (R) is a registered trademark of ACI Worldwide Inc. #
==#                                     #
=====
==
==
== Record of Changes:
==
== Date          Person/Emp #
== -----
=====
==#                                     Release 6.0                                     #
==#                                     =====                                     #
== 30MAR2001     JC/89                                     #
== Symptom:      Release 6.0 Enhancement                 #
== Problem:      None.                                    #
== Fix:          Initial Release.                         #
== Dependency:   Restore Release 6.0 files, modify the appropriate #
==              CUSTMACS flags, and run MAKE.             #
== Reference:    WO #981118-3 (Transactions Allowed)       #
=====

== CPF Conversion Run File
== This conversion program converts BASE24 5.3 CPF file into
== the BASE24 6.0 CPF file.
==
== The file named CPF in the "IN" portion of the run statement is
== the 5.3 CPF file. The file named CPF in the "OUT" portion at
== the end of the run statement is the 6.0 CPF file.

== Setting the DRY^RUN^FLAG parameter to 1 will run the
== conversion program but will not write records to the new file.

CLEAR ALL

PARAM DRY^RUN^FLAG 0

FUP PURGEDATA <new>.CPF
FUP PURGEDATA <new>.CPF0

```

```
RUN $vol.subvol.CNVCPF /IN <old>.CPF, OUT $$.#CNVCPF/ <new>.CPF
CLEAR ALL
```

6.2 PTD Conversion Run File (CNVPTDR)

```
=====
==#
==#                                     BASE24                                     #
==#                                     -----                                     #
==#                                     #
==#                                     #
==#                                     PTD Conversion Run File                                     #
==#                                     #
==#                                     Proprietary Software Product                                     #
==#                                     #
==#                                     ACI Worldwide Inc.                                     #
==#                                     330 South 108th Avenue                                     #
==#                                     Omaha, Nebraska 68154                                     #
==#                                     (402) 390-7600                                     #
==#                                     #
==#                                     Copyright by ACI Worldwide Inc. 2001                                     #
==#                                     #
==#                                     All Rights Reserved. No part of this document may be                                     #
==#                                     reproduced in any manner without the prior written consent of                                     #
==#                                     ACI Worldwide Inc. This material is a trade secret and its                                     #
==#                                     confidentiality is strictly maintained. Use of any copyright                                     #
==#                                     notice does not imply unrestricted or public access to these                                     #
==#                                     materials.                                     #
==#                                     #
==#                                     BASE24 (R) is a registered trademark of ACI Worldwide Inc.                                     #
==#                                     #
==#####
==
==
== Record of Changes:
==
== Date          Person/Emp #
== -----
==#####
==#              Release 6.0                                     #
==#####
== 30MAR2001     alv/455
== Symptom:      Release 6.0 Enhancement
== Problem:      None.
== Fix:          Initial Release.
== Dependency:   Restore Release 6.0 files, modify the appropriate
==              CUSTMACS flags, and run MAKE.
== Reference:    WO #981118-3 (Transactions Allowed)
==              WO #990108-1 (TDF Expansion)
==#####

== PTD Conversion Run File
== This conversion program converts BASE24 5.3 PTDF file into
== the BASE24 6.0 PTDD1, PTDS1, and New PTDF files.
==
== The file named PTDF in the "IN" portion is the 5.3 PTDF file.
== The file name PTDF at the end of the Run statement is the
== 6.0 new PTDF file, the ASSIGN OUT^FILE2 is the 6.0 PTDD1
== file, and the ASSIGN OUT^FILE3 is the 6.0 PTDS1 file.

CLEAR ALL

PARAM DRY^RUN^FLAG 0

ASSIGN OUT^FILE2, <new>.PTDD1
ASSIGN OUT^FILE3, <new>.PTDS1

FUP PURGEDATA <new>.PTDD1
FUP PURGEDATA <new>.PTDD10
FUP PURGEDATA <new>.PTDS1
FUP PURGEDATA <new>.PTDF
FUP PURGEDATA <new>.PTDF0
FUP PURGEDATA <new>.PTDF1
```




CPF & PTDF Conversion Guide

```
RUN $vol.subvol.CNVPTD /IN <old>.PTDF,OUT $$.#CNVPTD/ <new>.PTDF  
CLEAR ALL
```

Again, once the relevant changes have been made to the run file, simply obey them. Check the peruse output to determine the successful completion of the conversion and to examine the number of records converted.



*** End of BASE24 CPF & PTDF Conversion Guide ***