{···}

/v3/api-docs                                          Explore

# OpenAPI definition  v0   OAS 3.0

/v3/api-docs

## Servers

http://localhost:8080 - Generated server url

## admin-controller                                      ⌃

| GET | /v1/api/admin/groceries/{id} | ⌃ |

### Parameters                                          Try it out

| Name | Description |
| --- | --- |
| **id** * required<br>integer($int32)<br>(path) | id |

### Responses

| Code | Description | Links |
|------|-------------|-------|
| 200 | OK | No links |

Media type

```
*/*
```

Controls `Accept` header.

**Example Value**    Schema

```
{
  "id": 0,
  "name": "string",
  "price": 0,
  "stock": 0
}
```

---

| PUT | /v1/api/admin/groceries/{id} | ∧ |
|-----|------------------------------|---|

**Parameters**                                    Try it out

| Name | Description |
|------|-------------|
| id * required<br>integer($int64)<br>(path) | id |

**Request body** required                          application/json

**Example Value**    Schema

```
{
  "id": 0,
  "name": "string",
  "price": 0,
  "stock": 0
}
```

**Responses**

| Code | Description | Links |
|------|-------------|-------|
| 200 | OK | No links |

Media type

```
*/*
```

| Code | Description | Links |
|------|-------------|-------|

Controls `Accept` header.

**Example Value**   Schema

```
{
  "id": 0,
  "name": "string",
  "price": 0,
  "stock": 0
}
```

**DELETE**     /v1/api/admin/groceries/{id}     ∧

## Parameters

Try it out

| Name | Description |
|------|-------------|

**id** * required
integer($int64)
*(path)*

id

## Responses

| Code | Description | Links |
|------|-------------|-------|
| 200 | OK | No links |

Media type

*/*

Controls `Accept` header.

**Example Value**   Schema

string

**PUT**     /v1/api/admin/groceries/{id}/stock     ∧

## Parameters

Try it out

| Name | Description |
|---|---|

**id** * **required**

integer($int64)

*(path)*

> [ id ]

**stock** * **required**

integer($int32)

*(query)*

> [ stock ]

**Responses**

| Code | Description | Links |
|---|---|---|
| 200 | OK | *No links* |

Media type

> [ */* ]

Controls `Accept` header.

**Example Value**   Schema

```
{
  "id": 0,
  "name": "string",
  "price": 0,
  "stock": 0
}
```

---

**POST**      `/v1/api/admin/groceries`                                    ⌃

**Parameters**                                                  Try it out

No parameters

**Request body** **required**                          application/json

**Example Value**   Schema

```
{
  "id": 0,
  "name": "string",
  "price": 0,
  "stock": 0
}
```

## Responses

| Code | Description | Links |
|------|-------------|-------|
| 200 | OK | *No links* |

Media type

```
*/*
```

Controls `Accept` header.

**Example Value**   Schema

```
{
  "id": 0,
  "name": "string",
  "price": 0,
  "stock": 0
}
```

# user-controller    ⌃

| POST | /v1/api/user/orders | ⌃ |
|------|---------------------|---|

**Parameters**                                              [ Try it out ]

No parameters

**Request body** *required*                          [ application/json ]

**Example Value**   Schema

```
{
  "items": [
    {
      "groceryItemId": 0,
      "quantity": 0
    }
  ]
}
```

## Responses

| Code | Description | Links |
|------|-------------|-------|
| 200 | OK | *No links* |

Media type

```
*/*
```

Controls `Accept` header.

**Example Value**    Schema

```
{
  "orderId": 0,
  "totalPrice": 0
}
```

---

**GET**    `/v1/api/user`    ⌃

**Parameters**                                    [ Try it out ]

No parameters

**Responses**

| Code | Description | Links |
|------|-------------|-------|
| 200 | OK | *No links* |

Media type

```
*/*
```

Controls `Accept` header.

**Example Value**    Schema

```
[
  {
    "id": 0,
    "name": "string",
    "price": 0,
    "stock": 0
  }
]
```

---

**Schemas**    ⌃

**GroceryItem**

**OrderItemRequest**

**OrderRequestDTO**

**OrderResponseDTO**