Sheet - 1

- 1. Install Python version 3.7+ on your system and make sure you set python path to your system path variable
- 2. Perform Following on Python Shell Window

```
5**9
3//2
7//3
7/3
6 == 6
a = 20; a+= 30; a%=3; print(a)
True * False
True & False
True and False
((6>3) and (7<4) or (18==3)) and (9>3)
True is False
False in 'False'
((True == False) or (False > True)) and (False <= True)</pre>
```

3. Try to get following output from two python strings
s1 = "Nice to have it"
s2 = "here"

Expected output Nice to have it here

- 4. Given this nested list, use indexing to grab the word "hello" a = [1,2,[3,4],[5,[100,200,['hello']],23,11],1,7]
- 5. Try to insert above strings s1 and s2 in the list 'a' mentioned in que 4, in the beginning and end of it respectively
- 6. Write a Python program to print all even numbers from a given numbers list in the same order and stop the printing if any numbers that come after 237 in the sequence.

Sample numbers list:

```
numbers = [386, 462, 47, 418, 907, 344, 236, 375, 823, 566, 597, 978, 328, 615, 953, 345, 399, 162, 758, 219, 918, 237, 412, 566, 826, 248, 866, 950, 626, 949, 687, 217, 815, 67, 104, 58, 512, 24, 892, 894, 767, 553, 81, 379, 843, 831, 445, 742, 717, 958,743, 527]
```

7. Write a Python program to print out a set containing all the colours from color_list_1 which are not present in color_list_2.

```
Test Data:
   color_list_1 = set(["White", "Black", "Red"])
   color_list_2 = set(["Red", "Green"])
   Expected Output:
      {'Black', 'White'}
8. WAP to find if the given input string is Pangram or not
9. Write a Python program that accepts an integer (n) and computes the value of
   n+nn+nnn.
   Sample value of n is 5
   Expected Result: 615
10. Write a python program to take input from console in following fashion
      23 54 12#98 3 17
   and generate the corresponding two list having integers inside (not string)
   x = [23, 54, 12]
   y = [98, 3, 17]
11. Write a program that accepts a comma separated sequence of words as input and
   prints the words in a comma-separated sequence after sorting them alphabetically.
   Suppose the following input is supplied to the program:
      without, hello, bag, world
   Then, the output should be:
      bag,hello,without,world
12. Write a Python function to find the name of person obtained highest marks in
   exam from given dictionary
   Example dictionary
      d = {'Student': ['Rahul', 'Kishore', 'Vidhya', 'Raakhi'],
                    'Marks': [57,87,67,79]}
   Output:
             Kishore
13. Write a program that accepts a sentence and calculate the number of letters and
   Suppose the following input is supplied to the program:
      hello world! 123
   Then, the output should be:
      LETTERS 10
      DIGITS 3
14. Write a python function which creates a new dictionary of students from a given
   Dataset of various subject to a specific subject or topic only.
   Example Data:
      d = {'Name': ['Akash', 'Soniya', 'Vishakha', 'Akshay', 'Rahul', 'Vikas'],
             'Subject': ['Python', 'Java', 'Python', 'C', 'Python', 'Java'],
             'Ratings': [8.4, 7.8, 8, 9, 8.2, 5.6]}
   Input: Python
   Output:
      newData = {'Name': ['Akash', 'Vishakha', 'Rahul'],
             'Subject': ['Python', 'Python', 'Python'],
```

15. Define a class with a generator which can iterate the numbers, which are divisible by 7, between a given range 0 and n.

'Ratings': [8.4, 8, 8.2]}

16. A robot moves in a plane starting from the original point (0,0). The robot can move toward UP, DOWN, LEFT and RIGHT with a given steps. The trace of robot movement is shown as the following: UP 5 DOWN 3 LEFT 3 RIGHT 2 The numbers after the direction are steps. Please write a program to compute the distance from current position after a sequence of movement and original point. If the distance is a float, then just print the nearest integer. Example: If the following tuples are given as input to the program: UP 5 DOWN 3 LEFT 3 RIGHT 2 Then, the output of the program should be: