

# **BLANK PAGE**



IS: 3163 - 1965

# Indian Standard SPECIFICATION FOR RICE POLISH

REAFFIRMED

\*\* \*\*\* 2009

(Third Reprint DECEMBER 1988)

UDC 636.085:633.18

© Copyright 1965

BUREAU OF INDIAN STANDARDS MANAK BHAVAN, 9 BAHADUR SHAH ZAFAR MARG NEW DELHI 110002

# Indian Standard

# SPECIFICATION FOR RICE POLISH

#### Animal Feeds Sectional Committee, AFDC 15

CI				

#### Rebresenting

DR N. D. KEHAR

In personal capacity (19/20 Punjabi Bagh, Delhi 34)

Members

SHRI V. P. ANANTANABAYANAN

Directorate of Marketing & Inspection (Ministry of Food & Agriculture), Nagour

SHRI V. CHAMDRAMOULY (Alternate)
DR B. P. BALIGA
The

The Tata Oil Mills Co Ltd, Bombay

SHRI M. C. BADAMI ( Alternate )

Bhandari Crosfields (Pvt.) Ltd, Indore City

SERI R. S. BHANDARI SERI N. N. JAIN ( Alternate ) SERI E. BOLGER

The East Asiatic Company (India) Private Ltd, Madras

DR V. C. METTA ( Alternate )

Indian Veterinary Research Institute, Izatnagar

DR S. BOSE SHRI D. R. CHAWLA

The D.C.M. Chemical Works, Delhi

DR GIRDHARI LAL ( Alternate ) SERI A. W. COURT

Shaw Wallace & Company Limited, Calcutta

SERI A. W. COURT SERI P. F. C. SIGGERS (Alternate) SERI H. M. DALAYA K

Kaira District Co-operative Milk Producers' Union Limited, Anand

DR M. K. SHAR ( Alternate ) SHRI G. S. GODBOLE

Dairy Development Commissioner, Government of Maharashtra

DR. B. SAHAI ( Alternate )
SHRI H. S. GURUDAS
SHRI S. L. DRV ( Alternate )

DR K. K. IYA

Voltas Limited, Bombay

ASSISTANT DAIRY DEVELOP-MENT ADVISER ( Alternate ) Dairy Development Adviser (Ministry of Food & Agriculture)

SHEIR. V. JUNNARKAR SHEIR. C. MODY (Alternate)

The Anil Starch Products Ltd, Ahmedabad

DR K. K. KARIAFFA
DR A. C. ABORA (Alternate)
LIVESTOCK DEVELOPMENT

Pfizer Private Ltd, Bombay

ADVINER
SERI H. J. MARHIJANI (Alternate)
DR V. MARADEVAN
In-

Livestock Development Adviser (Ministry of Food & Agriculture)

Shri K. Palaniyappan . Shri Ram Sarup Shri R. C. Khera ( Alternate ) Indian Veterinary Research Institute, Izatnagar T. Stanes & Company Limited, Coimbatore Indian Council of Agricultural Research, New Delhi

(Continued on page 2)

#### TR - 3163 - 1965

#### (Continued from page 1)

Members

Representing

DR. S. N. RAY
DR. M. L. MATRUB ( Alternate )

DR. M. L. MATRUB (Alternate)
DR. H. C. SAKENA
SHRI J. A. WOOD (Alternate)

DR K. C. SEN DR G. S. SIDRU

Sebi Atma Singh Kochhab ( Alternate)

DB S. K. TALAPATRA

SHRI S. P. VIRMANI DR A. P. SACHDEV (Alternate) SHRI TULSIDAS M. VISHRAM

SHRI P. H. RAMANATHAN,
Assistant Director (Agri & Food)

National Dairy Research Institute, Karnal

Hindustan Lever Limited, Bombay

In personal capacity ( 403 Jodhpur Park, Calcutta 31 ) Punjab Agricultural University, Ludhiana

U.P. College of Veterinary Science and Animal

Husbandry, Mathura
Jawala Flour Mills, New Delhi

The Bombay Oilsceds & Oils Exchange Ltd,
Bombay

Director, ISI (Ex-officio Member)

Secretary

SHRI G. S. VILKHU

Extra Assistant Director (Agri & Food), ISI

Grain By-products as Livestock Feed Subcommittee, AFDC 15:4

Convener

SHRI RAM SARUP

Indian Council of Agricultural Research, New Delhi

Members

SHRI R. C. KHERA ( Alternate to

Shri Ram Sarup)
DR' M. L. MATHUR

DR. B. M. PATEL DR. H. G. R. REDDY

DR B. SAHAI

DR M. K. SHAH

Southern Regional Station of National Dairy

Research Institute, Bangalore
Western Regional Animal Nutrition Station, Anand
Directorate General of Technical Development
(Ministry of Industry)

Dairy Development Commissioner, Government of Maharashtra

Kaira District Co-operative Milk Producers' Union Limited, Anand

# AMENDMENT NO. 1 NOVEMBER 1995 TO

### IS 3163: 1965 SPECIFICATION FOR RICE POLISH

(Page 4, Table 1) — Substitute the following for the existing table:

#### TABLE 1 REQUIREMENTS FOR RICE POLISH

(Clauses 2.2, 5.2, 5.3 and 6.1)

SLN	Io. Characteristic	REQUIREMENT	METHOD OF TEST, REF TO			
			Clause No. of IS 7874 (Part 1): 1975*	Appendix of This Standard		
(1)	(2)	(3)	(4)	(5)		
i)	Moisture, percent by mass, Max	10.0	4			
ii)	Crude protein (nitrogen × 6.25), percent by mass, <i>Min</i>	11.0	5			
iii)	Crude fat or ether extract, percent by mass, Min	t 15.0	7			
iv)	Crude fibre, percent by mass, Me	ax 4.0	8	_		
v)	Total ash, percent by mass, Max	10.0	_	A		
vi)	Acid insoluble ash, percent by mass, Max	1.5	10			

NOTE — The requirements for items (ii) to (vi) are on moisture-free basis.

<sup>\*</sup>Methods of tests for animal feeds and feeding stuffs: Part 1 General methods.

<sup>(</sup>Page 5, clause 5.1, line 2) — Substitute 'C of IS 2052: 1979\*' for 'A of IS: 2052 - 1962\*'.

<sup>(</sup> Page 5, foot-note with '\*' mark ) — Substitute 'Specification for compounded feeds for cattle (third revision)' for the existing title.

<sup>(</sup>Page 6, clause 6.1, lines 2 and 3) — Substitute '3.1 of IS 7874 (Part 1): 1975\*' for 'C-1.1 of IS 2052: 1962\*'.

<sup>(</sup>Page 6, clause 6.2, line 1) — Substitute 'IS 1070: 1992†' for 'IS: 1070-1960'.

<sup>(</sup>Page 6, Appendix A, clause A-1.1, lines 1 and 2) — Substitute 'Appendix C of IS 2052: 1979‡' for 'C-2.1 of IS: 2052 - 1962\*'.

#### Amend No. 1 to IS 3163: 1965

( Page 6, foot-note with '\*' mark ) — Substitute 'Methods of tests for animal feeds and feeding stuffs: Part 1 General methods' for the existing title.

( Page 6, foot-note with '†' mark ) — Substitute 'Reagent grade water ( third revision)' for the existing title.

(Page 6) — Add the following foot-note at the end:

'‡Specification for compounded feeds for cattle (third revision).'

# Indian Standard SPECIFICATION FOR RICE POLISH

#### O. FOREWORD

- **0.1** This Indian Standard was adopted by the Indian Standards Institution on 8 July 1965, after the draft finalized by the Animal Feeds Sectional Committee had been approved by the Agricultural and Food Products Division Council.
- 0.2 Rice polish is a common livestock feed in India. The formulation of this standard was undertaken by the Animal Feeds Sectional Committee in accordance with its programme planned for the formulation of Indian Standards for the various livestock feeds used in this country.
- **0.3** This standard contains a clause (see 3.1) which calls for an agreement between the purchaser and the vendor at the time of placing orders.
- **0.4** For the purpose of deciding whether a particular requirement of this standard is complied with, the final value, observed or calculated, expressing the result of a test or analysis, shall be rounded off in accordance with IS: 2-1960\*. The number of significant places retained in the rounded off value should be the same as that of the specified value in this standard.

#### 1. SCOPE

1.1 This standard prescribes the requirements and the methods of test for rice polish for use as livestock feed.

## 2. REQUIREMENTS

- 2.1 Description Rice polish, also known as 'rice polishings' is the finely powdered material obtained in polishing the rice kernels, after the hulls and bran have been removed. The material shall be free from adulterants, musty and stale odour, sour or rancid taste, and from lumps, dirt and extraneous matter including iron or other metallic pieces. The material shall be free from fungus or insect infestation.
- 2.2 The material shall also conform to the requirements prescribed in Table 1.

<sup>\*</sup>Rules for rounding off numerical values ( revised ).

TABLE 1 REQUIREMENTS FOR RICE POLISH

( Clauses 2.2, 5.2, 5.3 and 6.1 )

SL	CHARACTERISTIC	REQUIRE-	METHOD OF TEST, REF TO		
No.		ment	Appendix in IS: 2052-1962*	Appendix in this Specification	
(1)	(2)	(3)	(4)	(5)	
i)	Moisture, percent by weight, Max	10-0	C		
ii)	Crude protein (nitrogen × 6.25), percent by weight, Min	11.0	D		
iii)	Crude fat or ether extract, percent by weight, Min	15-0	E		
iv)	Crude fibre, percent by weight, Max	4.0	F		
v)	Total ash, percent by weight, Max	10.0	-	A	
vi)	Acid insoluble ash, percent by weight, Max	1.5	G		

Note — The requirements from items (ii) to (vi) are on moisture-free basis.

#### 3. PACKING

3.1 Unless otherwise agreed to between the purchaser and the vendor, the material shall be packed in sound jute bags. The mouth of each bag shall be either machine-stitched or rolled over and hand-stitched with strong jute twine.

#### 4. MARKING

- 4.1 Each bag shall be marked with the following information:
  - a) Name of the material,
  - b) Name of the manufacturer, and
  - c) Net weight in kg.
- 4.2 Each bag shall also contain a leaflet as well as have a tag securely attached to it on the outside with the following information:
  - a) Name of the material,
  - b) Batch or code number,
  - c) Guaranteed composition, and
  - d) Date of packing.

<sup>\*</sup>Specification for balanced feed mixtures for cattle. (Since revised).

4.3 The bags may also be marked with the ISI Certification Mark.

Note — The use of the ISI Certification Mark is governed by the provisions of the Indian Standards Institution (Certification Marks) Act and the Rules and Regulations made thereunder. The ISI Mark on products covered by an Indian Standard conveys the assurance that they have been produced to comply with the requirements of that standard under a well-defined system of inspection, testing and quality control which is devised and supervised by ISI and operated by the producer. ISI marked products are also continuously checked by ISI for conformity to that standard as a further safeguard. Details of conditions under which a licence for the use of the ISI Certification Mark may be granted to manufacturers or processors, may be obtained from the Indian Standards Institution.

#### 5. SAMPLING AND CRITERIA FOR CONFORMITY

- 5.1 Representative samples of the material for tests shall be drawn according to the method prescribed in Appendix A of IS: 2052-1962\*.
- 5.2 Number of Tests Tests for crude fat, crude fibre, and acid insoluble ash shall be conducted individually on each of the samples constituting a set of test samples while the tests for the remaining characteristics specified in Table 1, shall be conducted on the composite sample.
- 5.3 Criteria for Conformity A lot shall be considered as conforming to the specification, when:
  - a) each of the test results for crude fat, crude fibre and acid insoluble ash satisfies the requirements as specified in Table 1;
     and
  - b) the test results on the composite sample satisfy the requirements for the remaining characteristics specified in Table 1.
- 5.3.1 If one or more test results do not satisfy the requirements for crude fat, crude fibre and acid insoluble ash, the following procedure shall be adopted for determining the conformity of the material of these three characteristics:

Calculate the mean and range as follows:

Mean  $(\overline{X}) = \frac{\text{Sum of the test results}}{\text{Number of test samples}}$ 

Range (R) = Difference between the maximum and the minimum values of the test results

The requirements for crude fat, crude fibre, and acid insoluble ash shall be considered as fulfilled, if:

- X = 0.4 R is equal to or greater than the requirement for crude fat, and
- $\overline{X}$  + 0.4 R is less than or equal to the requirements for crude fibre and acid insoluble ash.

<sup>\*</sup>Specification for balanced feed mixtures for cattle. (Since revised).

#### IS: 3163 - 1965

5.3.2 If the requirements for all the remaining characteristics are not satisfied 'after testing the composite sample, a test or tests for the characteristic(s) not satisfying the requirement(s) shall be made on each of the test samples in the set. If the test results obtained on the individual samples satisfy the requirement(s) of the specification for the relevant characteristic(s), then the lot shall be considered as having satisfied the requirement(s) in respect of such characteristic(s).

#### 6. TESTS

- 6.1 The tests shall be carried out as prescribed in the relevant appendices specified in col 4 and 5 of Table 1 with the exception that C-1.1 of IS: 2052-1962\* which prescribes the grinding of the material before analysis, is not applicable in this case.
- 6.2 Pure chemicals and distilled water (see IS: 1070-1960†) shall be employed in tests.

NOTE — 'Pure chemicals' shall mean chemicals that do not contain impurities which affect the experimental results.

### APPENDIX A

[ Table 1, Item (v)]

#### DETERMINATION OF TOTAL ASH

#### A-1. PROCEDURE

A-1.1 Weigh accurately about 2 g of the dried material (see C-2.1 of IS: 2052-1962\*) in a tared porcelain, silica or platinum dish. Ignite with the flame of a Meker burner for about one hour. Complete the ignition by keeping in a muffle furnace at 600° ± 20°C until grey ash results. Cool in a desiccator and weigh. Ignite the dish again in the muffle furnace for 20 minutes, cool and weigh. Repeat this process until the difference in weight between the two successive weighings is less than one milligram. Note the lowest weight.

#### A-2. CALCULATION

A-2.1 Total ash (on moisture-free basis), percent by weight 
$$= \frac{100 (W_2 - W)}{W_1 - W}$$

where

 $W_3$  = the lowest weight in g of the dish with the ash,

W = weight in g of the empty dish, and

 $W_1$  = weight in g of the dish with the dried material taken for the test.

<sup>\*</sup>Specification for balanced feed mixtures for cattle.

<sup>†</sup>Specification for water, distilled quality (revised).

## BUREAU OF INDIAN STANDARDS

Headquarters :	
Manak Bhavan, 9 Bahadur Shah Zafar Marg, Na	W DELHI 110002
·	legrams : Manaksanstha Common to all Offices )
Regional Offices :	Telephone
*Western ; Manakalaya, E9 MIDC, Marol, Andh BOMBAY 400093	eri ( East ), 6 32 92 95
†Eastern: 1/14 C. I. T. Scheme VII M, V. I. P. I Maniktola, CALCUTTA 700054	Road, 36 24 99
Northern: SCO 445-446, Sector 35-C CHANDIGARH 160036	{2 18 43 {3 16 41
Southern: C. I. T. Campus, MADRAS 600113	{ 41 24 42 { 41 25 19 { 41 29 16
Brench Offices:	
Pushpak,' Nurmohamed Shaikh Marg, Khanpur, AHMADABAD 380001	{2 63 48 2 63 49
'F' Block, Unity Bldg, Narasimharaja Square, BANGALORE 560002	22 48 05
Gangotri Complex, 5th Floor, Bhadbhada Road BHOPAL 462003	T. T. Nagar, 6 27 16
Plot No. 82/83, Lewis Road, BHUBANESHWA	R 751002 5 36 27
53/5 Ward No. 29, R. G. Barua Road, 5th Byelane, GUWAHATI 781003	
5-8-56C L. N. Gupta Marg, (Nampally Station I HYDERABAD 500001	
R14 Yudhister Marg, C Scheme, JAIPUR 30200	05 {6 34 71 6 98 32
117/418B Sarvodaya Nagar, KANPUR 208005	{21 68 76 {21 82 92
Patliputra Industrial Estate, PATNA 800013	6 23 05
Hantex Bldg ( 2nd Floor ), Rly Station Road, TRIVANDRUM 695001	52 27
Inspection Office ( With Sale Point ):	
Institution of Engineers ( India ) Building, 133: PUNE 410005	2 Shivaji Nagar, 5 24 35
*Sales Office in Bombay is at Novelty Chambers, Bombay 400007	
†Sales Office in Calcutta is at 5 Chowringhee Approaches, Calcutta 700072	sh. P. O. Princep 27 68 00