Points 6 Published

Details Questions

Show Question Details

Question 0.66 pts

Y/y; R/r x Y/y; R/r

What is the probability of obtaining Y/y; R/R offspring?

9/16
3/16
1/16
1/4
1/8

Question 0.66 pts

P/p; I/I x P/p; L/I

What proportion of the progeny would be Purple (P is dominant for the purple phenotype) & Long (L is dominant for the long phenotype)?

9/16
3/16
1/2
1/4
3/8

Question 0.67 pts

A/a; B/b; C/C; D/d x A/A; B/b; c/c; D/d

What is the probability of obtaining A/a; B/b; C/c; D/d offspring?

1/4
1/8
1/16
3/16
1/32

Question

Consider the pedigree where two first cousins have a son. A recessive X-linked disease affects female I-1 while male I-2 does not have the disease. Individuals II-1 and II-4 neither have nor are carriers of the disease. Individuals in generations II through IV may or may not have the disease.



Question 0.66 pts

What is the probability that male II-2 will have the disease? Give your answer in a percentage, e.g. 25%.

100%

Question 0.67 pts

What is the probability that female II-3 will have the disease?

0%

Question 0.67 pts

What is the probability that II-3 will be a carrier for the disease trait?

100%

Question 0.67 pts

What is the probability that III-1 will be a carrier for the disease trait?

100%

Question 0.67 pts

What is the probability that male III-2 will have the disease?

50%

Question 0.67 pts

What is the probability that male IV-1 will have the disease?

50%

+ New Question

+ New Question Group

Find Questions

Notify users this quiz has changed

Cancel

Save