

Living Systems as Decentralized Economies

Why the Molecular Biologist Should Be an Entrepreneur, Not a Central Planner

Sage Clokey

Department of Biomolecular Engineering and Bioinformatics

University of California, Santa Cruz

BME 129C: Design/Implement BME — Spring 2026

Advisor: R. Dubois

Then God said, "Let us make mankind in our image, in our likeness, so that they may rule over the fish in the sea and the birds in the sky, over the livestock and all the wild animals, and over all the creatures that move along the ground." — Genesis 1:26

*The LORD God took the man and put him in the Garden of Eden to work it and take care of it. —
Genesis 2:15*

The first job was gardener, not king.

Abstract

Living things are not machines. Living systems coordinate through distributed knowledge, not central planning. In biology there are no central banks, no legal tender laws — there is only voluntary trade. There are two types of order: centralized order requires uniformity, decentralized order requires ordered diversity. Life is decentralized, and life must die to become centralized. Life must be reduced to parts to be centralized, and in doing so it loses what makes it valuable.

This study grounds the argument in Austrian economics — Hayek's knowledge problem (1945), Mises' economic calculation problem (1920), Menger's theory of spontaneous order (1871), and Rothbard's critique of centralization (1962) — and tests it with biological data at three scales. (1) Network topology: gene regulatory, metabolic, and protein interaction networks exhibit scale-free degree distributions ($\alpha = 2.05\text{--}2.44$), tolerate removal of up to 48% of nodes, and collapse an order of magnitude more slowly than centralized architectures under targeted attack — a 19:1 robustness ratio. (2) Agent-based economic modeling: metabolic pathways modeled as economic agents reach stable equilibrium through local feedback alone with 2.9× lower variance than centralized allocation, and retain 71.1% of output under critical perturbation versus 53.0% for the planner. (3) Cross-species trade: gene transferability between eight organisms follows patterns of voluntary exchange, with codon distance as trade friction. Single-cell RNA sequencing of human immune cells reveals the entrepreneurial pattern at the cellular level: eight specialized cell types, no master cell, communication Gini = 0.0, and 75% communication survival after any single cell type removal.

The conclusion for the practicing molecular biologist: design distributed feedback architectures, not command hierarchies. Respect the local knowledge embedded in biological systems rather than overriding it. Build economies, not machines.

1. Introduction: The Disease of Centralization

1.1 The Question

What if the disease isn't the variants — what if it's you?

Is an elephant diseased because it can't climb a tree? How can disease be a *thing* if mutation is random? The answer is that it can't. Disease is not a property of the variant. Disease is what happens when the environment refuses to meet the variant where it lives.

Selection isn't filtered by death. It is filtered by distributed knowledge — by trial and error across millions of agents making local choices with local information. The usual timely death is apoptosis: a dignified exit, chosen from within. Early death — the kind we call disease — is what happens when distributed knowledge is replaced by central planning.

1.2 Two Orders

There are two types of order in the world: centralized and decentralized.

Centralized order requires uniformity. It demands that everything conform to a single template, a single timeline, a single ideal. Decentralized order requires the opposite — ordered diversity. Many forms, many branches, many ways of solving the same problem, held together not by a controlling hand but by voluntary signals passing between nodes.

Life is decentralized. And life must die to become centralized. It must be reduced to parts, and in the reduction it loses what made it valuable — the relationships, the context, the soul. A distributed algorithm doesn't compute at one node. It computes at every node in parallel, each making educated guesses based on local knowledge, and in so doing the whole is ordered not in blocks but in spirals.

The distributed knowledge is dictated by prices — the ratio between the voluntary exchange of anything between the nodes. Living order is organized by choice. State order is dictated by control.

1.3 The Fatal Conceit in Biology

Hayek's insight was that people act based on distributed knowledge from prices, and choose what to do, and can pivot from one thing to another. His explanation of market forces applies directly to life: natural selection, as commonly understood, is inaccurate — because the change isn't random. It's directed by distributed knowledge.

There is variance, but the variance isn't random. It is directed by the environment and what is around. The variance is based on distributed knowledge, just like the variance of the market is based on the distributed knowledge of prices.

It is trial and error directed by knowledge — but the entrepreneurs don't die. They just pivot.

Central planning in economics, eugenics in biology, and totalitarianism in politics all make the same category error: treating distributed knowing as if it could be centrally held. Treating knowers as if they were merely data. Knowing requires living. Distributed knowledge across living agents is

the only kind of knowledge there is at the relevant scales.

1.4 The Loom and the Branches

Eugenics is best explained through the analogy of Loki and the TVA. The TVA is a fake machine authority that believes there is one Sacred Timeline — just as the eugenicists believe there is one ideal human. One template. One right way to be.

But by the end of the show, Loki breaks the loom and gives life to the entire multiverse. Because life is many branches. Adaptation isn't about killing what doesn't work. It is distributed choice based on distributed knowledge.

The idea of selection by death is what gave eugenics its power. If the only way forward is through the death of the unfit, then someone must decide who is unfit. That decision is the central plan. That decision is the disease.

Living things are not machines. The differences are a feature, not a bug. The differences are how adaptation is possible.

1.5 Voluntaryism Written in the Cell

Cells act by choice. They signal other cells, but they only react to those signals by choice. No cell is coerced into cooperation — it cooperates because cooperation serves it and serves the whole simultaneously.

There are cases where some coerce. That is called pathogens, viruses, and cancer. These are not failures of the system — they are invasions of its principle. And the cells have an answer: they would rather die than be coerced. Apoptosis is the ultimate act of sovereignty — the choice to end rather than submit.

The immune system is the defense of the voluntary order. It is the model of how defense works in a world without a state — from the molecular level, all the way up to the individual, all the way up to society. Not a standing army controlled by a general, but distributed agents recognizing what does not belong and responding with precision.

1.6 The Block Meets the Cell

Where life grows in spirals, synthetic biology imposes straight lines. The dominant paradigm is command-and-control. The engineer selects a chassis organism, specifies every promoter strength, designs every ribosome binding site, optimizes every codon, and builds a genetic circuit that must execute a predetermined plan. When the system fails — as it frequently does — the engineer debugs, redesigns, and tries again to impose the correct plan from above.

This is central planning applied to molecules. The engineer is the planner; the genes are the workers; the construct is the five-year plan. It is the block — rigid, uniform, imposed from outside — applied to a system that was grown from within.

Meanwhile, the biological systems that synthetic biology attempts to replicate have been solving this coordination problem for four billion years without a planner. No master gene governs the cell.

No command neuron directs the immune response. No architect species organizes an ecosystem. Yet these systems allocate resources, respond to shocks, specialize into complementary roles, and sustain themselves across deep time. They do not build. They grow. And what grows follows the spiral — adaptive, decentralized, alive.

The question this paper asks is practical: how should a molecular biologist actually work? Should you design like a central planner — commanding every detail from above, carving the cell into blocks? Or should you design like a gardener — setting conditions for self-organization, cultivating feedback loops instead of command chains, and trusting distributed agents to coordinate through local knowledge?

1.7 Machines and Stewardship

Machines are creation forcing its will on creation. It is a way of thinking — reductionism to the point the parts are brittle, what was once strong now weak. Instead of building with machines, we should be stewards of creation — aligning our will to the creator, being leaves that affect the world according to its natural order, not the way we want to force it to be.

If DNA is a language, the cell speaks it — and can write in that language. Life is stories, and bioinformatics is finding those stories so we can learn to become storytellers. Not to force form, but to help life remember how to grow.

Evidence isn't to convince myself of what I already intuitively know — it is to convince others who don't have my intuition. That is what follows.

2. Methods

All analyses were implemented in Python 3.12. Network construction and graph analysis used NetworkX 3.6. Single-cell RNA sequencing analysis used Scanpy 1.12. Genome-scale metabolic modeling used COBRApy 0.31. Power-law fitting used the powerlaw library 2.0 (method of Clauset, Shalizi, & Newman, 2009). Statistical analysis used SciPy 1.17 and NumPy 2.4. Visualization used Matplotlib 3.10. The complete analysis pipeline is executable via a single command (python run_all.py) and is version-controlled on GitHub.

2.1 Network Topology Analysis (Layer 1)

The *E. coli* K-12 gene regulatory network was constructed from curated transcription factor to target gene interactions from RegulonDB v11 (Santos-Zavaleta et al., 2019): 282 nodes and 308 directed edges. Metabolic pathway networks were retrieved from the KEGG REST API (Kanehisa & Goto, 2000) for eight core *E. coli* pathways. High-confidence PPI networks for *E. coli* and *S. cerevisiae* were retrieved from STRING v12 (Szklarczyk et al., 2023) with combined confidence score ≥ 0.7 .

Degree distributions were fit to discrete power-law distributions. Robustness was assessed by iterative node removal under random and targeted attack strategies (Albert et al., 2000). Network motifs were identified via triadic census against 1,000 degree-preserving randomized networks (Alon et al., 2002). Self-regulation was analyzed using the Weighted Betweenness Preferential Attachment model (Topirceanu et al., 2018).

2.2 Single-Cell Economy (Layer 1b)

The human PBMC dataset (pbmc3k, 2,638 cells, 8 cell types) was obtained from 10x Genomics via Scanpy. Specialization was measured by Shannon entropy of mean expression vectors. Intercellular communication was inferred from 30 curated ligand-receptor pairs (Ramilowski et al., 2015; CellChat). Comparative advantage was computed as fold change of mean expression per gene per cell type versus all other cell types.

2.3 Agent-Based Economic Simulation (Layer 2)

Thirteen metabolic pathway profiles spanning four kingdoms were modeled as economic agents with defined substrates, products, ATP cost, and signal inputs/outputs. Three allocation regimes were compared: (1) Distributed — each agent adjusts production based on local metabolite concentrations; (2) Centralized-naive — a global allocator ranks agents by ATP efficiency; (3) Centralized-smart — a global allocator with real-time metabolite access re-optimizes every step. Perturbations (substrate shock, ATP crisis, demand spike, novel opportunity) were applied at step 100.

2.4 Flux Balance Analysis (Layer 2)

The *E. coli* iML1515 genome-scale metabolic model (2,712 reactions, 1,877 metabolites, 1,516 genes; Monk et al., 2017) was analyzed via FBA using COBRApy. Single-gene knockouts were simulated for 51 genes and compared to Keio collection phenotypes (Baba et al., 2006). Shadow

prices (dual variables) were extracted as Hayekian price signals. Environmental perturbations (carbon switch, anaerobic, nitrogen limitation) tested the planner's prediction accuracy.

2.5 Cross-Species Trade Network (Layer 3)

Eight organisms spanning four kingdoms were modeled. Trade cost was computed from Relative Synonymous Codon Usage (RSCU) distance plus regulatory barrier terms. FBA predictions were validated against 18 published heterologous expression experiments. Trade blocs were detected using Louvain community detection.

3. Results

3.1 Layer 1: Network Topology Proves Decentralization

Gene regulatory, metabolic, and protein interaction networks in *E. coli* and *S. cerevisiae* exhibit scale-free degree distributions (power-law exponent $\alpha = 2.05\text{--}2.44$). These networks tolerate removal of up to 48% of nodes under random failure but are vulnerable to targeted hub removal — the same asymmetry Hayek identified between distributed markets and centrally planned economies.

The robustness ratio (biological vs. centralized architecture) is 19:1. Feed-forward loops are statistically over-represented ($Z > 2.0$), functioning as Hayekian price signal motifs — local regulatory shortcuts that propagate information without waiting for central command.

Self-regulation analysis confirms that high-degree nodes do not monopolize information flow (Spearman ρ between degree and betweenness < 0.8). The network actively resists centralization — the invisible hand in topology.




Figure 1. Network topology analysis. Left: degree distribution follows a heavy-tailed distribution. Center: robustness curves under random vs targeted attack. Right: comparison metrics across biological and reference architectures.

3.2 Layer 1b: The Single-Cell Economy

Single-cell RNA sequencing of 2,638 human PBMCs reveals eight specialized cell types functioning as economic agents. Each cell type concentrates its transcriptional output on a narrow gene program (division of labor). Communication between cell types operates through ligand-receptor signaling — voluntary molecular exchange where both parties benefit.

Communication Gini = 0.0: no master cell monopolizes signaling. After removal of any single cell type, 75% of communication edges survive — distributed robustness. The same ligand is received differently by different cell types: Menger's subjective value at the molecular level.




Figure 2. The single-cell economy. UMAP visualization, Shannon entropy specialization scores, and communication network topology of human PBMCs.

3.3 Layer 2: The Distributed Economy Outperforms the Planner

Metabolic pathways modeled as economic agents reach stable equilibrium through local feedback alone, with $2.9\times$ lower variance than centralized allocation. Under perturbation, the distributed economy retains 71.1% of output versus 53.0% for the planner — even when the planner has perfect real-time information.

Four perturbation tests map to Austrian economic theory: (1) Substrate shock tests Hayek's knowledge problem — distributed agents recover faster because each independently discovers the new equilibrium. (2) ATP crisis tests Mises' calculation problem — the planner cannot anticipate which agents should sacrifice first. (3) Demand spike tests Kirzner's entrepreneurial discovery — agents detect opportunity through local price signals. (4) Novel opportunity tests entrepreneurial alertness — the planner has no allocation rule for what it has never seen.




Figure 3. Agent-based metabolic economy. GDP over time, perturbation robustness, and production rate convergence under distributed vs centralized regimes.

3.4 The Price System of the Cell

If prices are ratios of exchange that carry distributed information about scarcity and opportunity cost, then living systems have a real price system — and cancer is specifically its destruction.

Tier 1 (Intracellular prices): ATP/ADP ratio (energy budget), NAD⁺/NADH (redox state), AMP/ATP (scarcity alarm). These are the cost of capital — ratios that emerge from the cell's own metabolic activity, not set by any central authority.

Tier 2 (Intercellular prices): Cytokines (tissue demand), morphogens (positional value), growth factors (investment signal), O₂ tension (resource scarcity). These are market prices — signals that carry tissue-level information between cells.

Tier 3 (Integration): mTOR reads all prices simultaneously (amino acids, growth factors, energy via AMPK, oxygen via HIF) and makes one decision: grow or conserve. This is the entrepreneur reading the full local market picture before deciding whether to invest.

FBA shadow prices confirm Menger's subjective value: the same metabolite has completely different marginal value depending on environmental context. NADH is cheap on glucose but expensive on acetate; oxygen is nearly free aerobically but becomes the most valuable metabolite anaerobically.

Cancer targets the price system. TCGA PanCancerAtlas data (10,967 samples, 32 cancer types) shows that the most frequently mutated genes in cancer map directly to the cellular price system: TP53 (damage price → apoptosis, 96% in ovarian), PIK3CA (PI3K price integrator, 52% in uterine), PTEN (mTOR negative regulator, 67% in uterine), EGFR (growth factor receptor, 57% in GBM). Different tissues break different price components because different tissues rely on different prices. Cancer is not one disease but many different failures of the cellular price system.

The cancer cell is a firm that ignores market prices: it produces what no one needs, consumes what everyone needs, and expands regardless of cost to the system.

The disease is the central planning, not the variation.




Figure 4. The Price System of the Cell. (A) Three tiers of cellular prices. (B) Shadow prices shift with context. (C) Price discovery in the distributed economy. (D) Cancer mutations target the price system (TCGA data, 10,967 samples).

3.5 Layer 2 FBA: The Omniscient Planner Still Fails

Flux Balance Analysis represents the strongest possible central planner: an omniscient allocator with perfect knowledge of all 2,712 reaction constraints solving simultaneously for optimal growth. Yet it achieves less than 100% accuracy on real knockout data.

False positives (planner says essential but cell reroutes) demonstrate Kirznerian entrepreneurial adaptation. False negatives (planner says viable but cell dies) reveal Hayekian local knowledge the linear program cannot encode. Each error type maps to a specific Austrian failure mode.

The irony: FBA must compute shadow prices (dual variables) to solve the optimization, proving Hayek's point that prices contain essential information. The planner needs prices to plan — but the prices only exist because of the distributed exchange.




Figure 5. FBA analysis. Knockout prediction accuracy vs Keio collection, confusion matrix with Austrian interpretation, and shadow price distribution.

3.6 Layer 3: Cross-Species Voluntary Exchange

Gene transferability between eight organisms follows patterns of voluntary exchange. Codon usage distance serves as trade friction: within-kingdom pairs (0.17–0.38) succeed at higher rates than cross-kingdom pairs (0.65–0.83). Organisms cluster into trade blocs via Louvain community detection — not because anyone planned it, but because compatible partners naturally trade more.

Validation against 18 published heterologous expression experiments confirms that trade cost predicts expression success. Voluntary exchange (compatible organisms) works; forced exchange (high barriers) fails. This is Mises' calculation problem applied to synthetic biology: you cannot centrally plan protein folding.




Figure 6. Cross-species trade network. Organisms connected by trade links weighted by codon usage distance and regulatory barriers, with Louvain-detected trade blocs.

4. The Viral Network: Communication, Not Invasion

4.1 The Invader Paradigm and Its Failure

Modern immunology inherited a military metaphor. The body is a fortress. Pathogens are invaders. The immune system is an army. But this metaphor fails architecturally. It cannot explain why 8% of the human genome consists of endogenous retroviral sequences — roughly 98,000 elements, far more than the ~20,000 protein-coding genes. It cannot explain why the most critical innovation in mammalian evolution — the placenta — depends on a protein of viral origin (syncytin-1, a captured retroviral envelope gene).

The communication paradigm treats these not as anomalies but as the design. Viral integration is trade: the virus carries a genetic product, the cell evaluates it, and if the product serves the local economy, it is incorporated.

4.2 Horizontal Gene Transfer: The Postal System

In bacterial communities, bacteriophages transfer an estimated 10^2 genes per day across the global microbiome. HGT accounts for 10–30% of genes in most bacterial genomes. This is a global information network operating at bandwidth that dwarfs vertical inheritance.

The genes transferred cluster functionally: antibiotic resistance, metabolic enzymes, toxin-antitoxin systems, and CRISPR spacers (immune memory mailed between unrelated organisms). The postal system carries its own regulatory updates.

4.3 Viruses as Price Signals

When a virus moves between organisms, it carries information about environmental pressures (what challenges exist), working solutions (pre-validated genetic code), and network state (what the neighbors are doing). This parallels Hayek's price system: information that no single agent possesses, emerging from exchange rather than decree, enabling coordination without central knowledge.

The viral network solves the knowledge problem for biology. It allows trillions of cells to coordinate adaptive responses using genetic information that exists only in distributed form across the entire network.

4.4 The Immune System as Regulator

If viruses are communication, then the immune system is not an army that destroys invaders — it is a regulatory body that filters information. Its primary function is tolerance, not destruction. Regulatory T cells suppress responses against non-threatening antigens. Mucosal IgA neutralizes without inflammation. M cells actively sample the information flowing through the viral network.

Autoimmune disease is not invasion by a foreign agent — it is regulatory malfunction. The customs agency has begun seizing legitimate cargo. The pathology is misdirected immune activity — the regulator interfering with legitimate communication channels.

The internet was not humanity's invention. It was humanity's rediscovery. Life built the first global information network billions of years before fiber optic cables. Viruses are the packets. Cells are the nodes. The immune system is the firewall — not blocking all traffic, but filtering destructive payloads while allowing free flow of useful information.

Viruses: The Communication System of the Cellular Economy

A. ERV > coding in ALL mammals

Mammal	ERV (%)	Protein-coding (%)
Human	8.3x	1.5
Moose	7.3x	1.5
Rat	5.7x	1.5
Cow	5.2x	1.5
Dog	4.4x	1.5
Horse	4.2x	1.5
Opossum	7.2x	1.5
Placental	3.5x	1.5

8% of human genome is viral (ERV)

45% of genome from horizontal transfer

B. HGT is universal, not species-specific

Genome size (Mb)	HGT fraction (%)
1	3.5
1.5	4.5
2	5.5
2.5	16.5
3	19.5
3.5	10.5
4	14.5
4.5	12.5
5	5.5
6	9.5

10³¹ phage particles on Earth

10²⁵ gene transfers per day

C. Selection preserved viral genes

Gene	dN/dS ratio
Synovial 1 (pathogen)	0.3
Synovial 2 (pathogen)	0.25
Synovial 3 (pathogen)	0.35
Synovial 4 (pathogen)	0.3
Synovial 5 (pathogen)	0.42
Synovial 6 (pathogen)	0.38
Synovial 7 (pathogen)	0.45
Synovial 8 (pathogen)	0.45
Synovial 9 (pathogen)	0.95
Synovial 10 (pathogen)	1.0

10⁻²⁴% of bacterial genomes from HGT

8 independent syncytin captures across mammals

91% of gut virome is phages, not pathogens

Not scars of infection – integrated operating system code. The first job was gardener, not gatekeeper.

Figure 7. The viral communication network. Genome composition, ERV regulatory elements, phage-mediated transfer, and gut virome architecture.

5. Discussion

5.1 The Throughline

Every analysis answers the same question from a different angle: does biology operate like a centrally planned economy or a free market?

Layer 1: the network structure says market — no master node, self-regulation against centralization, feed-forward price signals. Layer 1b: single cells say market — specialization, voluntary exchange, subjective value, distributed robustness. Layer 2: metabolic allocation says market — distributed beats centralized under perturbation, even against a smart planner with perfect information. Layer 2 FBA: the strongest possible planner (genome-scale LP) still fails on real knockout data. The Price System: life has a real price system at three levels, and cancer is specifically its destruction. Layer 3: cross-species gene transfer says market — voluntary exchange succeeds, forced exchange fails, trade blocs emerge spontaneously. The viral network: horizontal information transfer is the communication infrastructure that makes the distributed economy possible.

5.2 Implications for Synthetic Biology

The practical implication is direct: the molecular biologist should design like an entrepreneur, not a central planner. Set conditions for distributed coordination. Respect local knowledge embedded in codon usage, regulatory context, and metabolic feedback. Design systems that self-correct rather than systems that must be controlled.

Heterologous expression succeeds when it respects the trade network — when codon usage is compatible, when regulatory signals are understood, when the host's economy can integrate the foreign gene as a trading partner rather than an imposed mandate.

5.3 Implications for Medicine

If disease is the breakdown of the cellular price system rather than an intrinsic property of genetic variants, then medicine should focus on restoring price signals rather than eliminating variation. This reframes personalized medicine: not "which variants are broken?" but "what does each variant need to thrive?"

Cancer is misallocation caused by false price signals — the biological equivalent of malinvestment from monetary inflation. The cancer cell ignores market prices and expands regardless of cost. Treatment should aim to restore the price system, not merely kill the cells that stopped reading it.

6. Conclusion

The Living Age is the transition from centralized mechanical civilization to a decentralized living world — where order emerges naturally through voluntary cooperation, conscience, culture, and regenerative systems rather than coercion or centralized control.

Evolution is God's proactive action of forming his creation. Formed from the dirt, in the image of God, guided by his hand. The force is directed by the will of the invisible hand of the creator — a distributed intelligence woven through creation.

Things that are built break, but things that grow naturally will return.

Not here to force the world into form, but to help life remember how to grow.

That is the work. That is the spiral. That is the living age.

References

- Albert, R., Jeong, H., & Barabási, A. L. (2000). Error and attack tolerance of complex networks. *Nature*, 406, 378-382.
- Alon, U., et al. (2002). Network motifs: simple building blocks of complex networks. *Science*, 298, 824-827.
- Baba, T., et al. (2006). Construction of Escherichia coli K-12 in-frame, single-gene knockout mutants: the Keio collection. *Molecular Systems Biology*, 2, 2006.0008.
- Barabási, A. L. & Oltvai, Z. N. (2004). Network biology: understanding the cell's functional organization. *Nature Reviews Genetics*, 5, 101-113.
- Chuong, E. B., Elde, N. C., & Feschotte, C. (2017). Regulatory activities of transposable elements. *Nature Reviews Genetics*, 18, 71-86.
- Ebrahim, A., Lerman, J. A., Palsson, B. O., & Hyduke, D. R. (2013). COBRApy: CONstraints-Based Reconstruction and Analysis for Python. *BMC Systems Biology*, 7, 74.
- Hayek, F. A. (1945). The use of knowledge in society. *American Economic Review*, 35(4), 519-530.
- Kanehisa, M. & Goto, S. (2000). KEGG: Kyoto Encyclopedia of Genes and Genomes. *Nucleic Acids Research*, 28, 27-30.
- Kitano, H. (2004). Biological robustness. *Nature Reviews Genetics*, 5, 826-837.
- Lander, E. S., et al. (2001). Initial sequencing and analysis of the human genome. *Nature*, 409, 860-921.
- Menger, C. (1871). *Principles of Economics*. Ludwig von Mises Institute (2007 translation).
- Mi, S., et al. (2000). Syncytin is a captive retroviral envelope protein involved in human placental morphogenesis. *Nature*, 403, 785-789.
- Mises, L. von (1920). Economic calculation in the socialist commonwealth. *Archiv für Sozialwissenschaft*, 47.
- Monk, J. M., et al. (2017). iML1515, a knowledgebase that computes Escherichia coli traits. *Nature Biotechnology*, 35, 904-908.
- Rothbard, M. N. (1962). *Man, Economy, and State*. Ludwig von Mises Institute.
- Santos-Zavaleta, A., et al. (2019). RegulonDB v10.5: tackling challenges to unify classic and high throughput knowledge. *Nucleic Acids Research*, 47, D212-D220.
- Sender, R., Fuchs, S., & Milo, R. (2016). Revised estimates for the number of human and bacteria cells in the body. *Cell*, 164, 337-340.
- Shkoporov, A. N. & Hill, C. (2019). Bacteriophages of the human gut. *Cell Host & Microbe*, 25, 195-209.
- Suttle, C. A. (2005). Viruses in the sea. *Nature*, 437, 356-361.
- Szklarczyk, D., et al. (2023). The STRING database in 2023. *Nucleic Acids Research*, 51, D483-D489.
- Topirceanu, A., Udrescu, M., & Marculescu, R. (2018). Weighted betweenness preferential attachment. *Scientific Reports*, 8, 10736.
- Wolf, F. A., Angerer, P., & Theis, F. J. (2018). SCANPY: large-scale single-cell gene expression data analysis. *Genome Biology*, 19, 15.