Population Genetics Explorer

Individual Simulations

Here, you can generate one simulation for each group of settings you select. Use this to compare how different settings may affect allele and/or genotype frequencies.

Adjust the settings for the model below. Select “Reset Simulator” to restore the default settings.

Simulator Settings

? **Population Size**

10000

1 10000

Infinite (∞)

? **Generations**

10000

1 10000

? **Starting Frequency of Allele A_1**

0.1

0 1

Simulation Started
The simulation has started and will complete in the background.

Additional S

Simulation Complete
The simulation has completed and the results are ready to view. Below each table, there is a summary of the results.

You can change the settings above, then select “Run Simulation” to get a new simulation based on the latest settings. Select “Add a New Simulation” to add another simulation to the graph without erasing the last simulation.

Run Simulation

Add a New Simulation



Select the bar below to show/hide the settings and statistics for the simulation(s).

Simulation Started
The simulation has started and will complete in the background.

Settings/Statistics for Graph 1

Simulation Complete
The simulation has completed and the results are ready to view. Below each table, there is a summary of the results.

Graph 2: Genotype Frequency Change over Generations (Last Simulation)

Hover (or navigate with the keyboard) over a line to show the frequency of a specific genotype in the population.



Select the bar below to show/hide the starting and final genotype frequencies for A_1A_1, A_1A_2, and A_2A_2. Only the results from the last simulation are provided.

Genotype Statistics (Last Simulation)

Reset Simulator

Supporting Information

Simulation Started

The simulation has started and will complete in the background.

hhmi

Simulation Complete

The simulation has completed and the results are ready to view. Below each table, there is a summary of the results.