

1) Write a program in C# to print name and address.

o Using System; // namespace (header file)

class NameAddress { // create class

// main method

static void main() {

Console.WriteLine("Hello Bhavin");

Console.WriteLine("Amruti Devliya");

// Console.WriteLine() function is

// use to print message.

OUTPUT

- open cmd and go to your ^{C#} folder.
- then write command for compile C# program.
- csc filename.cs // compile your code
- filename // execute
- Hello Bhavin
- Amruti Devliya.

2) Write a C# program and check data type byte and print it's byte

using System;

```
class datatypeByte{
```

```
    static void Main(){
```

```
        Console.WriteLine(sizeof(int));
```

```
        //sizeof is check to byte of data type
```

```
        Console.WriteLine(sizeof(float));
```

```
        Console.WriteLine(sizeof(char));
```

```
        Console.WriteLine(sizeof(double));
```

```
        Console.WriteLine(sizeof(bool));
```

```
        Console.WriteLine(sizeof(byte));
```

```
    }
```

OUTPUT

4

4

2

8

1

1

3) Create int two variable and print value and sum of two value

using System;

```
class Sum2
```

```
{  
    static void main () {
```

```
        int a = 10;
```

```
        int b = 20;
```

```
        Console.WriteLine("a is : " + a);
```

```
        Console.WriteLine("b is : " + b);
```

```
        int sum = a + b;
```

```
        Console.WriteLine("sum of a + b : " +  
            sum);  
    }  
}
```

Output

a is : 10

b is : 20

sum of a + b : 30

4) create C# Program and variable
int, float, char, double and print
value.

using System;

class Variable2

static void Main ()

// create a variable for many data type

int a = 10;

char b = 'A';

double c = 10.23;

float d = 23.4f;

Console.WriteLine("int data: " + a);

Console.WriteLine("char data: " + b);

Console.WriteLine("double data: " + c);

Console.WriteLine("float data: " + d);

y

y

Output

int data: 10

char data: A

double data: 10.23

float data: 23.4

- 5) ^{execute} Create a C# ^{program} dynamic type variable. And print it's value. and assign different value's and print like int, float, ~~char~~

Using System;

```
class dynamic-datatype {  
    static void Main () {  
        dynamic a = 10;  
        Console.WriteLine(a);  
        a = 'A';  
        Console.WriteLine(a);  
        a = "abc";  
        Console.WriteLine(a);  
        a = 10.20;  
        Console.WriteLine(a);  
    }  
}
```

Output

10
'A'
"abc"
10.20

- 6) write a C# Program to create object ^{data} and assign different type.

~~class~~

using System;

class Object_Type {

static void Main() {

Object a = 10;

Console.WriteLine(a);

a = 'a';

Console.WriteLine(a); a = 10.20;

Console.WriteLine(a);

a = 10.23f;

Console.WriteLine(a);

}

Output

10

a

10.20

10.23

1) Create a program to print name and surname and name and surname concatenation.

using System;

class Concatination {

static void Main() {

String name = "Bhavim";
Console.WriteLine(name);

String sioName = "Harivani";
Console.WriteLine(sioName);

Console.WriteLine(name + " " + sioName);

OUTPUT

Bhavim
Harivani
Bhavim Harivani

8) Create C# Program get double type value from user.

using System;

class GetValue

{
 static void Main()

{
 Console.WriteLine("double type");

double d = double.Parse(Console.
 ReadLine());

Console.WriteLine("double value
 is: " + d);
 }
}

OUTPUT

double type

10.20

double value is: 10.20

9) create a C# Program to perform boxing and unboxing conversion. using System;

```
class TypeConversion {  
    static void Main() {  
        int a = 10;  
        Console.WriteLine(a);  
        Object b = a;  
        Console.WriteLine(b);  
        int c = (int)b;  
        Console.WriteLine(c);  
    }  
}
```

Output

10
10
10

10) create one array of int datatype. get Element from user and print. using System;

```
class GetValues {  
    static void Main() {  
        int[] a = new int[5];  
        for (int i = 0; i < a.Length; i++) {  
            Console.Write("Enter value of  
            {0} : ", i);  
        }  
    }  
}
```



```
a[i] = int.Parse(Console.ReadLine());
```

```
}
```

```
foreach (int i in a) {  
    Console.WriteLine("Enter value is  
: {0}", i);  
}
```

```
}
```

```
}
```

Output

Enter value of 0: 1

Enter value of 1: 2

Enter value of 2: 3

Enter value of 3: 4

Enter value of 4: 5

value is : 1

value is : 2

value is : 3

value is : 4

value is : 5

Write a C# program and get size of array from user and get all element from user and sum of all array element and print all element with index.

using System;

class Get Value &

static void Main () &

Console.WriteLine ("Enter size of
Array:");

int[] a = new int[int.Parse
(Console.ReadLine())];

for (int i = 0; i < a.Length; i++) &
Console.WriteLine ("Enter Value of
a[" + i + "]:");
a[i] = int.Parse (Console.Read-
Line());

}

int sum = 0;

for (int i = 0; i < a.Length; i++) &
Console.WriteLine ("Value of
a[" + i + "] is: " + a[i]);
sum += a[i];

}

Console.WriteLine ("Sum of array
Element is: " + sum);

}

}