Tutorial Week 3

Reg: RA2511033010078

Name: V.I. Sahaana

Course: CSE Software Engineering

Section: AM2

1)

```java
import java.util.Scanner;

class SupermarketBill {
    public static void main(String[] args) {
        Scanner sc = new Scanner(System.in);

        int[] price = new int[5];
        int total = 0;

        for (int i = 0; i < 5; i++) {
            price[i] = sc.nextInt();
            total = total + price[i];
        }

        System.out.println("Total Bill : " + total);

        if (total > 5000) {
            System.out.println("Discount Applicable");
        } else {
            System.out.println("No Discount");
        }
    }
}
```

```
C:\Users\Sahaana\.jdks\openjdk-14.0.2\bin\java.exe "-javaagent:C:\Program Files\JetBrain
12
13
14
15
16
Total Bill : 70
No Discount
```

2)

```java
import java.util.Scanner;

class Attendance {
    public static void main(String[] args) {
        Scanner sc = new Scanner(System.in);

        int[] attendance = new int[7];
        int present = 0;

        for (int i = 0; i < 7; i++) {
            attendance[i] = sc.nextInt();

            if (attendance[i] == 1) {
                present++;
            }
        }

        double percentage = (present / 7.0) * 100;

        System.out.println("Present Days : " + present);
        System.out.println("Attendance : " + percentage + "%");

        if (percentage >= 75) {
            System.out.println("Eligible for Exam");
        } else {
            System.out.println("Not Eligible");
        }
    }
}
```

```
C:\Users\Sahaana\.jdks\openjdk-14.0.2\bin\java.exe "-javaagent:C:\Program Files\JetBrai
1
1
1
1
0
0
0
Present Days : 4
Attendance : 57.14285714285714%
Not Eligible

Process finished with exit code 0
```

3)

```java
import java.util.Scanner;
class Employee {  2 usages
    int id;  2 usages
    String name;  2 usages
    double salary;  2 usages
    Employee(int id, String name, double salary) {  1 usage
        this.id = id;
        this.name = name;
        this.salary = salary;
    }
    void display() {  1 usage
        System.out.println("Employee ID : " + id);
        System.out.println("Employee Name : " + name);
        System.out.println("Salary : " + salary);
    }
}
class EmployeeDetails {
    public static void main(String[] args) {
        Scanner sc = new Scanner(System.in);
        System.out.print("Employee ID : ");
        int id = sc.nextInt();
        System.out.print("Employee Name : ");
        String name = sc.next();
        System.out.print("Salary : ");
        double salary = sc.nextDouble();
        Employee e = new Employee(id, name, salary);
        e.display();
    }
}
```

```
C:\Users\Sahaana\.jdks\openjdk-14.0.2\bin\java.exe "-javaagent:C:\Program Files\JetBrains\Intel
Employee ID : 123
Employee Name : Rahul
Salary : 1200000
Employee ID : 123
Employee Name : Rahul
Salary : 1200000.0

Process finished with exit code 0
```

4)

```java
import java.util.Scanner;
class Car {  2 usages
    String model;  4 usages
    double price;  4 usages
    Car() {  no usages
        model = "Unknown";
        price = 0;
    }
    Car(String model) {  no usages
        this.model = model;
        price = 0;
    }
    Car(String model, double price) {  1 usage
        this.model = model;
        this.price = price;
    }
    void display() {  1 usage
        System.out.println("Model : " + model);
        System.out.println("Price : " + price);
    }
}
class CarModel {
    public static void main(String[] args) {
        Scanner sc = new Scanner(System.in);
        System.out.print("Enter model: ");
        String model = sc.next();
        System.out.print("Enter price: ");
        double price = sc.nextDouble();
        Car c = new Car(model, price);
        c.display();
    }
```

```
C:\Users\Sahaana\.jdks\openjdk-14.0.2\bin\java.exe "-javaagent:C:\Program Files\JetBrains\I
Enter model: Benz
Enter price: 29000000
Model : Benz
Price : 2.9E7

Process finished with exit code 0
```

5)

```java
import java.util.Scanner;
class Area {  2 usages
    double calculateArea(int side) {  1 usage
        return side * side;
    }
    double calculateArea(int length, int breadth) {  1 usage
        return length * breadth;
    }
    double calculateArea(double radius) {  1 usage
        return 3.14 * radius * radius;
    }
}
class A {
    public static void main(String[] args) {
        Scanner sc = new Scanner(System.in);
        Area a = new Area();
        System.out.print("Enter side of square: ");
        int side = sc.nextInt();
        System.out.println("Area of Square : " + a.calculateArea(side));
        System.out.print("Enter length: ");
        int length = sc.nextInt();
        System.out.print("Enter breadth: ");
        int breadth = sc.nextInt();
        System.out.println("Area of Rectangle : " + a.calculateArea(length, breadth));
        System.out.print("Enter radius: ");
        double radius = sc.nextDouble();
        System.out.println("Area of Circle : " + a.calculateArea(radius));
    }
}
```

```
C:\Users\Sahaana\.jdks\openjdk-14.0.2\bin\java.exe "-javaagent:C:\Program Files\JetBrains\IntelliJ
Enter side of square: 112
Area of Square : 12544.0
Enter length: 23
Enter breadth: 10
Area of Rectangle : 230.0
Enter radius: 3
Area of Circle : 28.259999999999998

Process finished with exit code 0
```