

Dr. Sushruth G. Kamoji

MBBS, DDVL (MMC, Chennai) Fellow Dermatosurgery (PGI, Chandigarh) Consultant Dermatologist & Cosmetologist

CONSENT FORM FOR BOTULINUM TOXIN INJECTIONS (as per IADVL guidelines)

Mr/Mrs./Miss		Age:		
Mobile:	Sr no:	Date:		
Name of the PROCEDURE:				
Brand used:	Batch no:			
Procedure Details:				

I HAVE BEEN INFORMED IN THE LANGUAGE I BEST UNDERSTAND THAT

Botulinum toxin (Botox® and similar agents like Dysport, Xeomin, Nabota etc.) are neurotoxins produced by the bacterium Clostridium A. Botulinum toxin can relax the muscles on areas of the face and neck which cause wrinkles associated with facial expressions or facial pain. Treatment with botulinum toxin can cause your facial expression lines or wrinkles to be less noticeable or nearly disappear. Areas most frequently treated are a) Glabellar area of frown lines, located between the eyes; b) Crow's feet (lateral areas of the eyes); c) Forehead wrinkles; d) Radial lip lines (smokers lines) e) Masseter Muscle f) Head and neck muscles

Other uses of Botulinum toxin are the treatment of bruxism, jaw reduction (to change the squared-off masculine face into a heart-shaped feminine face and to reduce parotid gland hypertrophy.

Micro Botox is the injection of multiple microdroplets of diluted botulinum toxin A into the dermis for skin rejuvenation. It decreases sweat and sebaceous gland activity, improves skin texture, fine wrinkles and is used for treatment of rosacea.

Botulinum toxin is diluted to a very controlled solution, and when injected into the muscles with a thin needle, it is almost painless. By carefully choosing specific muscles, your doctor relaxes only the wrinkle-producing muscles, preserving your natural facial expressions.

The procedure takes about 15-20 minutes, and the results can last up to 4 months. With repeated treatments, the results may tend to last longer

It may be essential to avoid alcoholic beverages at least 24 hours before treatment, avoid antiinflammatory/blood-thinning medications for 2 weeks before treatment, discontinue topical retinoids 2 days before and 2 days after treatment and have a good breakfast, including food and drink before your procedure.



Dr. Sushruth G. Kamoji

MBBS, DDVL (MMC, Chennai) Fellow Dermatosurgery (PGI, Chandigarh) Consultant Dermatologist & Cosmetologist

I AM ALSO INFORMED THAT

No procedure is entirely risk-free. It has been explained to me that there are certain inherent and potential risks and side effects in any invasive procedure and this specific instance such risks include but are not limited to

Post treatment discomfort, swelling, redness, and bruising, Double vision, a weakened tear duct, Post-treatment bacterial, or fungal infection requiring further treatment, allergic reaction, minor temporary drooping of the eyelid(s), Occasional numbness of the forehead, headache, flu-like symptoms, asymmetrical smile, difficulty in chewing after masseter toxin injections. Most of these side effects are rare and reversible. Variable results are seen due to the patients' lifestyle, medical profile, age and the extent of severity of ageing which varies from person to person.

All Botulinum toxin injections may not be FDA approved for all cosmetic indications.

Pre and post procedure photographs will be taken which may be used for academic or scientific purposes.

This is not a complete treatment for my ailment and other forms of treatments may be needed for optimum results. There are some other treatments which may help my concerns and those options were adequately discussed with me.

COST AND PAYMENT

new medications since my last treatment.

 I have been informed about the fees and the number of sessions / package. I shall abide by the same

Consent Letter:				
l,	authorize Dr. Sushruth G Kamoji and her /his			
associates to perform procedure of Bo	tulinum Toxin Injections. Further, my signature below indicates			
my consent for the treatment describe	ed and my agreement to comply with the requirements placed			
on me by this consent form.				
I have informed the doctor about my r	medical history regarding herpes, allergy, acne, keloids,			
diabetes, and autoimmune disease, tro	eatment with anticoagulants, NSAIDS, blood thinners or			
corticosteroids etc. I am not pregnant	or breast-feeding. In spite of this, I am aware that I may develop			
any allergy at any point. I give my cons	sent to the doctor to take the necessary measures to treat my			
allergic reaction, if any develops. Befo	re each treatment, I will inform the doctor if I have taken any			



Dr. Sushruth G. Kamoji

MBBS, DDVL (MMC, Chennai) Fellow Dermatosurgery (PGI, Chandigarh) Consultant Dermatologist & Cosmetologist

I have been informed about the other alternative methods as well as their benefits and disadvantages.

I understand that ideal results, this procedure vary from patients to patients. No guarantee, warranty, or assurance has been made to me as to the results that may be obtained. I am also aware that follow-up treatments may be necessary for desired results.

My questions regarding the procedure have been answered satisfactorily.

I hereby release Dr Sushruth G Kamoji and her/his designated staff from any liability and side effects associated with above procedure. The payment and fee structure have been informed to me and I agree to abide by the same. I also agree to comply with the recommended aftercare instructions.

SIGNATURE OF PATIENT/ AUTHORIZED REPRESENTATIVE (in case of minor)

Name:		
SIGNATURE OF WITNESS		SIGNATURE OF OPERATING DOCTOR
Name:		Name:
Date:	Time:	Place:

POST PROCEDURE CARE:

- Remain upright for 4 hours after injection (you may lie in a reclined position, just do not lie flat)
- Do NOT receive facial/ laser treatments or microdermabrasion after Botox injections for at least 10 days.
- Exaggerate facial expressions in injected areas for 2-3 hour after injection.
- Do not wear a headband or hat if you have had injections between the brows or in the forehead
- Refrain from aerobic exercise that increases your heart rate significantly (running, swimming, bicycling) for 24 hours following injections. Walking or other low impact forms of exercise are fine



Dr. Sushruth G. Kamoji

MBBS, DDVL (MMC, Chennai) Fellow Dermatosurgery (PGI, Chandigarh) Consultant Dermatologist & Cosmetologist

- Do not massage or manipulate injected areas for 24 hours after injections. Washing your face and applying make-up is fine.
- Refrain from using ibuprofen, aspirin, fish oil supplements, or vitamin E for 24 hours following injection
- If bruising appears, apply ice to the area for 15 minutes every hour to decrease bruising
- The most common side effect is a headache with Botulinum toxin injections. If you suffer from chronic headache and have prescription headache medication, you may take it as prescribed by your doctor.
- Botulinum toxin will gradually take effect over 24-72 hours with an optimum result at 2
 weeks. If this is your first Botulinum toxin injection, we recommend scheduling a follow-up
 appointment 2 weeks after your injection.