#### CALIFORNIA STATE POLYTECHNIC UNIVERSITY

**Computer Science Department** 

CS 2400-03 T. Nguyen/Sp21

PROJECT: 3

DUE DATE: March 18, 2021

## **Description:**

We are used to write arithmetic expressions with the operator between the two operands: a + b or c / d. If we write a + b \* c, however, we must apply precedence orders to avoid ambiguous evaluation. This type of expression is call **infix** expression. There are two other types of different but equivalent ways of writing expressions.

**Infix**: X + Y: Operators are written in-between their operands. Infix expression needs extra information to make the order of evaluation of the operators clear: precedence and associativity, brackets ( ). For example, A \* (B + C) / D.

**Postfix**: X Y +: Operators are written after their operands. The above infix expression can be written using postfix notation as A B C + \* D /

**Prefix**: + X Y: Operators are written before their operands. The above infix expression can be written using prefix notation as /\*A + B C D

More examples of the above three expressions are given below:

Infix	Postfix	Prefix
a+b+c	a b + c +	+ + a b c
a + b * c	a b c * +	+ a * b c
(a + b) * (c - d)	a b + cd - *	* + a b - c d

You are to implement two class methods that can convert an infix expression to its equivalent postfix and evaluate the postfix expression.

A term will be an integer literal. The parameter to your methods will be an array of Strings and so is the return value. Each element of the array can either be an integer literal or a binary operator + - \* / ^ (where ^ is the power operator, x^y is x<sup>y</sup>)

You are to implement the class *Expression* which includes the algorithms *convertToPostfix* and *evaluatePostfix*. They are class methods.

## **Class name: Expression**

Conversion of Infix to Postfix:

## Method name: String[] convertToPostfix (String[] infixExpression)

infixExpression — each element is a token that can be an operator or an integer literal.

Operator can be +, -, \*, /, or  $^{\land}$ . This method will convert an infix to a postfix expression.

Throw a *RuntimeException(msg)* if *infixExpression* is not well-formed or not an integer literal.

Conversion of Infix to Postfix:

# Method name: int evaluatePostfix (String[] posfixExpression)

Throw *RuntimeException(msg)* when *postfixException* is not well-formed or not an integer literal.

You must implement your own generic Stack ADT for this project.

What to test?

Think of your own cases: correct input, without parentheses or with matched parentheses; and incorrect input (with unmatched parentheses). Your program should catch the error with unmatched parentheses and when one of the operands is missing. Make sure that you deal with all error conditions, for example, pop/top on an empty stack.

## **Project report:** (PDF format)

- Page 1: Cover page with your name, class, project, and due date
- Page 2 to 3:
  - Section 1 (**Project specification**): Your ADT description. Description of data structures used and a description of how you implement the ADT
  - Section 2 (**Testing methodology**): Description of how you test your ADT, refer to your testing output. Explain why your test cases are rigorous and complete.
     Demonstrate that you test each method.
  - o Section 3 (**Lessons learned**): Any other information you wish to include.

## Turn in:

- 1. Project report submitted via Blackboard.
- 2. There should be the following Java source files: Your Stack implementation java source files, Expression.java, ExpressionTest.java, Bag ADT, Stack ADT. Compress these files into a single zip file and submit it with the following name:

```
zip proj3 Expression.java ExpressionTest.java StackADT*
cp proj3.zip /user/tvnguyen7/cs2400-003/bronconame-proj3.zip
```

```
NO package. You should check out your project on the CPP intranet using: javac ExpressionTest.java java ExpressionTest
```

## Grading Guide:

- 10%: Project report and project output.
- 80%: Program correctness
- 10%: Coding efficiency, style, comments, formats

```
<u>Notes:</u> The following information is required in the beginning of every source file.
//
//
//
//
//
//
                    Last, First
      Project:
      Due:
                   date
                   cs-2400-03-sp21
      Course:
      Description:
                    A brief description of the project.
```