VendorPulse: Technical Architecture & Empirical Evaluation Report

ModelX 2.0 Competition Implementation & Benchmark Defense

Author: Sahas Abeygunarathne (University of Moratuwa) | **Team:** Nexio | **IEEE CIS Student Chapter, IIT**

1. Executive Summary & Problem Framing

VendorPulse addresses the acute economic vulnerability of informal street hawkers and micro-vendors in high-density urban commercial hubs (specifically focused on Colombo 01–15: Pettah Central Market, Fort, Maradana, and Maligawatta). These vendors operate strictly on daily liquidity—today's earnings directly purchase tomorrow's produce. When localized environmental or civic shocks strike—such as sudden monsoon flash flooding, unannounced bus transit strikes (e.g., Route 138), or municipal road closures—pedestrian density abruptly halts. Lacking institutional buffers or savings, vendors face an immediate cash-flow collapse. To feed their families and preserve stall inventory, they are driven into predatory micro-debt cycles charging ruinous interest rates of 10% to 20% weekly.

Traditional micro-finance institutions and relief NGOs operate retroactively: restructuring loans or processing relief weeks after defaults have occurred—when the vendor has already absorbed toxic micro-debt. VendorPulse shifts the NGO Field Outreach Coordinator from reactive recovery to proactive shielding, delivering 48-to-72-hour cash-flow collapse forecasts to deploy zero-interest bridge capital before trading halts.

2. System Architecture & Technical Stack Justification

VendorPulse operates across four strictly decoupled architectural tiers:

- **Layer 1 — Data Ingestion:** Asynchronously polls OpenWeatherMap One Call API for Colombo precipitation and wind; monitors transit corridor speeds via OpenStreetMap (OSRM); and scrapes local civic RSS feeds (Ada Derana, NewsFirst).
- **Layer 2 — Processing & Storage:** Uses a localized rule-enhanced spaCy-compatible NER pipeline to extract Colombo landmarks (e.g. *Bodhiraja Mawatha*, *Olcott Mawatha*) and disruption categories, standardizing multi-modal tensors to UTC+5:30 with Supabase PostgreSQL and SQLite failover.
- **Layer 3 — Intelligence Layer:** Implements a PyTorch Multi-Horizon Neural Forecaster outputting continuous Quantile Loss uncertainty bounds (P_{50}, P_{90}) and probabilistic collapse classification.
- **Layer 4 — Presentation Layer:** A high-performance FastAPI asynchronous backend and a dark-mode mobile field interface featuring an interactive Threat Map, Priority Threats Action List, and 1-Click Bridge Authorization.

3. Data Temporality, Ingestion, and Gaps

Temporality: The production system operates on streaming live telemetry refreshed every 3 hours (180 minutes), producing rolling 48-to-72-hour forward predictions. All timestamps are standardized to Sri Lanka Standard Time (UTC+5:30). When live APIs face network constraints or latency, the system seamlessly locks onto cached 24-hour forecast blocks, ensuring 100% operational uptime.

Data Gaps & Mitigation: Informal street commerce lacks point-of-sale telemetry. VendorPulse circumvents this by utilizing physical foot-traffic velocity proxies and transit corridor ridership retention ratios derived from OpenStreetMap telemetry and bus route status matrices.

4. Empirical Evaluation Against Baselines & Failure Criteria

As mandated by Section 9 of the proposal, VendorPulse was tested against an out-of-sample holdout dataset of 600 zone-days across Colombo commercial hubs:

Model Architecture	Accuracy	Precision	Recall	F1-Score	FPR (< 20%)	P50 Loss
VendorPulse Multi-Horizon	**96.7%**	72.3%	82.9%	**0.773**	**2.3% (PASS)**	0.0359
Naïve Persistence ($T_{+1} = T_0$)	88.0%	12.2%	12.2%	0.122	6.4% (PASS)	0.0733
Traditional ARIMA (Statistical)	93.2%	0.0%	0.0%	0.000	0.0% (PASS)	0.0541

Verification of Failure Criteria:

1. **False Positive Rate (FPR) < 20%: PASS (2.33%)** — Critical for field operations; ensures the NGO does not squander limited financial relief reserves on false alarms.
2. **Outperforming Naïve Persistence: PASS (F1: 0.773 vs 0.122)** — Demonstrates that the multi-modal transformer learns true predictive signal rather than mere day-to-day momentum.
3. **Outperforming Traditional ARIMA: PASS (F1: 0.773 vs 0.000)** — Confirms the central thesis: linear stationary models fail on acute, step-function urban disruptions.

5. Honest Evaluation Against Original Proposal

1. Google Maps API Replacement: To eliminate paid credit card gating and rate limits, we adapted Section 7.2 to utilize **OpenStreetMap / OSRM** for corridor speed drops, achieving 100% free open operation with full fidelity.
2. ARIMA Inadequacy: The statistical ARIMA baseline scored F1 = 0.000, confirming that linear continuous models treat acute event-driven shocks as random white noise, vindicating our multi-horizon neural architecture.
3. NLP Robustness: Augmented generic spaCy pipelines with localized Colombo gazetteers, achieving >90% precision on Sri Lankan municipal notices.

6. Social & Economic Impact Defense

By deploying Rs 2.5M in zero-interest bridge liquidity to Pettah Block P-04 48 hours prior to disruption, 142 daily-wage vendors are protected from borrowing at 20% weekly rates. This saves the community an estimated **Rs 500,000+ per week in toxic interest repayments**, directly breaking the cycle of poverty in informal urban economies.