





Images of deployed project:-

Log in and registration page:-






Main page:-

Light to dark mode in an instant:-



Dashboard:-



Perform Bulk operations:-

## Hosted zones

A hosted zone contains records that define how you want to route traffic on the internet for a domain.

Delete (2)

Create hosted zone

| <input type="checkbox"/>            | Hosted zone name | Type                | Description | Record count | Hosted zone ID |
|-------------------------------------|------------------|---------------------|-------------|--------------|----------------|
| <input checked="" type="checkbox"/> | uiipo.com        | Public hosted zone  | -           | 2            | Z4434417462384 |
| <input checked="" type="checkbox"/> | hello-45.com     | Private hosted zone | -           | 2            | Z5A81B69CF81A4 |
| <input type="checkbox"/>            | example.com      | Public hosted zone  | -           | 2            | Z4C3EEE88FAA54 |

Showing 1-3 of 3 records

< 1 >

## Hosted zones

A hosted zone contains records that define how you want to route traffic on the internet for a domain.

Delete (2)

Create hosted zone

| <input type="checkbox"/>            | Hosted zone name | Type                | Description | Record count | Hosted zone ID |
|-------------------------------------|------------------|---------------------|-------------|--------------|----------------|
| <input checked="" type="checkbox"/> | uiipo.com        | Public hosted zone  | -           | 2            | Z4434417462384 |
| <input checked="" type="checkbox"/> | hello-45.com     | Private hosted zone | -           | 2            | Z5A81B69CF81A4 |
| <input type="checkbox"/>            | example.com      | Public hosted zone  | -           | 2            | Z4C3EEE88FAA54 |

Showing 1-3 of 3 records

< 1 >

Delete 2 hosted zones

Are you sure you want to delete 2 hosted zone(s)? All associated DNS records will be permanently deleted. This action cannot be undone.

Cancel

Delete

Search for services, features, records, and more

Successfully deleted 2 hosted zone(s).

## Hosted zones

A hosted zone contains records that define how you want to route traffic on the internet for a domain.

Delete


Create hosted zone

| <input type="checkbox"/> | Hosted zone name | Type               | Description | Record count | Hosted zone ID |
|--------------------------|------------------|--------------------|-------------|--------------|----------------|
| <input type="checkbox"/> | example.com      | Public hosted zone | -           | 2            | Z4C3EEE88FAA54 |

Showing 1-1 of 1 records

< 1 >

## Add records for hosted zone:-



← Hosted zones > **example.com**

**example.com**


| Hosted zone ID | Type               | Record count | Description |
|----------------|--------------------|--------------|-------------|
| Z4C3EEE88FAA54 | Public hosted zone | 2            |             |

Q Search by record name [Alt+S] ↺ 🗑️ Delete record 📄 Import BIND 📄 Export JSON + Create record

| Record name | Type | Routing policy | TTL (seconds) | Value/Route traffic to                                                                               |
|-------------|------|----------------|---------------|------------------------------------------------------------------------------------------------------|
| example.com | NS   | Simple         | 172800        | ns-101.awsdns-12.com,<br>ns-782.awsdns-33.net,<br>ns-1342.awsdns-39.org,<br>ns-1891.awsdns-44.co.uk. |
| example.com | SOA  | Simple         | 86400         | ns2.rogue.com. admin.rogue.com. 2026100702 3600 1800 604800 86400                                    |

Showing 1-2 of 2 records < 1 >

## Invalid entries denied:-



Q Search for services, features, records [Alt+S] 🌞 🌐 Global 👤 Tony234

❗ Validation Error: Invalid IPv4 address: adsadadsa ✕

example.com > Create record

### Quick create record

**Record name**

newta .example.com

Leave empty to configure the root domain apex.

**Record type** **TTL (Seconds)**

A - Routes traffic to an IPv4 address ▼ 300

**Value / Route traffic to \***

Enter one or more IP addresses or values on separate lines.

adsadadsa

**Routing policy**

Simple routing ▼

Cancel Create records

Valid creations permitted

← Hosted zones > example.com

example.com

Hosted zone ID

Z4C3EEE88FAA54

Type

Public hosted zone

Record count

3

Description

-

Q

Search by record name [Alt+S]

↺

Delete record

↗

Import BIND

⬇

Export JSON

+

Create record

| <input type="checkbox"/> | Record name       | Type | Routing policy | TTL (seconds) | Value/Route traffic to                                                                               |
|--------------------------|-------------------|------|----------------|---------------|------------------------------------------------------------------------------------------------------|
| <input type="checkbox"/> | example.com       | NS   | Simple         | 172800        | ns-101.awsdns-12.com,<br>ns-782.awsdns-33.net,<br>ns-1342.awsdns-39.org,<br>ns-1891.awsdns-44.co.uk. |
| <input type="checkbox"/> | example.com       | SOA  | Simple         | 86400         | ns2.rogue.com. admin.rogue.com. 2026100702 3600 1800 604800 86400                                    |
| <input type="checkbox"/> | newta.example.com | A    | Simple         | 300           | 192.5.4.2                                                                                            |

Showing 1-3 of 3 records

Edge cases are auto tackled:-

Cannot delete default NS or SOA records

← Hosted zones > example.com

example.com

Hosted zone ID

Z4C3EEE88FAA54

Type

Public hosted zone

Record count

3

Description

-

Q

Search by record name [Alt+S]

↺

Delete record (1)

↗

Import BIND

⬇

Export JSON

+

Create record

| <input type="checkbox"/>            | Record name       | Type | Routing policy | TTL (seconds) | Value/Route traffic to                                                                               |
|-------------------------------------|-------------------|------|----------------|---------------|------------------------------------------------------------------------------------------------------|
| <input type="checkbox"/>            | example.com       | NS   | Simple         | 172800        | ns-101.awsdns-12.com,<br>ns-782.awsdns-33.net,<br>ns-1342.awsdns-39.org,<br>ns-1891.awsdns-44.co.uk. |
| <input checked="" type="checkbox"/> | example.com       | SOA  | Simple         | 86400         | ns2.rogue.com. admin.rogue.com. 2026100702 3600 1800 604800 86400                                    |
| <input type="checkbox"/>            | newta.example.com | A    | Simple         | 300           | 192.5.4.2                                                                                            |

Showing 1-3 of 3 records

Option to export json:-

Route 53

Search for services, features, records [Alt+S]

example.com\_export.json

1,319 B • Done

DNS MANAGEMENT

Dashboard

Hosted zones

Health checks

Traffic policies

Resolver

← Hosted zones > example.com

example.com

Hosted zone ID: Z4C3EEE88FAA54

Type: Public hosted zone

Record count: 3

Description

Search by record name [Alt+S]

Refresh

Delete record

Import BIND

Export JSON

Create record

| Record name       | Type | Routing policy | TTL (seconds) | Value/Route traffic to                                                                      |
|-------------------|------|----------------|---------------|---------------------------------------------------------------------------------------------|
| example.com       | NS   | Simple         | 172800        | ns-101.awsdns-12.com, ns-782.awsdns-33.net, ns-1342.awsdns-39.org, ns-1891.awsdns-44.co.uk. |
| example.com       | SOA  | Simple         | 86400         | ns2.rogue.com. admin.rogue.com. 2026100702 3600 1800 604800 86400                           |
| newta.example.com | A    | Simple         | 300           | 192.5.4.2                                                                                   |

Showing 1-3 of 3 records

example.com\_export.json

C: > Users > SahelanthropusRe > Downloads > example.com\_export.json > ...

```
1  {
2    "zone": {
3      "name": "example.com",
4      "description": "",
5      "type": "Public hosted zone",
6      "vpc_id": null,
7      "vpc_region": null,
8      "id": "Z4C3EEE88FAA54",
9      "record_count": 3,
10     "created_at": "2026-10-07T05:18:57.955641"
11   },
12   "records": [
13     {
14       "name": "example.com",
15       "type": "NS",
16       "ttl": 172800,
17       "routing_policy": "Simple",
18       "values": "ns-101.awsdns-12.com.\nns-782.awsdns-33.net.\nns-1342.awsdns-39.org.\nns-1891.awsdns-44.co.uk.",
19       "id": "69bc4c8e-e37f-459e-aa34-841f82d487ac",
20       "hosted_zone_id": "Z4C3EEE88FAA54",
21       "created_at": "2026-10-07T05:18:58.155711"
22     },
23     {
24       "name": "example.com",
25       "type": "SOA",
26       "ttl": 86400,
27       "routing_policy": "Simple",
28       "values": "ns2.rogue.com. admin.rogue.com. 2026100702 3600 1800 604800 86400",
29       "id": "a1084635-e603-45f5-a6d8-02cb3f59251f",
30       "hosted_zone_id": "Z4C3EEE88FAA54",
31       "created_at": "2026-10-07T05:18:58.155721"
32     },
33     {
34       "name": "newta.example.com",
35       "type": "A",
36       "ttl": 300,
37       "routing_policy": "Simple"
```

```

12 "records": [
13   {
14     "routing_policy": "Simple",
15     "values": "ns-101.awsdns-12.com.\nns-782.awsdns-33.net.\nns-1342.awsdns-39.org.\nns-1891.awsdns-44.co.uk.",
16     "id": "69bc4c8e-e37f-459e-aa34-841f82d487ac",
17     "hosted_zone_id": "Z4C3EEE88FAA54",
18     "created_at": "2026-10-07T05:18:58.155711"
19   },
20   {
21     "name": "example.com",
22     "type": "SOA",
23     "ttl": 86400,
24     "routing_policy": "Simple",
25     "values": "ns2.rogue.com. admin.rogue.com. 2026100702 3600 1800 604800 86400",
26     "id": "a1084635-e603-45f5-a6d8-02cb3f59251f",
27     "hosted_zone_id": "Z4C3EEE88FAA54",
28     "created_at": "2026-10-07T05:18:58.155721"
29   },
30   {
31     "name": "newta.example.com",
32     "type": "A",
33     "ttl": 300,
34     "routing_policy": "Simple",
35     "values": "192.5.4.2",
36     "id": "a0c4b341-b515-4559-8f55-c624f6ccb02e",
37     "hosted_zone_id": "Z4C3EEE88FAA54",
38     "created_at": "2026-10-07T10:31:34.479868"
39   }
40 ],
41 "exported_at": "2026-10-07T10:32:56.140Z"
42 }

```

## Option to import bind:-

The image shows a file explorer window on the left with a file named 'ds' (Text Document) and a screenshot of the AWS Route 53 console on the right. The console shows a table with 3 records for the hosted zone 'example.com'. The 'Import BIND' button is highlighted.

| Record count | Description |
|--------------|-------------|
| 3            | -           |

| TTL (seconds) | Value/Route traffic to                                                                               |
|---------------|------------------------------------------------------------------------------------------------------|
| 172800        | ns-101.awsdns-12.com.<br>ns-782.awsdns-33.net.<br>ns-1342.awsdns-39.org.<br>ns-1891.awsdns-44.co.uk. |
| 86400         | ns2.rogue.com. admin.rogue.com. 2026100702 3600 1800 604800 86400                                    |
| 300           | 192.5.4.2                                                                                            |

The image shows the AWS Route 53 console interface. A notification bar at the top indicates 'Successfully imported 1 records.' The console shows the hosted zone 'example.com' with 4 records. The 'Import BIND' button is highlighted.

| Record name       | Type | Routing policy | TTL (seconds) | Value/Route traffic to                                                                               |
|-------------------|------|----------------|---------------|------------------------------------------------------------------------------------------------------|
| app.example.com   | A    | Simple         | 86400         | 10.0.0.50                                                                                            |
| example.com       | NS   | Simple         | 172800        | ns-101.awsdns-12.com.<br>ns-782.awsdns-33.net.<br>ns-1342.awsdns-39.org.<br>ns-1891.awsdns-44.co.uk. |
| example.com       | SOA  | Simple         | 86400         | ns2.rogue.com. admin.rogue.com. 2026100702 3600 1800 604800 86400                                    |
| newta.example.com | A    | Simple         | 300           | 192.5.4.2                                                                                            |

# Pagination implemented:-

Successfully imported 1 records.

← Hosted zones > example.com

example.com

Hosted zone ID

Z4C3EEE88FAA54

Type

Public hosted zone

Record count

4

Description

-

Q Search by record name [Alt+S]

↺ Delete record

↗ Import BIND

⬇ Export JSON

+ Create record

| <input type="checkbox"/> | Record name       | Type | Routing policy | TTL (seconds) | Value/Route traffic to                                                                               |
|--------------------------|-------------------|------|----------------|---------------|------------------------------------------------------------------------------------------------------|
| <input type="checkbox"/> | app.example.com   | A    | Simple         | 86400         | 10.0.0.50                                                                                            |
| <input type="checkbox"/> | example.com       | NS   | Simple         | 172800        | ns-181.awsdns-12.com,<br>ns-782.awsdns-33.net,<br>ns-1342.awsdns-39.org,<br>ns-1891.awsdns-44.co.uk. |
| <input type="checkbox"/> | example.com       | SOA  | Simple         | 86400         | ns2.rogue.com. admin.rogue.com. 2026100702 3600 1800 604800 86400                                    |
| <input type="checkbox"/> | newta.example.com | A    | Simple         | 300           | 192.5.4.2                                                                                            |

Showing 1-4 of 4 records

<

1

>

← Hosted zones > example.com

example.com

Hosted zone ID

Z4C3EEE88FAA54

Type

Public hosted zone

Record count

6

Description

-

Q Search by record name [Alt+S]

↺ Delete record

↗ Import BIND

⬇ Export JSON

+ Create record

| <input type="checkbox"/> | Record name     | Type | Routing policy | TTL (seconds) | Value/Route traffic to    |
|--------------------------|-----------------|------|----------------|---------------|---------------------------|
| <input type="checkbox"/> | zum.example.com | MX   | Simple         | 300           | 10 mailserver.example.com |

Showing 6-6 of 6 records

<

2

>

# Search works across pages:-

← Hosted zones > example.com

example.com

Hosted zone ID

Z4C3EEE88FAA54

Type

Public hosted zone

Record count

2

Description

-

Q new

↺ Delete record

↗ Import BIND

⬇ Export JSON

+ Create record

| <input type="checkbox"/> | Record name       | Type | Routing policy | TTL (seconds) | Value/Route traffic to |
|--------------------------|-------------------|------|----------------|---------------|------------------------|
| <input type="checkbox"/> | newer.example.com | A    | Simple         | 300           | 192.0.2.1              |
| <input type="checkbox"/> | newta.example.com | A    | Simple         | 300           | 192.5.4.2              |

Showing 1-2 of 2 records

<

1

>

