Here are **30 one-line problem statements** from **Codeforces-style** problems, covering advanced **Dynamic Programming techniques** related to trees, segment trees, divide & conquer DP, and other optimization tricks like Knuth, Slope Trick, Alien's Trick, etc.

☐ Dynamic Programming on Trees

- 1. Find the number of ways to select a subtree of a rooted tree such that it includes at most K leaves.
- 2. For each node in a tree, compute the sum of distances to all other nodes.
- 3. Count the number of rooted subtrees with even number of nodes.
- 4. Compute the maximum path sum where no two adjacent nodes are chosen in the tree.
- 5. Given weights on nodes, select a subset of nodes such that no two adjacent nodes are selected and maximize sum.
- 6. Calculate the size of the largest independent set in a tree.
- 7. Find the diameter of the tree with a constraint that every path node must satisfy a given value condition.
- 8. Count the number of valid colorings of a tree such that no two adjacent nodes share the same color.
- 9. For each node, find the maximum weight of a path starting from that node and moving downward.
- 10. Maximize the value of choosing a subset of nodes such that chosen nodes form a connected subtree.

☐ DP with Segment Trees / BIT

- 11. Given an array, find number of increasing subsequences of length K using BIT.
- 12. Maintain the number of increasing triplets in an array under updates.
- 13. Find the maximum sum of non-overlapping subarrays of fixed length using Segment Tree.
- 14. For each position, find the length of the longest increasing subsequence ending there using BIT.
- 15. Count the number of pairs (i, j) such that A[i] < A[j] and i < j using Fenwick Tree.
- 16. Given updates and range max queries on a DP recurrence, use Segment Tree to answer optimally.

☐ Divide and Conquer DP

- 17. Partition an array into K segments such that the total cost is minimized (cost defined as f(l, r)).
- 18. Minimize the cost to merge an array of stones where cost is defined as the sum of merged parts.
- 19. Minimize sum of squared distances by splitting array into k segments.
- 20. Find the minimal total sum of absolute differences by optimally placing K centers.

☐ Monotonic Queue Optimization in DP

- 21. Given an array, for each i, compute dp[i] = min(dp[j] + cost(j, i)) with cost(j, i) monotonic.
- 22. Maximize total score in a sliding window DP recurrence where transitions involve max/min over windows.
- 23. Find the longest subarray for each position such that sum in range is $\leq K$ using Monotonic Queue.
- 24. Solve a DP where state depends on a minimum in a sliding window of previous values.

☐ Knuth Optimization

- 25. Given a matrix of costs, compute the optimal way to parenthesize operations to minimize total cost.
- 26. Compute the minimal cost of joining segments with additive costs and Knuth property.
- 27. Minimize the total cost of merging K piles of stones using optimal partitioning.

☐ Slope Trick

- 28. Minimize the total cost where dp[i] = min(dp[j] + |A[i] A[j]| + C) using slope trick.
- 29. Find minimal cost to convert an array into non-decreasing order with operation cost proportional to distance moved.
- 30. Given a sequence, compute the minimum cost to build a convex hull where cost depends on height differences.

Let me know if you want **links to specific Codeforces problems** matching these or full solutions.

Ask ChatGPT

You said:

Heavy-Light Decomposition • Link-Cut Trees / Euler Tour Trees • Treaps / Splay Trees / Rope / Cartesian Trees • Persistent Segment Trees / BIT • Dynamic connectivity • Wavelet Trees • Li Chao Tree

ChatGPT said:

Here are 30 one-line Codeforces-style problem statements spanning Heavy-Light Decomposition, Link-Cut Trees, Advanced Balanced Trees, Persistent Data Structures,

Dynamic Connectivity, **Wavelet Trees**, and **Li Chao Trees** — all suitable for high-level competitive programming.

☐ Heavy-Light Decomposition (HLD)

- 1. Given a tree with weights on nodes, answer path sum queries and point updates.
- 2. Find the LCA of two nodes and update edge weights along a path.
- 3. On a tree, support queries to find maximum weight on path u–v and update node weights.
- 4. Count number of nodes with value $\leq K$ on path u–v in a tree.
- 5. Given a rooted tree, for multiple queries u–v, return the number of nodes in the path having a specific color.

☐ Link-Cut Trees / Euler Tour Trees

- 6. Support adding/removing edges in a forest and querying subtree sums dynamically.
- 7. Dynamically maintain the size of connected components and return max/min component sizes.
- 8. Add edge between any two nodes and check if the whole tree remains a valid forest (acyclic).
- 9. Process path queries and subtree reroot operations in an online tree using link-cut trees.
- 10. Maintain the depth of nodes in a tree under subtree reattachment operations.

☐ Treaps / Splay Trees / Rope / Cartesian Trees

- 11. Support insert, delete, reverse, and substring operations on a mutable string using Rope.
- 12. Maintain an array with operations: insert at position, delete at position, find kth element.
- 13. Given a sequence, support range reversal and range minimum queries.
- 14. Merge two ordered sets in O(log n) using Cartesian trees and answer order-statistics queries.
- 15. Maintain a dynamic sorted array and support insertions, deletions, and predecessor queries.

☐ Persistent Segment Trees / BIT

16. For each prefix of array, build a versioned segment tree and answer kth smallest in subarray [l, r].

- 17. Maintain array versions after each update and answer sum queries on any historical version.
- 18. Given a dynamic array, for each new version, support range XOR queries with persistence.
- 19. Implement rollback-able segment tree supporting undo of previous range updates.
- 20. Maintain history of prefix sums and compute historical range queries efficiently.

□ Dynamic Connectivity

- 21. Given a graph, support online edge insertions and deletions, and answer connectivity between nodes.
- 22. Support online queries to check if a path exists between nodes u and v with at most one removal.
- 23. Dynamically build a spanning forest and return the number of components after each operation.
- 24. Maintain connected components under dynamic union and split of nodes.
- 25. Handle offline edge additions/removals and answer if nodes are connected at time t.

☐ Wavelet Trees

- 26. Given an array, answer kth smallest in range [l, r] in O(log n).
- 27. Count number of occurrences of a value x in subarray [1, r].
- 28. In a dynamic array, answer number of elements $\leq K$ in range [1, r].
- 29. Compute the mode (most frequent element) in subarray [1, r] using Wavelet Tree.
- 30. Find the number of distinct values in a subarray using compressed Wavelet Trees.

Let me know if you'd like actual **Codeforces problem links**, implementation templates, or **specific topics (e.g., persistent segment tree with rollbacks)** broken down with visuals or code.

You said:

Convex Hull (Graham scan, Andrew's Monotone Chain) • Rotating Calipers • Sweep Line Algorithms • Half-plane Intersection • Segment Intersections • Circle-Circle, Circle-Line Intersections • Computational Geometry using complex numbers

ChatGPT said:

Here are 30 one-line Codeforces-style problem statements based on advanced Computational Geometry topics, including Convex Hull (Graham scan/Andrew's), Rotating Calipers, Sweep Line, Half-Plane Intersection, Segment Intersections, Circle Intersections, and Complex Number Geometry.

☐ Convex Hull (Graham Scan, Andrew's Monotone Chain)

- 1. Given N points, compute the convex hull and return its perimeter.
- 2. For a given set of points, count the number of convex hull vertices.
- 3. Given N points, return the convex hull in counter-clockwise order starting from the lowest point.
- 4. Determine if a new point lies inside the convex hull of existing points.
- 5. Compute the area of the convex hull of N given points.

☐ Rotating Calipers

- 6. Find the pair of points with the maximum distance (diameter) of the convex hull.
- 7. Given a convex polygon, compute its minimal bounding rectangle using rotating calipers.
- 8. Find the largest triangle area that can be formed using any 3 points from a convex polygon.
- 9. Compute the width of a convex polygon (minimum distance between two parallel lines enclosing it).
- 10. Find the closest pair of points on a convex polygon in O(n) using calipers.

☐ Sweep Line Algorithms

- 11. Given N segments, determine if any two of them intersect using sweep line algorithm.
- 12. Count the number of segment intersections among a set of N segments.
- 13. Given horizontal and vertical line segments, count number of intersections.
- 14. Given start and end points of buildings on a line, compute the skyline (critical points).
- 15. Maintain the number of overlapping intervals at each point on a line.

☐ Half-Plane Intersection

- 16. Compute the intersection polygon of a given set of half-planes.
- 17. Given constraints in the form of half-planes, find a point inside all of them (feasibility check).
- 18. Calculate the area of the feasible region defined by a set of half-plane inequalities.
- 19. Determine if the feasible region defined by half-planes is bounded.
- 20. Count how many points from a given set lie inside the half-plane intersection polygon.

☐ Segment Intersections

21. Determine if two given line segments intersect or touch.

- 22. Find the intersection point (if any) between two segments.
- 23. Given N line segments, return all intersection points (with multiplicity if required).
- 24. Check if a polygon (given as a list of edges) is simple (no self-intersections).
- 25. Count number of intersection points when chords are drawn between all point pairs on a circle.

☐ Circle-Circle and Circle-Line Intersections

- 26. Given two circles, determine their intersection points or report if none.
- 27. Find the common area between two overlapping circles.
- 28. Compute intersection points between a circle and a line.
- 29. Count number of tangents (internal/external) that can be drawn between two circles.
- 30. Given a set of points, find the minimal enclosing circle.

© Computational Geometry using Complex Numbers

- 31. Calculate the angle between two vectors using complex numbers.
- 32. Rotate a point around another point by angle θ using complex multiplication.
- 33. Compute area of polygon using the complex cross product method.
- 34. Given three points, compute the oriented angle using complex numbers.
- 35. Implement geometric transformations (rotation, reflection, translation) using complex arithmetic.

Let me know if you want actual **Codeforces / CSES / AtCoder** problem links for any of the above, or **Python/C++ templates** for convex hulls, rotating calipers, or complex-based geometry operations.

You said:

Graph Algorithms • 2-SAT and Strongly Connected Components • Centroid Decomposition • Dynamic Graph Algorithms • Link/Cut Trees for dynamic graphs • Kirchhoff's Theorem (Count spanning trees) • Eulerian Path/Circuit with Hierholzer's Algorithm • Minimum Cost Max Flow • Cycle detection and contraction • Directed Minimum Spanning Trees (Chu-Liu/Edmonds)

ChatGPT said:

Here are 30 one-line Codeforces-style problem statements based on advanced Graph Algorithms, including 2-SAT & SCCs, Centroid Decomposition, Dynamic Graphs, Link/Cut Trees, Kirchhoff's Theorem, Eulerian Paths, MCMF, Cycle Detection/Contraction, and Directed MSTs (Chu-Liu/Edmonds).

☐ 2-SAT and Strongly Connected Components (SCCs)

- 1. Given a 2-CNF formula with N variables, determine if it is satisfiable.
- 2. Given N switches and M constraints of the form (A or B), find a valid configuration.
- 3. Count number of SCCs in a directed graph and their sizes.
- 4. Compress a directed graph into its DAG of SCCs.
- 5. Determine if it is possible to assign truth values to variables such that all XOR constraints are satisfied.

☐ Centroid Decomposition

- 6. Given a tree, count the number of pairs of nodes with distance exactly K using centroid decomposition.
- 7. Compute the number of node pairs whose path sum is divisible by D in a tree.
- 8. Answer path-based queries in a tree under constraints using centroid decomposition for faster divide-and-conquer.
- 9. Count number of pairs of nodes whose path contains exactly M red edges (binary edge coloring).
- 10. On a tree, compute the total contribution of all paths satisfying a custom condition involving path XOR.

☐ Dynamic Graph Algorithms

- 11. Support dynamic edge insertions and deletions and answer "are u and v connected?" queries.
- 12. Maintain number of connected components after each edge update.
- 13. Given a dynamic graph, maintain the number of bridges over time.
- 14. Support dynamic queries for bipartiteness of the current graph.
- 15. Determine for each edge deletion whether it disconnects the graph or not.

☐ Link/Cut Trees (Dynamic Trees)

- 16. Given a dynamic tree, support path sum queries and subtree rerooting.
- 17. Implement a dynamic forest with link, cut, and LCA queries.
- 18. Maintain the maximum edge weight on the path between any two nodes under link/cut operations.
- 19. Dynamically track the diameter of a forest under edge insertions/deletions.
- 20. Perform reroot and update edge/node weights with queries on tree paths in logarithmic time.

☐ Kirchhoff's Theorem (Counting Spanning Trees)

- 21. Count number of spanning trees in a given undirected graph using Matrix-Tree Theorem.
- 22. Given a weighted undirected graph, compute the total weight of all spanning trees.
- 23. For each edge, determine if removing it affects the total number of spanning trees.
- 24. Compute the number of labeled trees on N nodes with given constraints.
- 25. Calculate number of spanning trees in a graph modulo prime using Kirchhoff's theorem.

☐ Eulerian Path / Circuit (Hierholzer's Algorithm)

- 26. Given a directed graph, determine if an Eulerian path exists and construct it.
- 27. Find an Eulerian circuit in an undirected multigraph and output the path.
- 28. Reconstruct a word from overlapping pairs using Eulerian path in de Bruijn graph.
- 29. Given an edge list, determine if the graph has a trail that uses every edge exactly once.
- 30. Count number of Eulerian circuits possible in a multigraph.

☐ Minimum Cost Max Flow (MCMF)

- 31. Given a flow network with costs, compute the minimum cost of sending K units of flow.
- 32. Find the optimal assignment of workers to jobs minimizing total cost (flow $+ \cos t$).
- 33. Given a graph, compute the minimum cost of K disjoint paths from source to sink.
- 34. Build a schedule to maximize throughput while minimizing resource cost using MCMF.
- 35. Model a transportation network and find the cheapest way to transport fixed goods.

☐ Cycle Detection and Contraction

- 36. Detect all simple cycles in a directed graph.
- 37. Contract all strongly connected components into single nodes and return resulting DAG.
- 38. In a graph, find the minimal set of nodes to remove to make it acyclic.
- 39. Detect and remove negative-weight cycles from a graph.
- 40. Compute the minimal cost of contracting a graph with cycle components into a tree.

☐ Directed Minimum Spanning Tree (Chu-Liu/Edmonds Algorithm)

- 41. Given a directed graph with root r, find the minimum spanning arborescence rooted at r.
- 42. Find the minimal cost of connecting all nodes from a fixed root with directed edges.

- 43. In a directed multigraph, select edges to form a minimum-cost rooted tree with reachability.
- 44. Compute the minimum-cost strongly connected subgraph using Edmonds' algorithm.
- 45. Optimize a one-way road network by selecting edges to minimize maintenance cost while maintaining reachability.

Let me know if you'd like **Codeforces links**, editorial breakdowns, or C++/Python templates for algorithms like **Chu-Liu/Edmonds**, **Kirchhoff's Matrix**, **2-SAT**, or **Hierholzer's algorithm**.

You said:

Number Theory & Math • Nimber / Sprague-Grundy Theory (Game Theory) • Continued Fractions • Berlekamp—Massey Algorithm • Gaussian Elimination in modular arithmetic • FFT and NTT (Fast Fourier Transform / Number Theoretic Transform) • Burnside's Lemma / Polya Enumeration • Chinese Remainder Theorem (advanced use cases) • Discrete Logarithm • Modular Inverse via Extended Euclid/Fermat • Mobius Function, Inclusion-Exclusion

ChatGPT said:

Here are 30 one-line Codeforces-style problem statements based on advanced Number Theory and Math, including Game Theory (Nimbers, Sprague-Grundy), Continued Fractions, Berlekamp–Massey, Gaussian Elimination, FFT/NTT, Burnside's Lemma, CRT, Discrete Log, Modular Inverse, and Mobius/Inclusion-Exclusion.

□ Nimber / Sprague-Grundy Theory (Game Theory)

- 1. Given N piles with various rules per pile, compute if the first player has a winning strategy.
- 2. For a DAG game, compute Grundy numbers for each node and determine the winner.
- 3. Given a game with custom move rules, find the Grundy number for initial state.
- 4. Two players alternate deleting nodes from a tree who wins?
- 5. Determine the winner in a composite game made of multiple Nim-like subgames.

☐ Continued Fractions

- 6. Find the best rational approximation to a real number with denominator $\leq K$.
- 7. Given a rational number, convert it into a simple continued fraction representation.
- 8. Using continued fractions, find the closest convergent under a custom constraint.
- 9. Compute floor of a/b and represent its expansion as continued fraction.
- 10. Solve Pell's Equation using continued fraction expansion of \sqrt{N} .

☐ Berlekamp—Massey Algorithm

- 11. Given a linear recurrence of length N, predict the M-th term in the sequence modulo P.
- 12. Find the minimal linear recurrence that generates a given sequence.
- 13. Given partial sequence outputs of a hidden generator, reconstruct the recurrence relation.
- 14. Use Berlekamp-Massey to compute the nth Fibonacci number mod p efficiently.
- 15. Detect the period of a linear feedback shift register (LFSR)-like sequence.

☐ Gaussian Elimination (Modular)

- 16. Solve a system of N modular linear equations modulo a prime P.
- 17. Count number of solutions to Ax = b over GF(p).
- 18. Find the inverse of a matrix modulo a prime using Gauss-Jordan elimination.
- 19. Given a matrix, determine rank modulo a prime.
- 20. Solve for vector x in Ax = b where A is over integers mod M (non-prime, use CRT where needed).

☐ FFT and NTT (Polynomial Multiplication)

- 21. Multiply two large polynomials modulo 998244353 using NTT.
- 22. Given binary strings, count number of (i, j) such that convolution gives target pattern.
- 23. Find number of pairs of integers whose sum is k using polynomial multiplication.
- 24. Use FFT to compute the number of ways to sum k using elements from a multiset.
- 25. Raise a polynomial to a large power modulo a prime using NTT.

☐ Burnside's Lemma / Polya Enumeration

- 26. Count number of distinct necklaces of length N using K colors up to rotation.
- 27. Given N beads and K colors, count how many distinct bracelets can be formed (rotation + reflection).
- 28. Count colorings of a graph under symmetries using Burnside's Lemma.
- 29. Count the number of non-isomorphic colorings of a regular polygon using Polya Enumeration.
- 30. Compute the number of unique cube colorings with K colors.

☐ Chinese Remainder Theorem (Advanced Use Cases)

- 31. Solve a system of congruences where moduli may not be coprime.
- 32. Find smallest x such that $x \equiv ai \mod mi$ for multiple i (with non-coprime mi).

- 33. Compute nth term of a sequence mod M by solving terms modulo co-prime moduli and recombining.
- 34. Use CRT to merge modular results from multiple FFTs into one result mod arbitrary large M.
- 35. Combine solutions of different modular equations where moduli share factors.

□ Discrete Logarithm

- 36. Solve for x in $a^x \equiv b \pmod{m}$ using Baby-Step Giant-Step.
- 37. Find the smallest k such that $a^k \equiv b \mod m$ for non-prime modulus.
- 38. Given $x = a^y \mod p$, compute y using discrete log techniques (modulo safe primes).
- 39. Use Pohlig-Hellman algorithm to solve discrete log mod prime power.
- 40. Compute primitive root of a prime and solve x such that $g^x = y \mod p$.

☐ Modular Inverse (Extended Euclid / Fermat)

- 41. Compute modular inverse of A modulo M, where M is not necessarily prime.
- 42. Given array A[1..N], compute product of inverses modulo prime P.
- 43. Use modular inverse to solve linear congruence equations.
- 44. Compute C(n, r) mod p using Fermat's Little Theorem and inverse factorials.
- 45. For non-prime M, compute inverse of A mod M using Extended Euclidean algorithm.

☐ Mobius Function, Inclusion-Exclusion

- 46. Count integers \leq N that are coprime to K using Möbius function.
- 47. Find number of integers \leq N that are divisible by any of given set of primes using Inclusion-Exclusion.
- 48. Compute the sum of $\varphi(n)$ for $1 \le n \le N$ using Möbius inversion.
- 49. Count pairs (a, b) such that gcd(a, b) = 1 for $1 \le a, b \le N$.
- 50. Given a multiplicative function f(n), compute $\sum f(d)$ over all divisors d of n using Möbius transform.

Let me know if you'd like:

- Implementation templates (e.g., Berlekamp–Massey, Discrete Log)
- Codeforces/AtCoder problems matching these
- A practice sheet with difficulty tags (Div1/2) for these topics.

You said:

Strings and Suffix Structures • Suffix Automaton (SAM) • Suffix Tree • Z Algorithm, KMP • Aho-Corasick Automaton • Manacher's Algorithm • Palindromic Tree / Eertree • Duval's Algorithm (Lyndon factorization)

ChatGPT said:

Here are 30 one-line Codeforces-style problem statements based on advanced String Algorithms & Suffix Structures, including Suffix Automaton (SAM), Suffix Tree, Zalgorithm, KMP, Aho-Corasick, Manacher's Algorithm, Palindromic Tree (Eertree), and Duval's Algorithm (Lyndon Factorization).

☐ Suffix Automaton (SAM)

- 1. Given string S, find the number of distinct substrings using SAM.
- 2. Count how many times each substring of S appears as a substring using SAM + DP.
- 3. Find the longest common substring of S and T using SAM built on one and walked on the other.
- 4. Count the number of different substrings of length K in string S using SAM.
- 5. Given a set of forbidden substrings, compute the longest substring of S that avoids all of them using SAM traversal.

☐ Suffix Tree

- 6. Build a suffix tree for S and find the number of distinct substrings.
- 7. Find the number of times a pattern P appears in string S using its suffix tree.
- 8. Compute the longest repeated substring in S using suffix tree LCA traversal.
- 9. Given string S, find the minimal lexicographic rotation using suffix tree suffix links.
- 10. Count how many times each prefix of S appears as a substring.

☐ **Z-Algorithm**, **KMP**

- 11. For each prefix of S, compute the length of the longest substring starting at that position that is also a prefix.
- 12. Count the number of occurrences of pattern P in text T using Z-algorithm.
- 13. Given string S, find the minimal period of S using KMP prefix function.
- 14. Preprocess S using KMP and answer multiple pattern match queries in O(m + n).
- 15. Use KMP to count number of times a string occurs as a suffix and a prefix simultaneously.

☐ Aho-Corasick Automaton (Multi-pattern Matching)

16. Given a text T and set of patterns {P1, ..., Pk}, report all patterns that occur in T.

- 17. Count how many times each pattern from the set occurs in text T using Aho-Corasick.
- 18. Given a virus signature database, detect all occurrences in a network log.
- 19. Compute the number of unique patterns matched as substrings of T using Aho-Corasick.
- 20. Build a trie of patterns and use failure links to compute match frequency in T.

☐ Manacher's Algorithm

- 21. Given string S, find the longest palindromic substring.
- 22. Count the total number of palindromic substrings in S in linear time.
- 23. Find the length of the longest even-length palindrome in a string.
- 24. For every position i, find the length of the longest palindrome centered at i.
- 25. Determine if a string can be split into k palindromes in O(n).

\square Palindromic Tree / Eertree

- 26. Count all distinct palindromic substrings of a string using Eertree.
- 27. Build a palindromic tree for S and find the most frequent palindromic substring.
- 28. For each prefix of S, count how many distinct palindromes it contains.
- 29. Find the longest palindromic suffix of each prefix of a string.
- 30. Compute the minimal number of palindromic substrings that partition S.

☐ Duval's Algorithm (Lyndon Factorization)

- 31. Find the Lyndon factorization of string S and output all factors in order.
- 32. Given string S, find its minimal lexicographic rotation using Duval's algorithm.
- 33. Count the number of different Lyndon words in the prefix of S.
- 34. For every suffix of S, determine whether it's a Lyndon word.
- 35. Decompose a repeated string into its Lyndon factors and analyze periodicity.

Let me know if you'd like:

- ***** Codeforces/AtCoder problem links
- © Implementation templates (e.g., SAM in C++/Python, Eertree)
- ☐ Topic-wise difficulty ladder or practice sheet
- Explanations and visuals for any of the algorithms listed above.

You said:

Combinatorics & Probability • Advanced Inclusion-Exclusion • Stirling Numbers / Bell Numbers • Expected Value Computation under Constraints • Multinomial Coefficients • DP + Combinatorics Hybrid Problems

ChatGPT said:

Here are 30 one-line Codeforces-style problem statements based on Combinatorics & Probability, including Advanced Inclusion-Exclusion, Stirling/Bell Numbers, Expected Value under Constraints, Multinomial Coefficients, and DP + Combinatorics Hybrid Problems.

☐ Advanced Inclusion-Exclusion

- 1. Count integers from 1 to N divisible by any of a given set of primes.
- 2. Count the number of surjective functions from a set of size N to K elements.
- 3. Find the number of permutations with at least one fixed point using inclusion-exclusion.
- 4. Given M forbidden substrings, count the number of strings of length N that avoid them.
- 5. Count the number of integer arrays of size N with elements in [1, K] having no two equal elements.

☐ Stirling Numbers / Bell Numbers

- 6. Compute the number of ways to partition a set of N elements into exactly K nonempty subsets (Stirling II).
- 7. Find the total number of partitions of a set with N elements (Bell Number).
- 8. Count the number of surjective mappings from a set of size N to a set of size K (Stirling + factorial).
- 9. For a given N, compute the number of ways to divide it into unordered subsets.
- 10. Compute the sum of Stirling numbers of the second kind for all k = 1 to N.

☐ Expected Value Computation under Constraints

- 11. A coin with P probability of heads is tossed until first head find expected number of tosses.
- 12. Find the expected number of distinct values in an array of length N filled with integers from 1 to K.
- 13. Roll a die until the sum exceeds T compute expected number of rolls.
- 14. From a deck of N distinct cards, compute expected number of draws to get first repeated card.
- 15. Compute the expected length of the longest increasing subsequence in a random permutation of N elements.

☐ Multinomial Coefficients

- 16. Count number of ways to distribute N identical balls into K distinct boxes with constraints on each box.
- 17. Find the number of ways to rearrange a multiset of characters in a string (e.g., "aabbcc").
- 18. Compute the number of ways to reach (x, y, z) from origin using steps in 3D grid.
- 19. Count the number of words of length N made from K different letters, each used a specified number of times.
- 20. Compute multinomial coefficient for given frequencies of elements and return it modulo prime.

□ DP + Combinatorics Hybrid Problems

- 21. Count the number of ways to color a grid of size N×M with K colors such that no two adjacent cells share the same color.
- 22. Compute the number of valid bracket sequences of length 2N using DP + Catalan Numbers.
- 23. Given a target sum and a set of coins, count the number of combinations to reach that sum (unbounded).
- 24. Count the number of integer arrays of length N whose sum is exactly K and each element is \leq X using DP.
- 25. Find the number of partitions of N into at most K parts using combinatorics and DP.
- 26. Count ways to fill an array such that sum is even and no two adjacent elements are equal.
- 27. Count number of paths from (0, 0) to (n, m) avoiding obstacles using DP and combinatorics.
- 28. Compute number of binary strings of length N with no two consecutive ones.
- 29. For a grid, count the number of paths such that the number of turns is $\leq T$.
- 30. Given constraints on frequency of characters, compute number of valid strings of length N using DP.

Let me know if you'd like:

- □ Full explanations or derivations for Stirling/Bell/Multinomial formulas
- Specific problem links from Codeforces, AtCoder, or CSES
- Templates or modular arithmetic utilities (e.g., factorials mod prime)
- A curated practice sheet with levels and tags (Div1/2, topic-focused)