Here are **30 one-line problem statements** ideal for practicing **Binary Search on Answer** (also called **parametric search**) — all structured for **Codeforces-style** training:

∀ Maximize X that satisfies a condition:

- 1. Max length of a rope to cut into at least K pieces.
- 2. Max distance between cows placed in stalls.
- 3. Max side of square that fits inside a grid with at most K cuts.
- 4. Max height of building such that total construction cost \leq budget.
- 5. Max number of candies each child can get, given total candies and N children.
- 6. Max weight that can be lifted with a given number of moves.
- 7. Max height of water in a tank that doesn't overflow after T seconds.
- 8. Max speed at which a vehicle can go without missing any traffic signal.
- 9. Max possible time interval between two train arrivals with safety constraints.
- 10. Max power level of all machines without exceeding the total power limit.

⊘ Minimize X that satisfies a condition:

- 11. Min time to paint all boards using K painters.
- 12. Min max load per worker to finish N tasks.
- 13. Min length of subarray with sum $\geq K$.
- 14. Min number of jumps to reach end if max jump length is limited.
- 15. Min number of pages each student must read in book allocation.
- 16. Min largest distance after placing M routers in N houses.
- 17. Min radius of lamps to light the whole street.
- 18. Min maximum elevation change to build a road.
- 19. Min maximum packet size to send data within D days.
- 20. Min max latency to connect all computers in a network.

♥ Variation: Search over real numbers (double binary search)

- 21. Max volume of water that can flow per second through pipes.
- 22. Min possible temperature to cool all rooms within T minutes.
- 23. Max probability of passing all exams under given strategy.
- 24. Min fuel needed to reach destination with refuel constraints.
- 25. Max average score after choosing K exams from N.
- 26. Min average delivery time over N packages.
- 27. Max height water can rise without breaching any barrier.
- 28. Min rope thickness to safely support swinging object.
- 29. Max area of rectangle inside matrix with height constraints.
- 30. Min cost per unit area for land purchase with area $\geq A$.

Would you like me to add links to similar real Codeforces problems for practice for each of these?

You said:

Greedy + Invariants Prove choices are optimal using logic, not trial-error.

ChatGPT said:

Here are **30 one-line problem statements** designed for **Greedy + Invariants**—where you **prove the greedy choice is optimal using logical justification, not brute-force**. These are perfect for Codeforces-style practice:

♥ Classic Greedy with Invariant Logic

- 1. Select max number of non-overlapping intervals.
- 2. Give minimum number of coins to make value V (with specific denominations).
- 3. Assign jobs to workers to minimize total completion time.
- 4. Choose max number of activities one can attend with no time overlap.
- 5. Distribute candies so that difference between richest and poorest is minimized.
- 6. Place guards in minimum positions to cover a hallway with blind spots.
- 7. Remove characters from a string to make it lexicographically smallest.
- 8. Schedule lectures to minimize number of lecture halls used.
- 9. Build the longest tower using boxes of decreasing weight and increasing strength.
- 10. Form largest number by removing K digits from a string of digits.

Sorting + **Greedy Decisions**

- 11. Maximize number of people who can cross a bridge before it collapses.
- 12. Maximize sum of absolute differences between adjacent array elements (after rearranging).
- 13. Rearrange soldiers to avoid collisions with minimal moves.
- 14. Split array into k parts such that the max of mins is maximized.
- 15. Choose k projects with minimum total deadline penalty.
- 16. Cover all intervals using minimum number of points.
- 17. Select meetings to attend to earn maximum total value.
- 18. Pick tasks with deadlines to maximize total value earned.
- 19. Find minimum number of arrows to burst all balloons represented as intervals.
- 20. Choose maximum number of tasks from two lists with time constraint.

✓ Invariants with Greedy Logic (non-obvious proofs)

- 21. Perform operations on array to make all elements equal with min moves.
- 22. Add least number of edges to make graph connected using greedy merging.

- 23. Minimize total wait time in a queue by sorting task durations.
- 24. Transform one string to another with adjacent swaps (min swaps needed).
- 25. Choose friends to invite based on trust levels and invitations given.
- 26. Buy tickets over days to minimize total cost with expiry logic.
- 27. Keep reducing array sum with operations until target is reached.
- 28. Choose subset of elements such that their sum is divisible by K.
- 29. Distribute N gifts to maximize happiness, where happiness = min(friendliness, gifts).
- 30. Minimize number of platforms needed at railway station for train timings.

Would you like **real Codeforces problem links** for these types of Greedy + Invariants questions next?

You said:

Two Pointers / Sliding Window Used with arrays and strings under constraints.

ChatGPT said:

Here are 30 one-line problem statements ideal for practicing Two Pointers and Sliding Window techniques — especially in arrays and strings under constraints, perfect for Codeforces-style problems:

♥ Two Pointers — Fixed/Variable Window Size

- 1. Find if any two elements in sorted array sum to X.
- 2. Count number of subarrays with sum less than K.
- 3. Find longest subarray with at most K distinct elements.
- 4. Find smallest window in a string containing all characters of another string.
- 5. Count pairs with absolute difference less than K.
- 6. Find longest substring with equal number of 0s and 1s.
- 7. Find max length of subarray with sum $\leq K$.
- 8. Given sorted array, find all unique triplets that sum to 0.
- 9. Count subarrays with exactly K odd numbers.
- 10. Find first window of size K with max sum.

♥ Sliding Window — Dynamic Window Expansion/Shrinking

- 11. Longest substring with all unique characters.
- 12. Longest substring with at most K repeating characters.
- 13. Minimum size subarray with sum \geq S.
- 14. Max sum of all contiguous subarrays of size K.
- 15. Count all substrings where vowels > consonants.
- 16. Check if permutation of string B exists in string A.

- 17. Find max number of fruits collected from trees (2 types allowed).
- 18. Count subarrays where product is less than K.
- 19. Longest substring where character frequency does not exceed K.
- 20. Minimum swaps to group all 1s together.

∀ Variations on Movement with Constraints

- 21. Find number of ways to split array into 3 parts with equal sum.
- 22. Count pairs in sorted array with sum in range [L, R].
- 23. Longest segment where total cost of converting A to $B \le maxCost$.
- 24. Maximize number of students who can get scholarship based on sliding window of marks.
- 25. Count substrings with at most K distinct characters.
- 26. Find max length of balanced string with equal 0s and 1s.
- 27. Count binary substrings with equal consecutive 0s and 1s.
- 28. Maximize number of ones after flipping one subarray.
- 29. Longest continuous increasing subsequence using window.
- 30. Check if there is a subarray of length at least K with average \geq target.

Would you like me to categorize these by difficulty or link them to actual Codeforces problems for hands-on practice?

You said:

Prefix Sums + Hashing Subarray/substring matching, frequency checking

ChatGPT said:

Here are **30 one-line problem statements** ideal for mastering **Prefix Sums + Hashing** — perfect for **subarray/substring matching, frequency counting, and value lookups** under Codeforces-style constraints:

✓ Prefix Sum + Hashing — Subarrays and Substrings

- 1. Count number of subarrays with sum equal to K.
- 2. Find length of longest subarray with sum 0.
- 3. Count number of subarrays with equal number of 0s and 1s.
- 4. Check if a string contains an anagram of another string.
- 5. Find longest substring where frequency of all characters is even.
- 6. Find count of subarrays where sum is divisible by K.
- 7. Check if subarrays with same sum exist using prefix sums.
- 8. Find length of longest prefix which is also suffix but not equal to string.
- 9. Count palindromic substrings using prefix hashes.
- 10. Check if two substrings are equal using rolling hash.

♥ Subarray Property Checking with Hash Maps

- 11. Check if any subarray sums to zero.
- 12. Count subarrays where sum of elements is a multiple of M.
- 13. Longest substring with same character counts in two strings.
- 14. Number of subarrays with at most K distinct integers.
- 15. Count subarrays where XOR is equal to K.
- 16. Find all substrings with matching hash values.
- 17. Count subarrays where number of even and odd numbers is same.
- 18. Find number of substrings where frequency of each character is $\leq K$.
- 19. Minimum number of changes to make substring an anagram.
- 20. Find number of index pairs where prefix sum difference is constant.

♥ String Hashing + Frequency Hashing

- 21. Detect duplicate substrings of length L using rolling hash.
- 22. Find longest repeating substring using binary search + hash.
- 23. Check if string is rotation of another using hash matching.
- 24. Find longest substring with equal character frequencies.
- 25. Number of substrings with exactly K distinct characters.
- 26. Count pairs of substrings which are anagrams.
- 27. Find all palindromic substrings of a given string.
- 28. Count substrings where character count is a multiple of 3.
- 29. Check if two strings are equivalent after K rotations.
- 30. Find total frequency of substrings of length L using hash table.

Would you like a **topic-wise breakdown with Codeforces problem links** for hands-on practice next?

You said:

Bitmasking Subset sums, XOR conditions, on/off states

ChatGPT said:

Here are **30 one-line problem statements** ideal for **Bitmasking** practice — focused on **subset sums, XOR conditions, on/off states**, etc., in the style of Codeforces problems:

♥ Subset Generation & Sum/XOR Conditions

- 1. Count number of subsets whose sum is exactly K.
- 2. Find subset with maximum XOR value in array.

- 3. Check if any subset XOR equals a given number.
- 4. Count number of subsets with even XOR.
- 5. Count number of subsets with sum divisible by M.
- 6. Generate all subsets of an array using bitmask.
- 7. Find smallest subset of elements whose XOR is non-zero.
- 8. Check if subset exists with XOR equal to target T.
- 9. Find maximum subset XOR using trie or DP + bitmask.
- 10. Subset of strings where no two share a common letter (mask conflict).

On/Off States and Combinatorics

- 11. Turn bulbs on/off to achieve target configuration with minimal switches.
- 12. Simulate N devices where each has K toggles using bitmask state.
- 13. Count valid ways to switch lights where no two adjacent are on.
- 14. Minimum number of steps to go from initial bitmask to target bitmask.
- 15. Switch toggle problem: given operations, reach all-on state.
- 16. Count number of bitmask states reachable under given operations.
- 17. Minimum toggles to turn off all lights in a grid.
- 18. Simulate N people wearing different items (bitmask wardrobe combinations).
- 19. Represent permissions (read/write/execute) using 3-bit mask per user.
- 20. Detect overlapping permissions using AND of bitmasks.

⊘ Dynamic Programming + Bitmask

- 21. DP over subsets to minimize cost of assigning tasks to workers.
- 22. Solve traveling salesman problem using bitmask DP.
- 23. Count Hamiltonian paths in graph using bitmask DP.
- 24. Partition elements into two groups with minimum XOR difference.
- 25. Assign N items to K persons using bitmask subset coverage.
- 26. Maximize team performance using skills as bitmasks.
- 27. Minimize number of groups such that no pair shares common bit.
- 28. Bitmask DP to count ways to tile a board.
- 29. Choose maximal set of non-conflicting items using bitmasks.
- 30. Find minimum number of steps to cover all required features using given tools (set cover via bitmask).

Would you like to pair these with **real Codeforces/AtCoder problems** or get C++/**Java starter templates** for solving these types?

You said:

Basic DP (1D/2D, with states) LIS, LCS, knapsack, segment sums with conditions

ChatGPT said:

Here are 30 one-line problem statements ideal for practicing Basic Dynamic Programming (DP) — focusing on 1D/2D DP, classical problems like LIS, LCS, Knapsack, and segment sums with conditions. These are tailored for Codeforces-style constraints:

♦ 1D/2D DP — Longest Increasing Subsequence (LIS) and Variants

- 1. Find length of the Longest Increasing Subsequence in array.
- 2. Count number of Longest Increasing Subsequences.
- 3. Find LIS after removing at most one element.
- 4. Find minimum number of deletions to make array strictly increasing.
- 5. Find Longest Bitonic Subsequence.
- 6. Find length of Longest Decreasing Subsequence.
- 7. Partition array into minimal number of LIS subsequences.
- 8. Find the Longest Common Increasing Subsequence of two arrays.
- 9. Find minimum moves to make array non-decreasing using LIS logic.
- 10. Find maximum sum of increasing subsequence.

- 11. Find length of the Longest Common Subsequence between two strings.
- 12. Find minimum number of insertions and deletions to convert A to B.
- 13. Find minimum edit distance between two strings.
- 14. Find length of longest palindromic subsequence.
- 15. Count number of distinct subsequences of A equal to B.
- 16. Check if one string is a subsequence of another using DP.
- 17. Compute shortest common supersequence of two strings.
- 18. Find number of ways to convert string A to B using insert/delete/replace.
- 19. Longest alternating subsequence using DP.
- 20. Find longest repeating subsequence in a string.

⊘ 1D/2D DP — Knapsack and Subset Sums

- 21. 0/1 Knapsack: Max value with weight $\leq W$.
- 22. Subset sum: Check if sum S is possible using array elements.
- 23. Count number of subsets that sum to target S.
- 24. Min number of coins needed to make amount X.
- 25. Unbounded Knapsack: Repeat items to maximize value under weight W.
- 26. Partition array into 2 subsets with equal sum.
- 27. Min subset difference of two subsets.
- 28. Find number of ways to assign + and signs to reach target sum.
- 29. Bounded Knapsack with limited quantity of each item.

30. Count number of combinations to reach sum K using array elements (coin change).

Would you like links to **actual Codeforces problems** for each of these, or would you like the **standard DP table setup/states** for these classic problems?

You said:

Graphs (DFS, BFS, Toposort) Grids, dependencies, components, simple trees.

ChatGPT said:

Here are 30 one-line problem statements ideal for mastering Graph Algorithms like DFS, BFS, Topological Sort — including use cases in grids, components, and trees. These are framed for Codeforces-style contests:

♥ DFS / BFS — Basic Graph Traversal

- 1. Count number of connected components in an undirected graph.
- 2. Find if a cycle exists in an undirected graph using DFS.
- 3. Find shortest path from node A to B in unweighted graph using BFS.
- 4. Check if a graph is bipartite using BFS/DFS coloring.
- 5. Count number of islands in a 2D grid (connected 1s).
- 6. Find largest island (connected area of 1s) in grid.
- 7. Flood fill a region in grid with a new color.
- 8. Check if there's a path from top-left to bottom-right in a binary matrix.
- 9. Perform DFS on tree to calculate subtree sizes.
- 10. Find farthest node from a given source in tree using BFS.

♥ Topological Sort — Dependencies / DAGs

- 11. Determine valid order of courses given prerequisite relations.
- 12. Check if there's a cycle in a directed graph (DAG check).
- 13. Find lexicographically smallest topological sort.
- 14. Topologically sort tasks with dependency constraints.
- 15. Count number of valid topological orderings.
- 16. Calculate earliest start times for tasks with dependencies.
- 17. Find number of ways to finish all tasks given a dependency graph.
- 18. Check if two topological sorts are possible.
- 19. Minimum time to complete all jobs with parallel processing.
- 20. Detect cycle in directed graph using DFS and recursion stack.

♥ Connected Components, Grids, Simple Trees

- 21. Label and count connected components in a 2D matrix.
- 22. Check if a graph is a tree (connected + N-1 edges).
- 23. Find diameter (longest path) of a tree using two BFS.
- 24. Find lowest common ancestor (LCA) of two nodes in tree.
- 25. Determine articulation points (cut vertices) in undirected graph.
- 26. Find bridges (cut edges) in a graph.
- 27. Perform DFS traversal to flatten tree (Euler tour).
- 28. Sum of distances from each node to all others in a tree.
- 29. Construct adjacency list from edge list and run DFS.
- 30. Implement graph traversal to detect disconnected subgraphs.

Would you like C++/Java templates for DFS/BFS/TopoSort or want Codeforces/AtCoder problems matched to each type for practice?

You said:

Combinatorics + Math Binomial coefficient, mod inverse, number construction

ChatGPT said:

Here are **30 one-line problem statements** ideal for practicing **Combinatorics + Math** in a competitive programming setting (e.g., Codeforces). These cover **binomial coefficients**, **modular arithmetic (modular inverse)**, and number construction under constraints:

⊘ Binomial Coefficients (nCr, nPr) + Counting

- 1. Find C(n, r) % mod for large n and r.
- 2. Count number of ways to choose K elements from N distinct elements.
- 3. Count number of binary strings of length N with exactly K ones.
- 4. Count ways to divide N candies among K kids (non-negative).
- 5. Count number of lattice paths from (0,0) to (n,m).
- 6. Count number of unique BSTs that can be formed with N nodes.
- 7. Compute n! / (k1! * k2! * ... * kn!) % mod (multinomial coefficient).
- 8. Number of ways to arrange N people in a circle.
- 9. Count number of derangements (no element in original position).
- 10. Count non-negative integer solutions to x1 + x2 + ... + xk = N.

⊘ Modular Arithmetic + Modular Inverse

- 11. Compute modular inverse of a number modulo prime.
- 12. Solve (a / b) % mod using modular inverse.
- 13. Compute C(n, r) % mod where mod is not prime (Lucas Theorem).

- 14. Find number of sequences with sum S and elements $\leq X$, modulo M.
- 15. Find modular exponentiation of a^b % mod for large a and b.
- 16. Find total number of divisors of N! modulo mod.
- 17. Sum of first N factorials modulo mod.
- 18. Evaluate sum $(1^k + 2^k + ... + n^k)$ % mod.
- 19. Count total permutations of string with duplicate characters modulo mod.
- 20. Compute modular division in combinatorics: C(n, k) / C(m, r) % mod.

⊘ Number Construction + Permutations

- 21. Count number of N-digit numbers divisible by K.
- 22. Count N-digit numbers that have sum of digits equal to S.
- 23. Form the largest/smallest number using given digits and constraints.
- 24. Find number of palindromic numbers of N digits.
- 25. Construct lexicographically smallest string from character frequencies.
- 26. How many numbers < X can be formed using only digits {A, B, C}.
- 27. Count number of ways to rearrange digits to form number divisible by M.
- 28. Count permutations of string such that no two vowels are adjacent.
- 29. Number of ways to assign + and signs to reach target sum (subset sign DP).
- 30. Count ways to construct numbers with given digit sum divisible by K.

Would you like a breakdown of **formulas (like Fermat's Little Theorem, Lucas, Modular Inverse)** or links to **Codeforces/AtCoder problems** for these types next?