Here are **30 one-line problem statements** covering advanced **Dynamic Programming** topics:

lacktriangle Bitmask DP (n \leq 20)

- 1. Count Hamiltonian paths in a DAG.
- 2. Solve the Travelling Salesman Problem (TSP) with minimum cost.
- 3. Assign n jobs to n people minimizing total cost.
- 4. Partition numbers into k groups with constraints.
- 5. Count the number of valid subset selections under XOR condition.

◆ Divide & Conquer DP (Monotonicity of opt[i])

- 6. Partition an array into k segments minimizing segment cost.
- 7. Minimize total cost of merging subarrays under specific cost function.
- 8. Optimize k-interval selection problem with convex cost function.
- 9. Compute min edit distance with grouped edits.
- 10. Maximize points from non-overlapping segments using D&C DP.

♦ Convex Hull Trick / Line Container (Convex/Concave DP)

- 11. Minimize total cost when dp[i] = min(dp[j] + a[i]*b[j]).
- 12. Solve slope-based DP for linear recurrence optimization.
- 13. Optimize quadratic recurrence $dp[i] = min(dp[j] + (i j)^2 + C)$.
- 14. Determine optimal factory placement to minimize total distance cost.
- 15. Compute maximum reward with linearly increasing cost penalties.

♦ Knuth Optimization (Quadrangle Inequality)

- 16. Matrix Chain Multiplication with minimum cost.
- 17. Optimal Binary Search Tree construction with minimal expected cost.
- 18. Merge stone piles with minimum total merge cost.
- 19. Optimal parentheses grouping to minimize score.
- 20. Find min total length of compressed strings with split merges.

♦ Monotonic Queue Optimization (Sliding Range DP)

21. Maximum sum of subarrays of size \leq k with no adjacent overlap.

- 22. DP on array where dp[i] = max(dp[j] + a[i]) for $j \in [i-k, i-1]$.
- 23. Find longest subarray with sum constraints in O(n).
- 24. Maximize beauty from k-consecutive selection with penalties.
- 25. Jump game with variable distance and monotonic optimization.

♦ Tree DP (Rerooting / Subtree Aggregation)

- 26. Count number of ways to color tree nodes with no adjacent same color.
- 27. Maximize sum of values on tree paths with exactly k edges.
- 28. For each node, find size of largest subtree rooted at it.
- 29. Compute distances from all nodes to all others (rerooting).
- 30. Maximize matching (node pairs) in a tree.

Let me know if you want detailed explanations or code templates for any specific set.

You said:

. Graph Algorithms (Advanced) • Max Flow / Min Cut: Dinic's Algorithm, Edmonds-Karp • Strongly Connected Components: Kosaraju / Tarjan • 2-SAT (implication graphs) • Bridges, Articulation Points • Centroid Decomposition • Heavy-Light Decomposition (HLD) • Link-Cut Trees / Euler Tour Tree (rare but appear) • Topological Order + DP

ChatGPT said:

Here are 30 one-line problem statements based on Advanced Graph Algorithms:

♦ Max Flow / Min Cut (Dinic's, Edmonds-Karp)

- 1. Find the maximum bipartite matching using flow.
- 2. Compute the max number of edge-disjoint paths from s to t.
- 3. Determine the min number of edges to disconnect source from sink.
- 4. Find min cut in a graph dividing nodes into two groups.
- 5. Assign jobs to workers with capacity constraints (multi-source flow).

♦ Strongly Connected Components (Kosaraju / Tarjan)

- 6. Count the number of strongly connected components in a directed graph.
- 7. Collapse SCCs into a DAG and find topological order.
- 8. Detect cycles in a directed graph using SCC.
- 9. Find the size of the largest strongly connected component.
- 10. Check if a directed graph is strongly connected.

♦ 2-SAT (Implication Graph)

- 11. Determine satisfiability of given boolean formula in 2-CNF form.
- 12. Assign truth values to variables to satisfy all clauses if possible.
- 13. Build implication graph from constraints and solve using SCC.
- 14. Detect contradictory variable conditions in a puzzle.
- 15. Design a scheduling system with mutual exclusivity constraints.

♦ Bridges and Articulation Points

- 16. Find all bridges in an undirected graph.
- 17. Identify articulation points (cut vertices) in a network.
- 18. Count number of components after each bridge is removed.
- 19. Check if a graph becomes disconnected after removing a vertex.
- 20. Build a bridge-tree (block tree) of a graph.

♦ Centroid Decomposition (on Trees)

- 21. Solve path queries on tree with subtree decompositions.
- 22. Count pairs of nodes whose distance is \leq k using centroid decomposition.
- 23. Perform subtree updates efficiently using centroid hierarchy.
- 24. Minimize time for virus to spread from multiple roots in tree.
- 25. Solve tree-based range sum queries with centroid divide & conquer.

♦ Heavy-Light Decomposition (HLD)

- 26. Answer path queries (sum/min/max) in a tree in log²(n) time.
- 27. Process subtree and path updates efficiently in a tree.
- 28. Find kth ancestor on a tree path.
- 29. Query LCA (Lowest Common Ancestor) using HLD.
- 30. Maintain and update values along paths in a rooted tree.

Let me know if you want implementation tips or visual explanations for any of these.

You said:

Data Structures • Persistent Segment Tree • Mergeable Heaps (Treap/Splay) • Lazy Segment Tree with Complex Updates • Li Chao Segment Tree (for line intersection problems) • Sqrt-Decomposition with Offline Queries • Binary Lifting + LCA with Modifications

Here are 30 one-line problem statements based on Advanced Data Structures:

♦ Persistent Segment Tree

- 1. Find the k-th smallest element in a subarray over time.
- 2. Maintain historical versions of an array and answer range sum queries.
- 3. Count frequency of elements in a versioned array range.
- 4. Perform point updates while preserving previous versions.
- 5. Query number of elements $\leq x$ in a given subarray version.

♦ Mergeable Heaps (Treap / Splay Tree / Leftist Tree)

- 6. Implement a priority queue with efficient merge operation.
- 7. Maintain a multiset with insertion, deletion, and split/merge operations.
- 8. Support range reversal and order-statistics in a sequence.
- 9. Perform dynamic set union operations efficiently.
- 10. Maintain a balanced tree with support for lazy propagation.

♦ Lazy Segment Tree with Complex Updates

- 11. Range add and range multiply over an array with modulo operations.
- 12. Support range min updates and range queries.
- 13. Perform range assignment and range sum queries.
- 14. Answer RMQ with range XOR updates.
- 15. Implement a segment tree with range affine transformation.

♦ Li Chao Segment Tree (for line intersections / CHT)

- 16. Maintain a dynamic set of lines and answer min y-value at x.
- 17. Add lines y = mx + b and query min/max y at point x.
- 18. Solve dynamic convex hull problem for monotonic x-queries.
- 19. Maintain envelope of lines for convex optimization.
- 20. Combine Li Chao tree with divide & conquer for DP optimization.

♦ Sqrt-Decomposition with Offline Queries

21. Answer range sum queries with point updates using \sqrt{N} blocks.

- 22. Count frequency of elements in subarray (Mo's Algorithm).
- 23. Find mode (most frequent number) in a subarray offline.
- 24. Support range updates and point queries efficiently with blocks.
- 25. Answer number of distinct elements in subarrays using \sqrt{N} .

♦ Binary Lifting + LCA with Modifications

- 26. Find LCA of two nodes in a tree using binary lifting.
- 27. Find kth ancestor of a node in a rooted tree.
- 28. Modify tree and still answer LCA queries efficiently.
- 29. Compute path sum between two nodes using binary lifting.
- 30. Maintain dynamic tree and handle parent replacement queries.

Let me know if you want code templates or illustrations for any of these.

You said:

Mathematics / Number Theory • Discrete Log (Baby-step Giant-step) • Euler's Theorem, Fermat's Little Theorem • Extended Euclidean Algorithm • Chinese Remainder Theorem (CRT) • Primitive Roots, Orders • Combinatorics with Lucas Theorem • Polynomial Interpolation (Lagrange)

ChatGPT said:

Here are 30 one-line problem statements based on Mathematics / Number Theory:

♦ Discrete Logarithm (Baby-step Giant-step)

- 1. Solve for x in ax≡bmod ma^x \equiv b \mod max≡bmodm efficiently.
- 2. Find smallest exponent x such that $2x\equiv123\text{mod }10092^x \neq 123\text{ mod }10092x\equiv123\text{mod }1009$.
- 3. Break RSA-like encryption with known base and modulus.
- 4. Crack a modular exponentiation puzzle using BSGS.
- 5. Detect cycles in power mod sequences using discrete log.

◆ Euler's Theorem / Fermat's Little Theorem

- 6. Compute $a-1 \mod pa^{-1} \mod pa-1 \mod pa-1$ wing Fermat's theorem.
- 7. Calculate abmod ma^b \mod mabmodm efficiently using modular exponentiation.
- 8. Find last digit of large exponential towers abcmod $pa^{b^{c}}$ \mod pabcmodp.
- 9. Solve modular inverse problem for non-prime modulus using Euler's theorem.

10. Count number of coprime integers less than n (Euler's Totient function).

♦ Extended Euclidean Algorithm

- 11. Find modular inverse of a modulo m.
- 12. Solve linear Diophantine equation ax+by=cax + by = cax+by=c.
- 13. Find integers x and y such that $ax+by=gcd[fo](a,b)ax + by = \gcd(a,b)ax+by=gcd(a,b)$.
- 14. Reduce fractions modulo m with gcd > 1.
- 15. Determine if solution exists for ax≡bmod max \equiv b \mod max≡bmodm.

♦ Chinese Remainder Theorem (CRT)

- 16. Solve a system of congruences with pairwise coprime moduli.
- 17. Reconstruct a number given its remainders mod several bases.
- 18. Find smallest x such that x≡amod mx \equiv a \mod mx≡amodm and x≡bmod nx \equiv b \mod nx≡bmodn.
- 19. Implement generalized CRT for non-coprime moduli.
- 20. Apply CRT in solving scheduling problems with different cycle lengths.

♦ Primitive Roots / Orders

- 21. Find a primitive root modulo a prime p.
- 22. Calculate the order of an integer modulo p.
- 23. Generate all primitive roots of a given prime.
- 24. Count elements of given order modulo p.
- 25. Use primitive roots for efficient discrete log mapping.

Combinatorics with Lucas Theorem

- 26. Compute (nk)mod p\binom{n}{k} \mod p(kn)modp where n, $k \le 1e18$.
- 27. Count paths in a grid modulo a prime using Lucas Theorem.
- 28. Solve large combinatorics modulo non-prime using Lucas + CRT.
- 29. Evaluate binomial coefficients modulo prime powers.
- 30. Count valid sequences using combinations modulo p (Lucas).

Let me know if you'd like code or deeper explanations for any of these topics.

You said:

Geometry • Convex Hull Trick (Dynamic Hull) • Rotating Calipers • Line Sweep with Event Queue • Half Plane Intersection • Voronoi Diagram (rare) • Geometry + Binary Search / Ternary Search

ChatGPT said:

Here are 30 one-line problem statements based on Computational Geometry (Advanced):

♦ Convex Hull Trick (Dynamic Hull / Line Container)

- 1. Maintain a set of lines and query minimum y-value at given x.
- 2. Optimize DP where $dp[i]=min[fo](dp[j]+a[i]\cdot b[j])dp[i] = \min(dp[j]+a[i]\cdot cdot b[j])dp[i]=min(dp[j]+a[i]\cdot b[j]).$
- 3. Solve range linear function minimization using a convex envelope.
- 4. Track lowest cost over time with changing linear functions.
- 5. Maintain max profit function over time from a set of lines.

♦ Rotating Calipers

- 6. Find the diameter of a convex polygon.
- 7. Compute the minimum width of a convex polygon.
- 8. Determine the farthest pair of points in a convex hull.
- 9. Find the smallest enclosing rectangle of a convex polygon.
- 10. Compute max area triangle inside a convex polygon.

♦ Line Sweep with Event Queue

- 11. Count number of intersections between horizontal and vertical lines.
- 12. Determine if any pair of line segments intersect.
- 13. Compute union length of several overlapping intervals.
- 14. Calculate total area covered by multiple rectangles.
- 15. Find closest pair of points in 2D in $O(n\log_{10}^{150} \ln)O(n \log n)O(n\log n)$.

◆ Half Plane Intersection

- 16. Find intersection polygon of multiple half-planes.
- 17. Determine if a convex region remains after cuts.
- 18. Compute largest convex region satisfying a set of inequalities.
- 19. Solve linear inequalities geometrically using half-planes.
- 20. Find feasible region of a system of linear constraints.

♦ Voronoi Diagram (Rare)

- 21. Construct a Voronoi diagram for a set of 2D points.
- 22. Find nearest site to any query point using Voronoi structure.
- 23. Generate equidistant region boundaries between points.
- 24. Apply Voronoi to model cell tower coverage.
- 25. Use Voronoi to solve the closest-pair regionally with partitions.

♦ Geometry + Binary Search / Ternary Search

- 26. Find point on curve minimizing distance to a fixed point (ternary).
- 27. Binary search angle to align two points with geometric condition.
- 28. Maximize height of trapezium using ternary search on length.
- 29. Search for optimal circle radius to cover all points.
- 30. Ternary search on convex polygon perimeter for optimal point.

Let me know if you want code or geometric visualizations for any topic!

You said:

. Strings • Suffix Array + LCP Array • Suffix Automaton • Palindromic Tree (Eertree) • Z-Algorithm, KMP, Aho-Corasick • Rolling Hash with Double Hashing • Lyndon Decomposition

ChatGPT said:

Here are **30 one-line problem statements** based on **Advanced String Algorithms**:

♦ Suffix Array + LCP Array

- 1. Construct the suffix array of a given string in $O(n\log f_0)n)O(n \log n)O(n\log n)$.
- 2. Count the number of distinct substrings in a string.
- 3. Find the longest repeated substring using the LCP array.
- 4. Lexicographically sort all cyclic shifts of a string.
- 5. Perform fast pattern matching using binary search on suffix array.

◆ Suffix Automaton

6. Count the number of distinct substrings in a string using SAM.

- 7. Find the number of times a substring appears in the text.
- 8. Find longest common substring between two strings using SAM.
- 9. Construct minimal DFA for all substrings of a string.
- 10. Track all substring occurrences in real-time as the string grows.

◆ Palindromic Tree (Eertree)

- 11. Count all distinct palindromic substrings in a string.
- 12. Find the longest palindromic substring efficiently.
- 13. For each prefix, count palindromic suffixes.
- 14. Build online palindrome detector using Eertree.
- 15. Track frequency of each palindromic substring.

♦ Z-Algorithm, KMP, Aho-Corasick

- 16. Find all occurrences of a pattern in a string using KMP.
- 17. Build prefix function for KMP in linear time.
- 18. Compute Z-array and use it to detect pattern matches.
- 19. Find number of times multiple patterns occur in a text using Aho-Corasick.
- 20. Detect all dictionary words in a text string.

♦ Rolling Hash with Double Hashing

- 21. Detect if two substrings are equal in O(1)O(1)O(1) using hashes.
- 22. Count number of unique substrings in a string using rolling hash.
- 23. Find the longest common prefix of two suffixes.
- 24. Detect string rotations using hashing.
- 25. Use double hashing to avoid collisions in substring comparisons.

♦ Lyndon Decomposition

- 26. Decompose string into lexicographically minimal Lyndon words.
- 27. Find minimal lex rotation using Lyndon decomposition.
- 28. Build suffix automaton-like structures using Lyndon decomposition.
- 29. Apply Duval's algorithm to get lex segments.
- 30. Use Lyndon factorization in combinatorics and counting substrings.

Let me know if you'd like C++ or Java templates for any of these techniques!

You said:

Constructive Algorithms • Invariants / Monovariants • Greedy with Observations • Bitwise Constructive Proofs • Interactive Problems

ChatGPT said:

Here are 30 one-line problem statements based on Constructive Algorithms:

◆ Invariants / Monovariants

- 1. Show if a pile of stones can be reduced to zero with given moves.
- 2. Determine if a parity-based transformation leads to a stable state.
- 3. Construct a sequence where sum remains constant under operations.
- 4. Decide if a grid can be colored without violating row/column rules.
- 5. Given allowed operations, prove if final state is reachable.

♦ Greedy with Observations

- 6. Rearrange elements to form a non-decreasing sequence with swaps.
- 7. Construct the lexicographically smallest valid string.
- 8. Distribute candies optimally among children based on rating.
- 9. Arrange elements such that no prefix sum is zero.
- 10. Build the minimum cost tree by selecting edges greedily.

♦ Bitwise Constructive Proofs

- 11. Construct two integers with given AND, OR, XOR values.
- 12. Generate an array with a given XOR and subset-sum condition.
- 13. Find three numbers whose sum and XOR equals given values.
- 14. Construct a permutation with given bitwise properties.
- 15. Build a binary matrix satisfying row and column XOR constraints.

♦ Interactive Problems

- 16. Guess a hidden number using queries with XOR feedback.
- 17. Determine the position of the minimum element via comparisons.
- 18. Reconstruct a permutation by querying element positions.
- 19. Find a hidden edge in a graph using minimal interaction.
- 20. Deduce a hidden binary string using prefix/suffix queries.

◆ Mix: Constructive Patterns

- 21. Construct a balanced parentheses string of given length.
- 22. Design a grid with no two adjacent cells the same color.
- 23. Build a graph with a given degree sequence.
- 24. Generate a permutation with maximum number of inversions.
- 25. Construct two strings of length n with common subsequence of length k.
- 26. Place rooks on an n×nn \times nn×n chessboard without attacks.
- 27. Create a binary string that avoids specific forbidden substrings.
- 28. Design a test case that breaks naive greedy algorithms.
- 29. Reorder tasks to ensure no deadline is missed.
- 30. Construct a matrix with given row and column sums.

Let me know if you want explanation-based tags (greedy/bit tricks/etc.) for each or full code for any.

You said:

Game Theory • Grundy Numbers / Sprague-Grundy Theorem • Impartial & Partisan Games • Nim Game Variants

ChatGPT said:

Here are **30 one-line problem statements** based on **Game Theory**:

♦ Grundy Numbers / Sprague-Grundy Theorem

- 1. Determine the winner of a game where players remove 1, 3, or 4 stones.
- 2. Compute Grundy numbers for each pile in a composite game.
- 3. Given a graph, decide the winner based on game positions using Grundy values.
- 4. Combine multiple game states and determine the winning strategy using XOR.
- 5. Compute the Grundy number for a tree game where each move removes a subtree.

♦ Impartial & Partisan Games

- 6. Given a game where each player can remove 1 or 2 stones, but rules vary by turn, determine the winner.
- 7. Model a game where only Player A can skip a move, and decide if A can force a win.
- 8. Determine winner in a directed acyclic game with allowed moves varying for each player.

- 9. For a 2D grid game with different rules for both players, decide who has a winning strategy.
- 10. Simulate a partisan game where moves differ for each player and evaluate the outcome.

♦ Nim Game Variants

- 11. Determine winner in standard Nim with multiple piles using XOR.
- 12. Solve a Nim game where players can remove up to k\sqrt{k}k stones from a pile.
- 13. Determine the winner in "misère" Nim (last to move loses).
- 14. Handle Nim with pile-size constraints or forbidden pile sizes.
- 15. Generalize Nim with different rules per pile and solve using Grundy numbers.

◆ Mixed Combinatorial Games

- 16. Given multiple independent games, determine the winner using Grundy sum.
- 17. Analyze a game where players alternate turning off lights under specific constraints.
- 18. In a chessboard game where players can remove rows/columns, decide the winner.
- 19. Determine the winner of a coin-moving game on a graph.
- 20. Given a number game where each move divides by a factor, decide if the first player wins.

♦ Constructive / Strategy-Based Game Theory

- 21. Design a winning strategy for a game with moves like Fibonacci subtraction.
- 22. Construct losing and winning positions in a combinatorial game.
- 23. Optimize moves in a game with a circular board and limited jump range.
- 24. Construct a DP table to determine the winner for all pile sizes in a custom game.
- 25. Find minimal Grundy numbers to force a win in a modified Wythoff's game.

♦ Applications & Tricky Setups

- 26. Determine if a given tic-tac-toe configuration is a winning state.
- 27. Simulate a card picking game where the player can pick 1 or 2 cards.
- 28. Analyze a token game where removing a token affects adjacent piles.
- 29. Solve a grid-cutting game where players can cut along rows/columns.
- 30. Determine optimal strategy in a game where moves are made on a trie.

Let me know if you'd like to build a Grundy table or code simulation for any of these!

You said:

Advanced Search / Optimization • Ternary Search on Unimodal Functions • Meet in the Middle (Advanced) • Divide & Conquer Optimization • Binary Search + Simulation / Check • Slope Trick (rare)

ChatGPT said:

Here are **30 one-line problem statements** based on **Advanced Search and Optimization Techniques**:

♦ Ternary Search on Unimodal Functions

- 1. Find the point minimizing $f(x)=(x-a)2+b\cdot\sin[fo](x)f(x)=(x-a)^2+b\cdot\cot(x)f(x)=(x-a)2+b\cdot\sin(x)$.
- 2. Minimize travel time between two points with varying speed zones.
- 3. Locate the optimal launch angle for maximum projectile distance.
- 4. Find minimum value of a convex function over real domain.
- 5. Maximize revenue function with unique maximum under constraints.

♦ Meet in the Middle (Advanced)

- 6. Count subsets with sum closest to a target ($n \le 40$).
- 7. Find two disjoint subsets with equal sum.
- 8. Maximize subset sum not exceeding W using two-half enumeration.
- 9. Partition array into two halves minimizing absolute sum difference.
- 10. Solve knapsack with large weights using meet-in-the-middle.

♦ Divide & Conquer Optimization (Convex Cost Property)

- 11. Partition array into k segments minimizing a convex cost function.
- 12. Optimize DP for minimizing sum of squared differences between segments.
- 13. Solve k-median clustering in $O(k \cdot n \log f_0) O(k \cdot n \log n) O(k \cdot n \log n)$.
- 14. Compute minimal edit costs with segment split points.
- 15. Apply D&C optimization to range merging cost problem.

♦ Binary Search + Simulation / Check

- 16. Find the smallest radius required to cover all points with k circles.
- 17. Minimize maximum load per worker with binary search and greedy check.
- 18. Determine the minimum height needed to stack boxes without collapse.

- 19. Binary search the smallest valid time to complete all tasks under constraints.
- 20. Find max possible value X such that array can be split into k valid segments.

♦ Slope Trick (Rare / Convex Function Maintenance)

- 21. Maintain a function f(x)f(x)f(x) with min and shift operations to minimize total cost.
- 22. Solve "minimize cost of making array non-decreasing" using slope trick.
- 23. Compute min cost of aligning points with move and penalty constraints.
- 24. Handle convex piecewise-linear function minimization with updates.
- 25. Solve dynamic programming where the cost depends on absolute differences.

♦ Mixed + Applications

- 26. Perform ternary search on discrete unimodal function (integer version).
- 27. Find minimum time to reach target with fuel constraints using binary search.
- 28. Optimize a real-valued convex function using ternary search on double domain.
- 29. Split jobs between machines minimizing max load (binary search on answer).
- 30. Compute optimal scheduling time window using binary + greedy simulation.