ChatGPT said:

Here are **one-line problem statements** focused on the **"Implementation"** topic suitable for **Codeforces rating 0 to 1199**:

- 1. Simulate a basic calculator that supports +, -, *, /.
- 2. Swap two numbers without using a third variable.
- 3. Count digits in a given number.
- 4. Check if a string is a palindrome.
- 5. Reverse a given string.
- 6. Rotate an array by one position.
- 7. Count vowels and consonants in a string.
- 8. Find the maximum of three numbers.
- 9. Print numbers from 1 to N without a loop (using recursion).
- 10. Simulate a simple voting system and declare the winner.
- 11. Count how many times a substring appears in a string.
- 12. Replace all spaces in a string with hyphens.
- 13. Simulate elevator movement between floors based on input.
- 14. Simulate a digital clock till a given time.
- 15. Sort three integers using only if-else conditions.
- 16. Convert a string to lowercase without built-in function.
- 17. Check whether parentheses in a string are balanced.
- 18. Convert binary to decimal and vice versa.
- 19. Toggle case of each character in a string.
- 20. Extract digits from a string.
- 21. Simulate a traffic light system using conditions.
- 22. Implement a basic Caesar Cipher encryption.
- 23. Count the number of steps to reach 1 using Collatz sequence.
- 24. Implement a simple password strength checker.
- 25. Find the second largest element in an array.
- 26. Flip all bits in a binary string.
- 27. Replace duplicate characters with in a string.
- 28. Merge two sorted arrays into one.
- 29. Determine if a number is "almost prime" (has exactly two prime divisors).
- 30. Reorder characters in a string alphabetically.
- 31. Count how many times a digit occurs in a range.
- 32. Check if time is valid (HH:MM format).
- 33. Simulate bank account operations (deposit/withdraw).
- 34. Compress a string using run-length encoding.
- 35. Find the first non-repeating character in a string.
- 36. Simulate an ATM machine with limited notes.
- 37. Implement left and right circular shift of a string.
- 38. Create a frequency table of elements in an array.
- 39. Print diagonals of a 2D matrix.
- 40. Simulate snake movement on a grid.
- 41. Format a number with commas (e.g., $1000000 \rightarrow 1,000,000$).
- 42. Remove all adjacent duplicates in a string.
- 43. Simulate basic typing with CapsLock toggle.

- 44. Implement multiplication of two matrices.
- 45. Find row with maximum number of 1s in a binary matrix.
- 46. Simulate queue operations (enqueue, dequeue).
- 47. Count number of bits set in an integer.
- 48. Check if a sequence is strictly increasing or decreasing.
- 49. Rotate a matrix 90 degrees clockwise.
- 50. Simulate a voting system with tie-breaking rule.

Let me know if you want **solutions**, **grouped by pattern** (like simulation, string, matrix, etc.), or **next level** (1200–1399).

You said:

Math (Basic Number Theory) GCD, LCM, modulo, primes, divisors. 30 problem in one line

ChatGPT said:

Here are **30 one-line problem statements** on **Basic Number Theory** (GCD, LCM, modulo, primes, divisors) suitable for **Codeforces rating 0 to 1199**:

□ GCD & LCM

- 1. Find the GCD of two given numbers.
- 2. Compute LCM of two given integers.
- 3. Calculate GCD of an array of integers.
- 4. Compute LCM of an array of numbers.
- 5. Count the number of pairs in an array with GCD equal to 1.
- 6. Check if two numbers are co-prime.
- 7. Find smallest number divisible by both A and B.
- 8. Print all pairs (i, j) such that GCD(i, j) = K.

☐ Modulo Arithmetic

- 9. Compute $(A \times B)$ % M safely for large A and B.
- 10. Check if (A + B) % M == (A % M + B % M) % M.
- 11. Compute (A^B) % M using modular exponentiation.
- 12. Solve (A * x) % M = 1 to find modular inverse.
- 13. Calculate (A B + M) % M to handle negative modulo.
- 14. Find remainder when a large number (as string) is divided by M.
- 15. Evaluate sum of first N natural numbers modulo M.

Prime Numbers

16. Check if a number is prime.

- 17. Print all primes up to N (Sieve of Eratosthenes).
- 18. Count number of primes in range [L, R].
- 19. Find next prime number greater than given N.
- 20. Count number of twin prime pairs up to N.
- 21. Generate first N prime numbers.
- 22. Check if a number is a product of exactly two primes.

Q Divisors & Factors

- 23. Print all divisors of a number in sorted order.
- 24. Count total number of divisors of a number.
- 25. Sum all divisors of a number.
- 26. Check if a number is a perfect square and its square root is an integer.
- 27. Count number of common divisors of two numbers.
- 28. Count number of divisors of N that are even.
- 29. Count number of numbers in range [1, N] divisible by A or B.
- 30. Check whether a number is a powerful number (all prime factors have exponent ≥ 2).

Let me know if you want solutions or want to continue with **Math (Digits, Sums, Counting)** problems next.

You said:

greddy Algo

ChatGPT said:

Here are **30 one-line problem statements** focused on **Greedy Algorithms**, ideal for **Codeforces rating 0 to 1199**:

♥ Greedy Algorithms – One-line Problems

- 1. Choose minimum number of coins to make a given sum.
- 2. Select maximum number of non-overlapping intervals from given start and end times.
- 3. Choose minimum number of platforms needed so no train waits.
- 4. Schedule jobs to maximize total profit with deadlines.
- 5. Find minimum number of jumps to reach end of array.
- 6. Minimize sum of absolute differences between elements of two arrays.
- 7. Maximize total value by selecting items with weight \leq W (fractional knapsack).
- 8. Choose minimum number of operations to make all array elements equal.
- 9. Divide N chocolates among friends to maximize minimum share.
- 10. Place minimum number of cameras to monitor all nodes in a binary tree.
- 11. Buy products to minimize cost when price drops every day.
- 12. Choose the maximum number of activities you can do (activity selection).

- 13. Maximize number of meetings in a single room without overlap.
- 14. Choose digits from a number to create the largest number of length K.
- 15. Arrange people in queue to minimize total waiting time.
- 16. Distribute candies to children with conditions on ratings.
- 17. Fill containers with weights to minimize number of containers used.
- 18. Remove K digits from a number to make it the smallest possible.
- 19. Choose intervals to cover a full segment with minimal number of intervals.
- 20. Find smallest lexicographical string by removing K characters.
- 21. Pick students to maximize total marks without picking adjacent ones.
- 22. Cut minimum number of ropes to make all equal length.
- 23. Choose maximum number of tasks from a queue before deadline.
- 24. Buy products to maximize savings using discounts in order.
- 25. Assign rooms to guests to minimize number of rooms used.
- 26. Reorganize a binary string to get the lexicographically smallest one.
- 27. Choose team members with highest skill under budget limit.
- 28. Place the maximum number of cows in stalls with minimum distance.
- 29. Distribute pages to students to minimize maximum pages assigned.
- 30. Select balloons with highest score within time limit.

Let me know if you want:

- Grouped by pattern (intervals, coins, strings, etc.)
- Solutions or hints
- Next difficulty level (1200–1399)

Brut force

ChatGPT said:

Here are **30 one-line problem statements** focused on the **Brute Force** technique, suitable for **Codeforces rating 0 to 1199**:

☐ Brute Force – One-Line Problems

- 1. Try all pairs in an array to find the one with the given sum.
- 2. Generate all substrings of a string and print the longest palindrome.
- 3. Find the maximum product of any three elements in an array.
- 4. Count number of triplets that sum to zero.
- 5. Check all permutations of a string to see if any is a palindrome.
- 6. Generate all combinations of size K from 1 to N.
- 7. Count how many permutations of digits form a number divisible by 3.
- 8. Find the smallest missing positive integer by checking each one.
- 9. Try all substrings to find the one with maximum number of vowels.
- 10. Count pairs (i, j) such that i < j and A[i] > A[j].

- 11. Try all possible partitions to check if a string can be split into palindromes.
- 12. Generate all subsets of an array and find the one with maximum sum $\leq K$.
- 13. Try every possible hour and minute to find the next palindromic time.
- 14. For all subarrays, find the one with the minimum sum.
- 15. Try all possible ways to arrange N rooks on an NxN board.
- 16. Check all numbers from 1 to N for being Armstrong numbers.
- 17. Try all pairs of indices to find the minimum distance between same elements.
- 18. Generate all strings of length N using lowercase letters.
- 19. For each pair (i, j), check if A[i] is divisible by A[j].
- 20. Try all pairs of points to find the smallest Euclidean distance.
- 21. Count all distinct substrings in a string using a set.
- 22. Check if array can be sorted by reversing any one subarray.
- 23. Try all possible bitmasks to find the maximum XOR subset.
- 24. Generate all binary strings of length N with no consecutive 1s.
- 25. Try all number combinations of 4 digits to match a password.
- 26. Simulate all possible moves in a tic-tac-toe game.
- 27. Check every divisor of each number in the array.
- 28. Try all paths from (0, 0) to (N, M) in a grid (without optimization).
- 29. Rotate array all possible ways and check for sorted version.
- 30. Count all palindromic numbers between L and R.

- Grouped patterns (strings, arrays, math, etc.)
- Next difficulty range (1200–1399)
- Solutions in C++ or Java or Python

You said:

Two Pointers For string and array subrange problems

ChatGPT said:

Here are 30 one-line problem statements using the Two Pointers technique, focused on string and array subrange problems, ideal for Codeforces rating 0–1199:

Two Pointers – Arrays & Strings

⟨ Arrays:

- 1. Find a pair in a sorted array with a given sum.
- 2. Count number of pairs in array with sum less than K.
- 3. Remove duplicates from a sorted array in-place.
- 4. Merge two sorted arrays into one sorted array.
- 5. Find subarray with given sum in non-negative array.
- 6. Count subarrays with at most K distinct elements.

- 7. Find longest subarray with all distinct elements.
- 8. Find smallest subarray with sum \geq S.
- 9. Move all zeroes to end of the array without using extra space.
- 10. Partition array into two parts with equal sum.
- 11. Find max length of subarray with sum exactly K.
- 12. Count number of subarrays with even sum.
- 13. Count number of subarrays with product less than K.
- 14. Check if array has a subarray which is a permutation of another.
- 15. Rotate array using reverse + two pointers.

⊗Strings:

- 16. Find the longest substring with all unique characters.
- 17. Count number of substrings with at most K distinct characters.
- 18. Find smallest window in a string containing all characters of another string.
- 19. Check if one string is a permutation of another substring.
- 20. Remove all duplicate characters from string in-place.
- 21. Check if string can be converted into palindrome by removing one character.
- 22. Compress string by grouping repeated characters (like run-length encoding).
- 23. Compare two strings with backspaces (#) using two pointers.
- 24. Find longest common prefix of two strings.
- 25. Find if a string is a rotation of another using pointers.
- 26. Find minimum number of characters to remove to make two strings equal.
- 27. Search for pattern in text using sliding window.
- 28. Check if a string has a palindrome substring of length K.
- 29. Find longest repeating character replacement with at most K changes.
- 30. Trim leading and trailing spaces using two pointers.

Let me know if you want:

- Problems grouped by **difficulty**
- **Hints or full solutions** in your preferred language (Java, C++, Python)
- Continue to next technique: Prefix Sum / Sliding Window

You said:

Prefix Sum / Difference Arrays For range sum or difference queries

ChatGPT said:

Here are 30 one-line problem statements based on Prefix Sum / Difference Arrays, especially for range sum or difference queries, suited for Codeforces rating 0–1199:

- 1. Compute the sum of elements from index L to R in an array.
- 2. Find the number of even numbers in range [L, R].
- 3. Count how many times a value appears in a given range.
- 4. Find the average of elements between indices L and R.
- 5. Check if sum of range [L, R] is divisible by K.
- 6. Precompute prefix sum to answer multiple range sum queries.
- 7. Find the maximum sum subarray ending at each index.
- 8. Find the difference between the sum of even and odd indexed elements.
- 9. Count how many elements in range [L, R] are greater than X.
- 10. Calculate frequency of digits 0–9 in a large numeric string prefix.

- 11. Find the sum of a submatrix given its top-left and bottom-right corners.
- 12. Count the number of 1s in a rectangular area of a binary matrix.
- 13. Compute prefix XOR for submatrices.
- 14. Find the sum of border elements in a submatrix.
- 15. Check if all elements in submatrix are the same.

✓ Difference Array (Efficient Range Updates):

- 16. Add value x to a subarray from index L to R.
- 17. Increment elements in a range [L, R] multiple times using a difference array.
- 18. Apply multiple range update operations and find final array.
- 19. Perform a range addition, then calculate prefix sum of result.
- 20. Simulate N operations of adding values to ranges efficiently.

✓ Advanced Prefix Sum Uses:

- 21. Find the longest subarray with sum less than or equal to K.
- 22. Count subarrays with sum exactly equal to K.
- 23. Find if there exists a subarray of length at least K with positive sum.
- 24. Count number of subarrays where sum is even.
- 25. Count number of subarrays where prefix sum is divisible by M.
- 26. Check if prefix sum equals suffix sum at any index.
- 27. Detect zero-sum subarray using prefix sum and hashing.
- 28. Count the number of range sums that lie in [lower, upper].
- 29. Find smallest prefix whose sum is at least X.
- 30. Compute cumulative XOR for all prefixes of an array.

- Problems grouped by usage (sum, frequency, updates)
- Solutions in Java / C++ / Python
- Next topic: Counting Techniques / Hashing / Sliding Window

2/2

You said:

✓ Arrays and Strings Core data types used in almost every problem

ChatGPT said:

Here are **30 one-line problem statements** based on **Arrays and Strings**, the **core data types** used in almost every problem—perfect for **Codeforces rating 0–1199**:

Array Problems

- 1. Reverse an array in-place.
- 2. Find the maximum element in an array.
- 3. Find the second smallest element in an array.
- 4. Count frequency of each element in an array.
- 5. Rotate array to the right by K positions.
- 6. Merge two sorted arrays into one sorted array.
- 7. Remove duplicates from a sorted array.
- 8. Move all zeroes to the end of the array.
- 9. Count pairs whose sum is equal to a target.
- 10. Check if array contains duplicate elements.
- 11. Find common elements in two arrays.
- 12. Check if array is sorted in ascending order.
- 13. Return indices of two numbers adding up to a target.
- 14. Find the subarray with the maximum sum (Kadane's algorithm).
- 15. Replace each element with the greatest element to its right.

String Problems

- 16. Reverse a string in-place.
- 17. Check if a string is a palindrome.
- 18. Count vowels and consonants in a string.
- 19. Remove all duplicate characters from a string.
- 20. Convert a string to lowercase without using built-in function.
- 21. Find the first non-repeating character in a string.
- 22. Check if two strings are anagrams of each other.
- 23. Compress a string using run-length encoding.
- 24. Count the frequency of each character in a string.

- 25. Find the longest common prefix in an array of strings.
- 26. Replace all spaces in a string with '%20'.
- 27. Check if string A is a rotation of string B.
- 28. Count number of words in a sentence.
- 29. Find the longest substring without repeating characters.
- 30. Remove all digits from a string.

- ✓ Categorized by pattern (search, sort, transform, count)
- ✓ More problems at intermediate level (1200–1399)

You said:

Sorting + Binary Search (Basic) Key to many greedy and search problems

ChatGPT said:

Here are **30 one-line problem statements** on **Sorting + Binary Search (Basic)** — essential techniques for solving many **Greedy and Search** problems, especially for **Codeforces rating 0–1199**:

Sorting – Basic Problems

- 1. Sort an array of integers in ascending order.
- 2. Sort strings in lexicographical (dictionary) order.
- 3. Sort pairs by first element and then by second.
- 4. Sort array by frequency of elements (high to low).
- 5. Sort students by marks (descending) and name (ascending).
- 6. Sort an array and remove duplicates.
- 7. Sort an array of 0s, 1s, and 2s (Dutch National Flag problem).
- 8. Sort words in a sentence by length.
- 9. Sort an array such that all even numbers come before odd.
- 10. Sort intervals by start time, then merge overlapping ones.
- 11. Sort points based on their distance from origin.
- 12. Sort strings by number of vowels.
- 13. Sort array and return the index of the K-th smallest element.
- 14. Sort a list of fractions in increasing order.
- 15. Sort characters in a string by frequency.

₽ Binary Search − Basic Applications

- 16. Find an element in a sorted array using binary search.
- 17. Find the first occurrence of a number in a sorted array.
- 18. Find the last occurrence of a number in a sorted array.
- 19. Count how many times a number occurs in a sorted array.
- 20. Find square root of a number using binary search.
- 21. Find the smallest element greater than or equal to a target.
- 22. Find the largest element smaller than or equal to a target.
- 23. Check if a number is a perfect square using binary search.
- 24. Search for an element in a rotated sorted array.
- 25. Find the minimum in a rotated sorted array.
- 26. Find peak element in a mountain array.
- 27. Find the K-th smallest element in a sorted matrix.
- 28. Use binary search to find the number of elements $\leq X$.
- 29. Find median of two sorted arrays (naive two-pointer + binary search).
- 30. Find the smallest positive number that is missing in an unsorted array.

- **Solutions** in C++ / Java / Python
- Split by Greedy usage or Search optimizations

You said:

Maps/Sets (Hashing) Counting elements, uniqueness, frequency.

ChatGPT said:

Here are 30 one-line problem statements based on Maps/Sets (Hashing) — especially for counting elements, uniqueness, and frequency, perfect for Codeforces rating 0–1199:

Maps / Hash Maps – Frequency & Counting

- 1. Count the frequency of each element in an array.
- 2. Count how many times each character appears in a string.
- 3. Find the element with the highest frequency in an array.
- 4. Find the first non-repeating character in a string.
- 5. Count the number of distinct elements in an array.
- 6. Find duplicate elements in an array using a map.
- 7. Find the most frequent word in a sentence.
- 8. Group words that are anagrams using a hash map.
- 9. Count frequency of all prefixes of a string.
- 10. Find top K frequent elements in an array.
- 11. Count the number of subarrays with sum equal to K.
- 12. Check if two strings are anagrams using maps.
- 13. Find common elements between two arrays using maps.

- 14. Count number of elements with frequency greater than 1.
- 15. Track the number of times each query appears in a list.

♥ Sets / Hash Sets – Uniqueness & Lookup

- 16. Check if all elements in an array are unique.
- 17. Remove duplicates from an array using a set.
- 18. Check if a string has all unique characters.
- 19. Store all substrings of a string in a set.
- 20. Count number of distinct substrings in a string.
- 21. Check if there exists a pair with a given sum in an array.
- 22. Count number of distinct absolute values in an array.
- 23. Find the intersection of two arrays using sets.
- 24. Check if any value occurs at least twice in an array.
- 25. Store and print only unique words from a sentence.
- 26. Find the smallest missing positive number using set.
- 27. Determine if a subarray with zero sum exists.
- 28. Count number of distinct elements in every window of size K.
- 29. Check if any permutation of a string is a palindrome (using odd count check).
- 30. Count the number of distinct characters in every substring of length K.

Let me know if you'd like:

- \checkmark Grouped by frequency, uniqueness, or set operations
- Whove to next topic: Sliding Window, Graphs, or Dynamic Programming

2/2

You said:

Basic Recursion / Backtracking Subset generation, small dfs-style problems

ChatGPT said:

Here are **30 one-line problem statements** on **Basic Recursion and Backtracking**, covering **subset generation**, **permutations**, **and DFS-style problems**, ideal for **Codeforces rating 0–1199**:

Basic Recursion Problems

- 1. Print numbers from 1 to N using recursion.
- 2. Print elements of an array in reverse using recursion.

- 3. Compute factorial of a number using recursion.
- 4. Find nth Fibonacci number using recursion.
- 5. Calculate power of a number (A^B) using recursion.
- 6. Find GCD of two numbers using recursive Euclidean algorithm.
- 7. Print sum of digits of a number using recursion.
- 8. Count number of digits in a number using recursion.
- 9. Reverse a string using recursion.
- 10. Check if a string is palindrome using recursion.
- 11. Find maximum element in an array using recursion.
- 12. Count occurrences of a character in a string recursively.
- 13. Print all even numbers from N to 1 using recursion.
- 14. Convert decimal to binary using recursion.
- 15. Generate nth term of the Tribonacci sequence using recursion.

☐ Backtracking / DFS-style Problems

- 16. Generate all subsets (power set) of an array.
- 17. Generate all permutations of a string.
- 18. Solve N-Queens for N = 4 using backtracking.
- 19. Print all paths from top-left to bottom-right in an MxN grid.
- 20. Generate all combinations of K numbers from 1 to N.
- 21. Solve the Rat in a Maze problem (binary matrix paths).
- 22. Generate all binary strings of length N with no consecutive 1s.
- 23. Print all palindromic partitions of a string.
- 24. Solve Sudoku using backtracking (simplified 4x4).
- 25. Generate valid parentheses combinations for N pairs.
- 26. Find if there's a path in a grid avoiding obstacles using DFS.
- 27. Place K knights on a chessboard without attacking each other.
- 28. Generate all possible phone number combinations from digit mapping.
- 29. Generate all valid subsets with sum $\leq K$.
- 30. Backtrack to remove minimum characters to make a string palindrome.

Let me know if you'd like:

- ✓ Solutions or step-by-step recursive trees
- \forall Java / C++ / Python implementations
- \checkmark Move to **Dynamic Programming**, **Graphs**, or **Advanced Backtracking** next

2/2

You said:

Max/Min subarray, subsegment Array/sorting/prefix sum-based

ChatGPT said:

Here are 30 one-line problem statements focused on Max/Min Subarray/Subsegment problems using Array, Sorting, Prefix Sum, suitable for Codeforces rating 0–1199:

▲ Maximum Subarray / Subsegment

- 1. Find the maximum sum subarray (Kadane's algorithm).
- 2. Find the length of the longest subarray with sum $\leq K$.
- 3. Find the subarray with maximum average.
- 4. Find the maximum sum of K consecutive elements.
- 5. Find maximum sum subarray of size K.
- 6. Find the longest subarray with all positive numbers.
- 7. Find maximum subarray sum in circular array.
- 8. Find subarray with maximum product.
- 9. Find subarray with maximum XOR value.
- 10. Find longest subsegment with sum divisible by K.
- 11. Maximize sum of any subarray after at most one reversal.
- 12. Find maximum difference between sum of two non-overlapping subarrays.
- 13. Count number of subarrays with sum equal to maximum subarray sum.
- 14. Find maximum possible sum after replacing at most one element with K.
- 15. Maximize score of subarray where score = min * length.

▼ Minimum Subarray / Subsegment

- 16. Find subarray with minimum sum.
- 17. Find the shortest subarray with sum $\geq K$.
- 18. Find minimum sum of K consecutive elements.
- 19. Find smallest subsegment with all distinct elements.
- 20. Find subarray with minimum positive sum.
- 21. Find shortest subarray to remove so array becomes sorted.
- 22. Find subarray with minimum product.
- 23. Find minimum length subarray with exactly K distinct elements.
- 24. Remove one element to minimize maximum subarray sum.
- 25. Find minimum difference between sums of two subarrays of same size.
- 26. Find subarray whose sum is minimum but contains at least one even number.
- 27. Find shortest subsegment with sum divisible by X.
- 28. Find minimum prefix to remove to make subarray sum divisible by D.
- 29. Find minimum subarray length that contains both max and min elements.
- 30. Find subarray with minimum XOR value.

Let me know if you'd like:

- Solutions in C++ / Java / Python
- \checkmark Grouped by algorithm (Kadane's, prefix sum, sliding window)

• \checkmark Move to **Sliding Window**, **Greedy**, or **DP-based optimization** problems next

You said:

Frequency Count

ChatGPT said:

Here are **30 one-line problem statements** based on **Frequency Count** – essential for problems involving **hashing, maps, arrays, strings**, perfect for **Codeforces rating 0–1199**:

Frequency Count – Arrays

- 1. Count frequency of each element in an array.
- 2. Find the most frequent element in an array.
- 3. Find elements that appear exactly once.
- 4. Find elements that appear more than $\lfloor n/2 \rfloor$ times (Majority Element).
- 5. Check if two arrays are equal (same frequency of elements).
- 6. Find all elements that appear more than n/3 times.
- 7. Count frequency of elements in range [L, R].
- 8. Identify duplicate elements in an array.
- 9. Check if frequency of all elements is unique.
- 10. Find the element with second-highest frequency.

Frequency Count – Strings

- 11. Count frequency of each character in a string.
- 12. Find the most frequent character in a string.
- 13. Check if two strings are anagrams (frequency match).
- 14. Count frequency of each word in a sentence.
- 15. Count the number of palindromic words in a sentence.
- 16. Check if a string can be rearranged to form a palindrome.
- 17. Find first non-repeating character in a string.
- 18. Remove characters that appear more than once.
- 19. Compare character frequency between two strings.
- 20. Print characters sorted by frequency in descending order.

☐ Combined & Advanced Frequency Uses

- 21. Count number of elements with frequency > 1.
- 22. Count number of subarrays with same frequency of 0s and 1s.
- 23. Check if frequency of digits in a number is balanced.
- 24. Use frequency array to find missing element from second array.

- 25. Count frequency of remainders when array elements are divided by K.
- 26. Use frequency map to find K most frequent elements.
- 27. Track and update frequency of elements dynamically (add/remove).
- 28. Build prefix frequency of characters in a string.
- 29. Check if all characters in a string occur same number of times.
- 30. Determine if two strings are isomorphic (same frequency pattern mapping).

Let me know if you want:

- Solutions in Java / C++ / Python
- \checkmark Grouping by strings, arrays, or applications (palindromes, anagrams)
- **⊘** Next topic: **Sliding Window**, **Hash Maps** + **Logic**, or **Two Pointers** + **Frequency**

You said:

Greedy sorting Sort + simulate (smallest/largest first)

ChatGPT said:

Here are 30 one-line problem statements for Greedy + Sorting (i.e. Sort + Simulate, picking smallest/largest first) — ideal for Codeforces rating 0–1199:

☐ Greedy + Sorting (Sort & Simulate)

- ▲ Pick Smallest First (Minimize)
 - 1. Select the minimum number of coins to form a given amount.
 - 2. Assign minimum number of platforms for trains based on arrival/departure times.
 - 3. Find the minimum number of arrows to burst all balloons (sorted intervals).
 - 4. Minimize the cost to connect ropes into one (Huffman-style merge).
 - 5. Choose minimum number of meetings to attend to cover all slots.
 - 6. Distribute candies to minimize unfairness (minimize max min in subarray).
 - 7. Distribute tasks to two workers to minimize max total time.
 - 8. Choose minimum number of jumps to reach end of array.
 - 9. Find the minimum sum of absolute differences of two arrays.
 - 10. Assign jobs to workers to minimize maximum individual time.

▼ Pick Largest First (Maximize)

- 11. Choose activities to attend to maximize total reward.
- 12. Maximize number of events attended without overlap.
- 13. Maximize total value in fractional knapsack problem.
- 14. Maximize number of toys bought within budget.
- 15. Pick projects with max profit while staying within time limit.

- 16. Select players to maximize team strength within salary cap.
- 17. Select meetings with max duration without overlap.
- 18. Maximize tips from customers by picking highest tip first.
- 19. Choose tasks to complete to get max marks within given deadline.
- 20. Choose segments to cover a range with minimal number of cuts.

☑ Sort + Simulate Scenarios

- 21. Sort children and cookies to distribute cookies to most kids.
- 22. Sort items by value-to-weight ratio for fractional knapsack.
- 23. Simulate order of car fueling to minimize refills.
- 24. Schedule jobs to meet deadlines and maximize reward.
- 25. Sort files by size and simulate compression order.
- 26. Simulate order of painting walls with drying time constraint.
- 27. Minimize total penalty by doing shortest tasks first.
- 28. Sort balloons by size and assign to people to maximize use.
- 29. Sort boxes and trucks to fit maximum boxes in trucks.
- 30. Simulate greedy player turns picking highest value coins from ends.

Let me know if you'd like:

- **Solutions Solutions**
- ✓ Categorization (minimize cost, maximize profit, scheduling)

You said:

Brute Force search Try all possibilities

ChatGPT said:

Here are **30 one-line problem statements** for the **Brute Force** (**Try All Possibilities**) approach — especially useful for **Codeforces 0–1199 level**:

Q Brute Force — Try All Possibilities

✓ Subsets, Permutations, and Combinations

- 1. Print all subsets of a given set of numbers.
- 2. Count the number of subsets that sum to a target.
- 3. Generate all permutations of a string or array.
- 4. Find the lexicographically next permutation of an array.
- 5. Count all valid parenthesis combinations of n pairs.

- 6. Check if a string is an anagram of any substring of another string.
- 7. Count the number of ways to climb stairs with 1 or 2 steps.
- 8. Print all binary strings of length n with no two consecutive 1's.
- 9. Generate all palindromic substrings of a string.
- 10. Generate all possible outcomes of a dice throw (1–6) of n dice.

Try All Index Pairs / Triplets / Paths

- 11. Check if any two elements in array sum to a target.
- 12. Count all triplets (i, j, k) such that arr[i] + arr[j] + arr[k] == 0.
- 13. Find maximum sum of any subarray (brute-force all ranges).
- 14. Count the number of inversions in an array.
- 15. Check if a number can be written as the sum of three primes.
- 16. Find the rectangle in a grid with maximum sum (try all corners).
- 17. Count all squares or rectangles in a binary matrix.
- 18. Try all permutations of visiting n cities (TSP-style brute-force).
- 19. Check all pairs of strings to find if any are rotations of each other.
- 20. Check if any rotation of string A is equal to string B.

Brute-Force Simulation / Decision Making

- 21. Try placing k knights on n x n board so no two attack each other.
- 22. Try all arrangements of people in a line and find the valid ones.
- 23. Simulate every second of a race to check for overtake moments.
- 24. Brute force through all ways to cut a rope into 3 parts with max product.
- 25. Find the number of ways to reach a cell from top-left in a grid.
- 26. Try all positions to place a mirror to reflect a laser to the target.
- 27. Try all string reversals to see which gives palindrome.
- 28. Brute force all possibilities of putting signs + or to reach target sum.
- 29. Try all positions to split a string to make both halves palindromes.
- 30. Try all possible swaps to make an array sorted with minimum moves.

Would you like:

- Java or C++ solutions for some of these?
- Categorized brute force templates?
- Practice ladder links (Codeforces, AtCoder, etc.)?

Let me know!

You said:

Small Graph Problems (Optional) BFS/DFS on small grids (for 1100-1200

ChatGPT said:

Here are 30 small graph problems (1100–1200 level) focusing on BFS/DFS on small grids, especially helpful for Codeforces & beginner contests.

BFS / DFS on Small Grids (1100–1200)

Basic Grid Traversal

- 1. Count number of islands (connected 1s in 2D grid).
- 2. Flood fill a region in a grid starting from a given cell.
- 3. Mark all boundary-connected 0s in a binary matrix.
- 4. Find the shortest path in a grid with only right and down moves.
- 5. Count connected components in a binary matrix.
- 6. Determine if there's a path from top-left to bottom-right cell.
- 7. Find if a cycle exists in a grid (4-directional moves).
- 8. Number of ways to reach bottom-right from top-left (DFS style).
- 9. Check if maze with walls and open paths has an escape path.
- 10. Print the path using BFS from source to destination in a grid.

■ Obstacles and Movement Constraints

- 11. Traverse a grid avoiding blocked cells (value -1 or #).
- 12. Count the shortest distance to all reachable cells from a source.
- 13. Knight's shortest path on a chessboard from (x1,y1) to (x2,y2).
- 14. Find if rat can reach cheese with only L or R or D moves.
- 15. In a grid with teleporters, find shortest path using BFS.
- 16. Flood fill with diagonal connectivity (8 directions).
- 17. BFS to simulate fire spreading from multiple sources.
- 18. Person escaping a burning maze using BFS + simulation.
- 19. Simulate zombie infection spreading in a grid day-by-day.
- 20. Count all cells within distance $\leq k$ from a given cell.

Pattern Problems / Games / Connectivity

- 21. Tic-Tac-Toe winner detection using grid checks.
- 22. Count all 2x2 blocks with exactly one #.
- 23. Validate if a grid is bipartite using BFS coloring.
- 24. In a grid of heights, mark all cells reachable from both oceans.
- 25. In a grid of 1s/0s, find the largest connected region (max area).
- 26. Find all boundary cells in a connected region of 1s.
- 27. Detect "closed islands" (regions of 1s not touching boundary).
- 28. Simulate Conway's Game of Life for 1 step.
- 29. Recolor a border of connected region in the same color.
- 30. Find the maximum number of steps from a start cell to any reachable cell.

Would you like:

- BFS and DFS templates for grid traversal (in C++ or Java)?
- Link to Codeforces / AtCoder / LeetCode 1100–1200 grid problems?
- Python-style pseudocode for faster practice?

Let me know your preferred format or help with any specific problem!



Tools