ChatGPT said:

Here are **30 one-line advanced DP problem topics** often seen in Div 2 D/E (1700–2200) contests:

- 1. Knapsack with multiple constraints (2D/3D DP)
- 2. Digit DP (count numbers with properties)
- 3. Bitmask DP (TSP, set states)
- 4. DP on trees (rooted trees, rerooting)
- 5. DP with memoization + state encoding
- 6. DP with prefix sums (e.g., range-based recurrence)
- 7. DP with sliding window optimization
- 8. DP with convex hull trick (CHT optimization)
- 9. Monotonic queue optimization in DP
- 10. SOS DP (Sum over Subsets DP)
- 11. Matrix exponentiation in DP transitions
- 12. Divide and conquer DP optimization
- 13. Knuth optimization in interval DP
- 14. DP on intervals (merge segments, game theory)
- 15. DP on subsequences (e.g., LIS in O(N log N))
- 16. Probabilistic DP (expected values)
- 17. Palindromic DP (count/partition substrings)
- 18. DP with combinatorics (nCr mod p, inclusion-exclusion)
- 19. Bit DP + Trie (bitmask + structure optimization)
- 20. Game DP (Grundy numbers, winning states)
- 21. DP with binary lifting (compressed transitions)
- 22. Tree DP with subtree merging
- 23. DP with cyclic states (modular state compression)
- 24. DP with event-based simulation (sweep line + DP)
- 25. Subset DP with mask pruning (e.g., dominating sets)
- 26. DP over permutations (count permutations with constraints)
- 27. DP with frequency table (count ways with value limits)
- 28. DP on strings with automaton (KMP/Z + transitions)
- 29. Functional graph DP (cycle+tree structure)
- 30. DP with time compression (scheduling + range DP)

Let me know if you want problems for practice on any of these types.

You said:

✓ DP on Trees Subtree sums, rerooting, bottom-up + top-down

ChatGPT said:

Here are **30 one-line DP on Trees problem types** — focused on subtree sums, rerooting, and bottom-up/top-down ideas:

- 1. Find subtree sum for each node (bottom-up).
- 2. Count nodes in each subtree.

- 3. Longest path from each node to any leaf (bottom-up).
- 4. Longest path in tree (diameter using DP).
- 5. Number of ways to select K nodes in a subtree.
- 6. Max weighted path sum from root to leaf.
- 7. Max weighted path in subtree of each node.
- 8. DP to find LCA using binary lifting.
- 9. Rerooting: sum of distances from each node to all others.
- 10. Number of nodes at even depth in subtree.
- 11. Rerooting: max depth of all subtrees after rerooting.
- 12. DP to find max independent set in a tree.
- 13. Number of ways to color a tree (2-color/3-color).
- 14. Number of paths of length K starting at each node.
- 15. DP for minimum vertex cover on tree.
- 16. DP for maximum matching in tree.
- 17. DP for longest increasing/decreasing path on tree.
- 18. Count number of leaf nodes in subtree.
- 19. Count palindromic paths (via bitmask).
- 20. Count paths where sum of node values is divisible by K.
- 21. Tree centroid using subtree size DP.
- 22. Rerooting: compute contribution of each node to total sum.
- 23. Count of paths with even/odd length.
- 24. Expected path length from root to leaf.
- 25. DP for min/max cost to reach all leaves.
- 26. Count valid assignments in a tree with constraints.
- 27. Rerooting: number of subtrees rooted at each node.
- 28. Bottom-up DP: longest common prefix in subtree strings.
- 29. Find total number of ancestor-descendant pairs.
- 30. Compute GCD of subtree node values.

Let me know if you want full problem statements or implementation examples (in Java or C++).

You said:

ChatGPT said:

Here are 30 one-line Graph DP + Toposort + SCC problem types focused on cycles, dependencies, and DAGs:

- 1. Topological sort of a DAG (Kahn's/DFS).
- 2. Detect cycle in directed graph using DFS stack.
- 3. Count number of topological orderings.
- 4. Longest path in a DAG (Topo + DP).
- 5. Minimum time to finish all tasks with dependencies.

- 6. Detect if a graph is a DAG.
- 7. Number of paths from source to destination in DAG.
- 8. Lexicographically smallest topological ordering.
- 9. Find strongly connected components (Kosaraju's).
- 10. Condense SCCs to form a DAG.
- 11. Count SCCs in directed graph.
- 12. Find nodes in a cycle using SCC.
- 13. Determine whether each node is in a cycle.
- 14. Compute reachability between nodes in DAG.
- 15. DP on DAG: max/min cost path to each node.
- 16. Toposort-based scheduling of jobs/tasks.
- 17. Count of paths that visit each node exactly once (in DAG).
- 18. Longest path in SCC-condensed DAG.
- 19. Maximum number of edges that can be added to remain DAG.
- 20. Enumerate all SCCs and their sizes.
- 21. Detect all entry/exit points in DAG components.
- 22. Count number of source/sink nodes in DAG.
- 23. Minimum path cover in DAG using matching.
- 24. All ancestors/descendants of each node in DAG.
- 25. Find safe nodes (that don't lead to cycles).
- 26. SCC condensation + topological order processing.
- 27. Number of cycles in graph (via SCC size > 1).
- 28. Compress graph via SCC and solve on compressed DAG.
- 29. Reachability matrix in DAG using bitsets.
- 30. Shortest path in DAG (Topo + Relaxation).

Want full problems, visual explanation, or C++/Java code templates for any of these?

You said:

✓ Binary Search on Function + Monotonicity Used with DP or Greedy to optimize

ChatGPT said:

Here are **30 one-line problems based on Binary Search on Answer (Function)** + **Monotonicity**, often used with **DP or Greedy** for optimization:

- 1. Minimize max subarray sum when splitting into K parts.
- 2. Minimize the largest distance to place K gas stations.
- 3. Maximize minimum distance between placed elements (aggressive cows).
- 4. Find smallest time to finish all tasks with given speed.
- 5. Find smallest X such that a task is doable in X units (Greedy check).
- 6. Maximize median after selecting K elements.
- 7. Allocate minimum number of pages to K students (partition-based).
- 8. Minimize max load on a machine with job splitting.
- 9. Minimize the cost of assigning tasks under constraints.

- 10. Maximize smallest element you can keep in array after K removals.
- 11. Binary search on number of operations needed to reach a goal.
- 12. Binary search on minimum max jump (frog jump problem).
- 13. Find min max height after performing K operations.
- 14. Optimize threshold value such that sum of elements $\leq X$.
- 15. Find max length of subarray with avg $\geq X$.
- 16. Maximize the minimum sweetness of chocolate pieces.
- 17. Minimize the max number of products a person handles.
- 18. Minimize max wait time in job scheduling.
- 19. Minimum eating speed to finish bananas in H hours.
- 20. Max value of X such that DP condition holds.
- 21. Binary search on max tower height with increasing width.
- 22. Max X such that sum of floor(A[i]/X) $\geq K$.
- 23. Minimum fuel needed for all trucks to reach destination.
- 24. Maximize length of rope pieces from a given length.
- 25. Find lowest difficulty path using binary search on edge weights.
- 26. Maximize k such that at least K elements \geq k (Monotonic check).
- 27. Find min max cost to cut a rod in pieces.
- 28. Min time needed to paint boards with K painters.
- 29. Maximize distance with limited jumps (Greedy + BS).
- 30. Max budget X such that total profit is \geq target.

Let me know if you want categorized templates (DP-based, Greedy-based), or specific problems with test cases.

You said:

Math (Modular Arithmetic, nCr, Fermat, Totient) Needed in construction, counting

ChatGPT said:

Here are 30 one-line Math problems involving Modular Arithmetic, nCr, Fermat's Little Theorem, and Euler's Totient Function, commonly used in construction and counting problems:

- 1. Compute abmod ma^b \mod mabmodm efficiently (modular exponentiation).
- 2. Find modular inverse of amod ma \mod mamodm (using Fermat or Extended GCD).
- 3. Compute n!mod pn! \mod pn!modp for large nnn.
- 4. Calculate nCrmod pnCr \mod pnCrmodp using Fermat's theorem.
- 5. Precompute factorials and inverse factorials modulo ppp.
- 6. Count subsets of size kkk in a set modulo 109+710^9+7109+7.
- 7. Find number of combinations C(n,r) mod mC(n,r) mod
- 8. Compute Euler's Totient $\phi(n) \phi(n)$ for a single or all numbers up to NNN.
- 9. Count coprime integers $\leq N$.
- 10. Find last non-zero digit of factorial modulo ppp.
- 11. Compute large Fibonacci number modulo mmm.

- 12. Count permutations modulo 109+710^9+7109+7.
- 13. Count derangements (n!) / e mod p.
- 14. Compute a/bmod ma/b \mod ma/bmodm using modular inverse.
- 15. Find smallest primitive root modulo ppp.
- 16. Construct number with given remainder mod m.
- 17. Count ordered/unordered partitions with constraints mod p.
- 18. Calculate binomial coefficient modulo non-prime mmm.
- 19. Solve linear congruence ax≡bmod max \equiv b \mod max≡bmodm.
- 20. Find sum $1k+2k+...+nkmod\ m1^k+2^k+\ ldots+n^k\ lmod\ m1k+2k+...+nkmodm$.
- 21. Count integer solutions to ax+by=nax + by = nax+by=n.
- 22. Find number of divisors of nmod mn \mod mnmodm.
- 23. Construct number divisible by mmm with specific digits.
- 24. Compute sum over all subsets modulo mmm.
- 25. Calculate inverse of every number up to N mod p.
- 26. Use Lucas Theorem to compute nCrmod pnCr \mod pnCrmodp for large nnn.
- 27. Count distinct sequences modulo symmetry.
- 28. Construct matrix such that determinant is divisible by m.
- 29. Count permutations avoiding fixed points mod p.
- 30. Use CRT (Chinese Remainder Theorem) for multi-mod construction.

Let me know if you want categorized practice (e.g., Fermat-only, Totient-specific), or code templates in C++ or Java.

You said:

DSU with path compression Connected components, Kruskal's algorithm

ChatGPT said:

Here are **30 one-line problem types** based on **Disjoint Set Union (DSU)** with **path compression**, commonly used in **connected components**, **Kruskal's algorithm**, and related graph topics:

- 1. Count connected components in an undirected graph.
- 2. Union-Find with path compression and union by size/rank.
- 3. Detect cycle in an undirected graph using DSU.
- 4. Kruskal's algorithm to find Minimum Spanning Tree (MST).
- 5. Number of redundant edges (extra edges forming cycles).
- 6. Check if all nodes are in the same connected component.
- 7. Count number of disjoint sets after union operations.
- 8. Restore graph connectivity with DSU after removing edges.
- 9. Merge cities with roads and track components over time.
- 10. Offline dynamic connectivity queries using DSU.
- 11. Check bipartiteness with DSU + 2-coloring trick.
- 12. Group elements by common properties (same value, modulo, etc).
- 13. Find maximum number of edges without disconnecting graph.
- 14. Count components with even/odd size.

- 15. Track size of component after each merge.
- 16. DSU with rollback for persistent operations.
- 17. Kruskal's algorithm to find second-best MST.
- 18. Union of people by friendship, find group sizes.
- 19. Find if adding an edge creates a bridge (Kruskal-like logic).
- 20. Minimum number of swaps to make arrays identical (via DSU cycles).
- 21. Dynamic union operations with path compression.
- 22. Minimum cost to connect all nodes with optional roads.
- 23. Identify friend groups using DSU (e.g., social networks).
- 24. Count number of islands (grid + DSU).
- 25. Find if two elements are in same set (online queries).
- 26. Compress strings/arrays based on connected characters/values.
- 27. Grouping people with constraints (e.g., parity, weight class).
- 28. DSU on trees to merge subtree info efficiently.
- 29. Tracking connected cities after edge deletions (reverse Kruskal).
- 30. Offline LCA queries via Tarjan's Algorithm using DSU.

Let me know if you'd like Java/C++ code templates for **DSU** with path compression, **Kruskal's**, or **union by rank**.

You said:

Segment Trees / Fenwick Trees Range queries, updates, lazy propagation

ChatGPT said:

Here are 30 one-line problem types based on Segment Trees and Fenwick Trees (Binary Indexed Trees) used for range queries, updates, and lazy propagation:

- 1. Range sum query and point update.
- 2. Point query and range add update (Fenwick Tree with difference array).
- 3. Range minimum query (RMQ) and point update.
- 4. Range maximum query and point update.
- 5. Count of elements in a range (frequency/count queries).
- 6. Range XOR query with point update.
- 7. Range GCD query with update.
- 8. Range sum with lazy propagation for range update.
- 9. Range add and range sum using lazy segment tree.
- 10. Range assignment and range sum (lazy propagation + overwrite).
- 11. Kth order statistic in subarray using BIT or Wavelet Tree.
- 12. Find first/last index where prefix sum satisfies condition (binary lifting on segtree).
- 13. Number of inversions in array using Fenwick Tree.
- 14. Persistent Segment Tree for historical queries.
- 15. Dynamic Segment Tree for large index ranges (up to 1e9).
- 16. 2D Fenwick Tree for submatrix sum queries.
- 17. Segment Tree Beats for min/max with complex constraints.
- 18. Coordinate compression + BIT for frequency/count queries.

- 19. Lazy propagation to handle multiple range updates.
- 20. Range increment and range minimum query.
- 21. Count number of elements \leq k in prefix/suffix (use BIT).
- 22. Range sum with modulo operations.
- 23. Maximum subarray sum (Kadane's in segment tree).
- 24. Segment Tree with custom merge (e.g., pair sum, product).
- 25. Range parity queries (even/odd count).
- 26. Frequency of each element in subarray (with Mo's or segment tree of maps).
- 27. Update all multiples of X in a range (seg tree or sieve-like propagation).
- 28. Range product queries with modulo.
- 29. Segment tree on trees (HLD + subtree queries).
- 30. Difference array + BIT for range addition and point queries.

Let me know if you want categorized code templates in C++ or Java for standard segment tree, lazy segment tree, or Fenwick Tree with coordinate compression.

You said:

Bitmask DP For state compression when $n \le 20$

ChatGPT said:

Here are 30 one-line problem types based on Bitmask Dynamic Programming (Bitmask DP) — ideal for state compression when $n\leq 20n \leq 20$:

- 1. Count number of Hamiltonian paths in a graph (TSP-style).
- 2. Solve Traveling Salesman Problem (TSP) using DP + bitmask.
- 3. Count number of ways to assign N jobs to N people (assignment problem).
- 4. Minimum cost to cover all elements using subsets.
- 5. Minimum path length to visit all cities (complete graph).
- 6. Bitmask DP to count ways to tile a grid (e.g., dominos).
- 7. Max score by assigning elements based on matching rules.
- 8. Partition set into 2 groups with equal sum using bitmask.
- 9. Count number of valid configurations using previous states.
- 10. Count independent sets in a small graph using mask.
- 11. Subset sum problem using DP with bitmask.
- 12. Count number of perfect matchings in a bipartite graph.
- 13. Maximize profit selecting subsets under constraints.
- 14. DP to find max number of tasks done under time/energy limits.
- 15. Count permutations with adjacency constraints using bitmask.
- 16. Count valid bracket sequences using DP with mask state.
- 17. DP on strings: count palindromic permutations using mask.
- 18. Count subset pairs with specific bitwise AND/OR/XOR.
- 19. Count bitmask subsets satisfying custom rules (e.g., primes).
- 20. Find max number of disjoint subsets satisfying some rule.
- 21. Minimum steps to make all bits 1 using toggles (toggle mask).
- 22. DP with mask + position (e.g., travelling with time windows).

- 23. Assign K elements to N slots with dependency masks.
- 24. Bit DP on subsets with fixed number of bits set.
- 25. Min cost to remove all elements where removing one affects others.
- 26. DP with memo[state][last] for subset permutations.
- 27. Tiling problem where each tile depends on prior positions.
- 28. DP on DAG with bitmask over visited nodes.
- 29. Count subset paths where node i can be visited only if j is.
- 30. Solve Sudoku-like constraints using mask state propagation.

Want categorized templates (TSP-type, Subset Matching, Assignment), or code in **Java/C++** for these styles?

You said:

Digit DP / Trie / Bitwise Tricks Subset constraints, XOR matching

ChatGPT said:

Here are **30 one-line problems** covering **Digit DP**, **Trie**, and **Bitwise Tricks** — ideal for handling **subset constraints**, **XOR matching**, **counting**:

⊘ Digit DP (Counting numbers with digit constraints):

- 1. Count numbers \leq N with exactly K digits.
- 2. Count numbers \leq N with no repeated digits.
- 3. Count numbers \leq N where sum of digits = K.
- 4. Count numbers divisible by D up to N.
- 5. Count numbers \leq N having digits only from $\{1, 3, 5\}$.
- 6. Count palindromes $\leq N$.
- 7. Count numbers with alternating even/odd digits.
- 8. Count numbers with K non-zero digits.
- 9. Count numbers where number of set bits = K.
- 10. Count numbers with digits in non-decreasing order.

♥ Trie (Bitwise and prefix-based problems):

- 11. Insert binary strings and check prefix existence.
- 12. Find max XOR of any two numbers in an array.
- 13. Count number of pairs (i, j) such that A[i] XOR A[j] < K.
- 14. Find max XOR of a prefix with any suffix.
- 15. Store binary strings and count prefix matches.
- 16. Minimum XOR pair among all array elements.
- 17. Find minimum unique prefix for each string.
- 18. Check if any string is a prefix of another (prefix code).

- 19. Count pairs with common prefix of length L.
- 20. Maximize XOR of a number with elements in Trie.

Bitwise Tricks & Subset Masks:

- 21. Count number of subsets with XOR = K.
- 22. Find subset with max XOR value.
- 23. Count bits set in all subsets of N bits (Hamming weight).
- 24. Generate all subsets of a bitmask.
- 25. Enumerate submasks of a bitmask efficiently.
- 26. Fast SOS DP: compute f(mask) = sum over all submasks.
- 27. Maximize A[i] XOR A[j] under some index conditions.
- 28. XOR basis: find linearly independent set from XORs.
- 29. Subset DP over XOR masks with frequency counts.
- 30. Count good subsets where XOR is divisible by K.

Let me know if you want grouped templates or practice problems (e.g., "Digit DP + Modulo Constraints" or "Trie + XOR Query") in **Java/C++**.

You said:

♦ Constructive Algorithms Build output string/array under logic constraints

ChatGPT said:

Here are **30 one-line Constructive Algorithm problem types**, where you're required to **build strings/arrays/numbers** under specific **logic or constraints**:

- 1. Construct a binary string with no two consecutive 1s.
- 2. Build a permutation with exactly K inversions.
- 3. Construct array such that prefix sums are strictly increasing.
- 4. Rearrange elements so that adjacent elements differ by at least K.
- 5. Build a palindrome from a given string if possible.
- 6. Construct an array where sum = X and max $\leq M$.
- 7. Build a string with exactly A 0s and B 1s, no two 1s together.
- 8. Construct the lexicographically smallest/largest string under constraints.
- 9. Rearrange array such that all even-indexed elements are greater than odd.
- 10. Construct tree with N nodes and exactly K leaves.
- 11. Create array with pairwise GCD > 1.
- 12. Construct number divisible by D with digits in a given set.
- 13. Generate valid parenthesis string of length 2n.
- 14. Build a magic square / Latin square for given N.
- 15. Construct array with alternating signs and sum = 0.
- 16. Distribute values into K groups with equal or near-equal sum.

- 17. Rearrange elements so that no element stays in its original position (derangement).
- 18. Construct permutation such that each element is the sum of neighbors.
- 19. Create number with exactly X divisors.
- 20. Construct grid with alternating characters (e.g., chessboard).
- 21. Build array such that bitwise AND/OR/XOR = target.
- 22. Rearrange to get required prefix/suffix GCDs.
- 23. Construct binary string with exactly K substrings "01".
- 24. Build tree with a given diameter and constraints.
- 25. Build an array with K peaks or valleys.
- 26. Create string of length N with no palindromic substring of length $\geq K$.
- 27. Build the smallest number with digit sum = S and length N.
- 28. Construct N numbers such that their XOR is zero.
- 29. Build a graph with N vertices and M edges and no triangles.
- 30. Fill matrix such that each row and column has unique values (Latin matrix).