Here are **30 one-line problem statements** covering advanced Dynamic Programming (DP) techniques:

☐ 1–5: DP with Segment Trees / BIT

- 1. Find the maximum sum increasing subsequence with fast range max queries.
- 2. Count the number of increasing subsequences ending at each index.
- 3. Range DP: Compute the optimal cost of partitioning an array into K segments.
- 4. For each prefix, find LIS length using Segment Tree in O(N log N).
- 5. Count number of elements less than current on the left using BIT.

★ 6–10: Divide and Conquer DP

- 6. Minimize total cost of assigning tasks to workers with convex cost.
- 7. Compute minimum edit distance with cost matrices using D&C optimization.
- 8. Optimize merging stones with divide-and-conquer DP approach.
- 9. Find minimal total penalty for dividing string into palindromes.
- 10. DP[i][j]: cost of placing j partitions in i elements, optimize using divide & conquer.

☐ 11–15: Knuth Optimization

- 11. Matrix chain multiplication with optimal parenthesis order using Knuth's rule.
- 12. Minimize cost of merging files with prefix sums and Knuth optimization.
- 13. Optimal BST construction using frequency of searches and Knuth's trick.
- 14. Palindromic partitioning cost minimized using Knuth optimization.
- 15. Minimize score for combining elements with associative cost function.

№ 16–20: Convex Hull Trick (CHT)

- 16. Minimize total cost for linear cost functions over dynamic ranges.
- 17. Compute DP[i] = min(DP[j] + A[i]*B[j]) using convex hull.
- 18. Solve a problem where choosing optimal j gives linear transition for DP[i].
- 19. Find min total fuel to reach i stations with line transitions.
- 20. Optimize quadratic DP relations with line hull trick.

☐ 21–25: Bitmask DP (Trees / Graphs)

- 21. Count number of Hamiltonian paths in a graph using bitmasking.
- 22. Held-Karp algorithm for exact TSP on $N \le 20$ using Bitmask DP.

- 23. Find minimum cost to color tree nodes under bitmask constraints.
- 24. DP[state]: max value collected in a game with visited-mask and current node.
- 25. Count ways to form target string from dictionary using mask & trie-based DP.

□ 26–30: Slope Trick (Hard)

- 26. Minimize sum of absolute differences from median using slope trick.
- 27. Maintain minimum value of a convex piecewise linear function with updates.
- 28. Minimize convex cost with non-decreasing constraint using slope optimization.
- 29. Compute optimal jumps with increasing penalty using slope technique.
- 30. Solve dynamic programming over hills with decreasing slopes and penalties.

Let me know if you'd like these grouped by difficulty, platform links, or detailed explanations!

You said:

Advanced Graph Algorithms • Dynamic Connectivity (Link-Cut Trees, Euler Tour Trees)

• 2-SAT • Minimum Cost Flow (Cycle Canceling, Primal-Dual) • Persistent Disjoint Set Union (DSU) • Heavy-Light Decomposition (HLD) • Tree Isomorphism • Centroid Decomposition

ChatGPT said:

Here are 30 one-line problem statements based on Advanced Graph Algorithms:

•• 1–5: Dynamic Connectivity (Link-Cut Trees / Euler Tour Trees)

- 1. Support online edge insertions/deletions in a forest and answer connectivity queries.
- 2. Maintain dynamic minimum spanning forest with fast updates and queries.
- 3. Answer ancestor-descendant queries after dynamic subtree rerooting.
- 4. For a dynamic forest, track the size of connected components after updates.
- 5. Determine if two nodes are connected in a forest with edge deletions and additions.

□ 6–10: 2-SAT

- 6. Determine if a boolean formula in CNF with 2 literals per clause is satisfiable.
- 7. Find one valid assignment for a satisfiable 2-SAT formula.
- 8. Determine if a set of implication rules has a contradiction.
- 9. Compute the strongly connected components of implication graph in 2-SAT.
- 10. Identify forced assignments in 2-SAT (which variables must be true/false).

5 11–15: Minimum Cost Flow (Cycle Canceling / Primal-Dual)

- 11. Find the cheapest way to send K units of flow from source to sink.
- 12. Determine the minimum cost to assign N workers to N jobs with constraints.
- 13. Solve transshipment problem with flow costs between multiple sources/sinks.
- 14. Compute minimum cost of transporting goods with capacity and cost per edge.
- 15. Use successive shortest paths (Primal-Dual) for cost-constrained flow delivery.

△ 16–20: Persistent DSU

- 16. After each union, answer connectivity queries for any previous state (rollback).
- 17. Maintain historical versions of DSU for offline query resolution.
- 18. Count number of connected components at any point in past timeline.
- 19. Answer whether u and v were in same component at time t.
- 20. Track size of component of any node at historical time using persistent DSU.

☐ 21–25: Heavy-Light Decomposition (HLD)

- 21. Support path queries and point updates in a tree using HLD and segment trees.
- 22. Find sum of weights along path from u to v in a tree.
- 23. Change weights on edges and query max weight on a path efficiently.
- 24. Find LCA of any two nodes using HLD decomposition.
- 25. Support subtree updates and path max/min queries in trees using HLD.

☐ 26–27: Tree Isomorphism

- 26. Check if two rooted trees are isomorphic using canonical form hashing.
- 27. Count the number of non-isomorphic rooted trees of size n.

☐ 28–30: Centroid Decomposition

- 28. Count number of pairs of nodes in a tree whose distance is $\leq K$.
- 29. Solve tree path queries involving constraints by dividing tree into centroids.
- 30. Find total number of paths in a tree whose sum is divisible by M using centroid decomposition.

Let me know if you want these with difficulty levels, resources, or implementation guidance!

You said:

Geometry (Hardcore) • Rotating Calipers • Minkowski Sum • Convex Hull in 3D • Dynamic Convex Hull • Line Intersection Counting (Sweep Line) • Geometry with Integer Coordinates (careful precision)

ChatGPT said:

Here are 30 one-line problem statements covering Hardcore Geometry topics:

\$ 1–5: Rotating Calipers

- 1. Find the diameter (farthest pair of points) of a convex polygon.
- 2. Compute the minimum width of a convex polygon using calipers.
- 3. Find the maximum area triangle that can be inscribed in a convex polygon.
- 4. Calculate the max distance between any two edges of convex polygons.
- 5. Determine antipodal pairs in convex polygons using rotating calipers.

+ 6-10: Minkowski Sum

- 6. Compute the Minkowski sum of two convex polygons.
- 7. Check if origin lies within the Minkowski sum of A and –B (collision check).
- 8. Use Minkowski sum for motion planning in a 2D polygonal environment.
- 9. Count lattice points inside the Minkowski sum of two convex integer polygons.
- 10. Given two polygons, determine if their Minkowski sum overlaps a third.

☐ 11–15: Convex Hull in 3D

- 11. Construct the convex hull of N points in 3D space.
- 12. Count the number of faces, edges, and vertices in a 3D convex polytope.
- 13. Check if a point lies inside the 3D convex hull of given points.
- 14. Compute surface area of convex polyhedron formed by given points.
- 15. Handle degenerate coplanar point sets when building 3D convex hulls.

16–20: Dynamic Convex Hull

- 16. Maintain upper/lower convex hull with insertions and deletions of points.
- 17. Answer max dot product queries with vectors in dynamic convex hull.
- 18. Given online point additions, maintain convex hull perimeter.
- 19. Find convex hull of points added dynamically and queried on-the-fly.
- 20. Efficiently support min/max slope queries after adding lines dynamically.

% 21–25: Line Intersection Counting (Sweep Line)

- 21. Count number of intersections between N line segments in O(N log N).
- 22. Report all intersections of N segments using plane sweep.
- 23. Given vertical and horizontal lines, count total intersection points.
- 24. Find all overlapping segments between two sets using sweep line.
- 25. For a set of segments, find if any two intersect using segment tree.

▲ 26–30: Integer Geometry (Precision-Critical)

- 26. Determine if three integer-coordinate points form a right triangle.
- 27. Compute the area of a polygon with integer vertices using shoelace formula.
- 28. Find intersection point of two lines with exact rational coordinates.
- 29. Count number of lattice points on the boundary and inside a polygon.
- 30. Check if a point with integer coordinates lies strictly inside an integer polygon.

Let me know if you want implementation hints, test cases, or references for any of these!

You said:

Combinatorics & Counting • Polya Enumeration Theorem • Burnside's Lemma • Stirling Numbers (1st and 2nd kind) • Inclusion-Exclusion on sets and masks • Generating Functions (Exponential and Ordinary) • FFT-based polynomial multiplication

ChatGPT said:

Here are **30 one-line problem statements** covering **Combinatorics & Counting** (Advanced Topics):

♦ 1–5: Polya Enumeration Theorem

- 1. Count distinct colorings of the vertices of a square under rotation and reflection.
- 2. Given N beads on a necklace, count the unique colorings with K colors.
- 3. Count unique grid fillings under row/column permutations using Polya's theorem.
- 4. How many ways can you paint the faces of a cube with C colors, considering symmetry?
- 5. Count the number of non-isomorphic graphs with labeled edges and vertex symmetries.

☐ 6–10: Burnside's Lemma

- 6. Find the number of distinct bracelets (circular sequences) with color constraints.
- 7. Count ways to tile a circular table with colored plates, modulo symmetry.
- 8. Count number of inequivalent arrangements of numbers on a circular board.
- 9. Determine the number of non-equivalent permutations under group actions.
- 10. Use Burnside's lemma to count non-equivalent colorings under rotation and flips.

11–15: Stirling Numbers of the First Kind

- 11. Count permutations of N elements with exactly K disjoint cycles.
- 12. Find the number of ways to write a permutation with a given number of cycles.
- 13. Compute expected number of cycles in a random permutation of N elements.
- 14. Count number of derangements with fixed number of cycles.
- 15. Evaluate sum over Stirling numbers of the first kind for identity checks.

■ 16–20: Stirling Numbers of the Second Kind

- 16. Count ways to partition N elements into K non-empty unlabeled subsets.
- 17. Find the number of ways to divide students into K groups for a project.
- 18. Compute Bell numbers using sum of Stirling numbers of the second kind.
- 19. Solve recurrence involving S(n, k) for recursive partition models.
- 20. Count total set partitions of size N (Bell numbers via Stirling numbers).

Q 21–25: Inclusion-Exclusion (Sets / Masks)

- 21. Count integers \leq N divisible by at least one of a given list of primes.
- 22. Count permutations with at least one fixed point using inclusion-exclusion.
- 23. Given bitmasks for properties, count subsets satisfying at least one condition.
- 24. Find number of subsets where none of the elements violate a banned pair rule.
- 25. Count the number of strings avoiding given forbidden substrings using IEP.

12 26–30: Generating Functions & FFT

- 26. Compute number of ways to make sum N using given set of coin denominations.
- 27. Find coefficient of xNx^NxN in the product of generating functions of sequences.
- 28. Multiply two polynomials efficiently modulo large prime using FFT.
- 29. Given N items and constraints, count valid combinations using exponential generating functions.
- 30. Solve a partition problem via polynomial exponentiation using FFT-based convolution.

Let me know if you'd like visual aids, code templates, or links to platforms like Codeforces, AtCoder, or USACO problems for any of these!

You said:

Data Structures (Expert Level) • Persistent Segment Tree / Trie • Mergeable Heap • Link-Cut Tree (Splay Tree or Euler Tour Tree) • Segment Tree Beats • Mo's Algorithm on Tree / Queries on Tree with Updates • Wavelet Trees

ChatGPT said:

Here are 30 one-line problem statements for Expert-Level Data Structures:

★ 1–5: Persistent Segment Tree / Persistent Trie

- 1. Maintain multiple versions of an array with point updates and range sum queries.
- 2. Given k versions of an array, find the number of elements less than x in version v.
- 3. Find the k-th smallest number in a subarray using persistent segment trees.
- 4. Implement undo/rollback for previous modifications using persistent structures.
- 5. Store versions of a Trie to answer prefix count queries in versioned dictionaries.

₲ 6–10: Mergeable Heap

- 6. Maintain multiple disjoint heaps that support merge, insert, and extract-min.
- 7. Use leftist or binomial heaps to simulate a battle between armies with strength.
- 8. Merge k priority queues in logarithmic time to answer minimum queries.
- 9. Perform Union-Find with mergeable heaps to find min/max in each component.
- 10. Support meldable heaps to track median in dynamic sets.

•• 11–15: Link-Cut Tree (Splay Tree / Euler Tour Tree)

- 11. Dynamically add and remove edges in a forest and answer path queries.
- 12. Maintain the diameter of a tree under link and cut operations.
- 13. Answer subtree sum/path min queries with dynamic connectivity.
- 14. For a tree with dynamic edge weights, answer path max queries using LCT.
- 15. Implement Euler Tour Tree to check if two nodes are connected after updates.

₹ 16–20: Segment Tree Beats

- 16. Support range min update (set min on segment) and range sum queries.
- 17. Maintain segment tree for range chmin, chmax, add, and sum in one structure.
- 18. Perform conditional range updates with constraints on upper/lower bounds.
- 19. Solve RMQ with conditional replace for segments in O(log² N).
- 20. Count how many values fall within a certain range and update only if they exceed a threshold.

♣ 21–25: Mo's Algorithm on Tree / Tree Queries with Updates

- 21. Answer queries on number of distinct colors in a subtree.
- 22. Count number of nodes with a certain value on the path between two nodes.
- 23. Solve subtree XOR queries with node updates using Euler Tour + Mo's algorithm.
- 24. Answer kth color/node on path u-v with updates using Mo on Tree.
- 25. Handle subtree queries and point updates with MO's offline batching on trees.

1 26–30: Wavelet Trees

- 26. Find the k-th smallest element in a subarray in O(log N) using Wavelet Tree.
- 27. Count number of elements in a subarray within a given value range.
- 28. Compute frequency of an element in a given range.
- 29. For a range [L, R], return the number of elements less than or equal to K.
- 30. Support dynamic insertion and deletion in sequences while answering order-statistics queries.

Let me know if you'd like categorized links to practice problems (Codeforces, AtCoder, etc.), implementation guides, or visual aids for these complex structures.

You said:

Math (Advanced Number Theory) • Discrete Logarithm (Baby Step Giant Step) • Chinese Remainder Theorem (non-coprime moduli) • Lucas Theorem • Fast Walsh-Hadamard Transform • Matrix Exponentiation in Rings • Elliptic Curve Arithmetic (Rare)

ChatGPT said:

Here are 30 one-line problem statements for Advanced Number Theory topics:

1−5: Discrete Logarithm (Baby Step Giant Step)

1. Solve for xxx in ax≡bmod ma^x \equiv b \mod max≡bmodm where a,b,ma, b, ma,b,m are given.

- 2. Compute the minimum exponent xxx such that gx≡ymod pg^x \equiv y \mod pgx≡ymodp (primitive root).
- 3. Given a,b,ma, b, ma,b,m, determine if discrete logarithm exists and compute it.
- 4. Solve xk≡amod px^k \equiv a \mod pxk≡amodp for smallest xxx using discrete log tricks.
- 5. Break a cryptographic challenge involving modular exponentiation inversion.

☐ 6–10: Chinese Remainder Theorem (non-coprime moduli)

- 6. Solve a system of congruences with non-coprime moduli.
- 7. Determine the smallest xxx such that x≡aimod mix \equiv a_i \mod m_ix≡aimodmi for given (ai,mi)(a i, m i)(ai,mi).
- 8. Given multiple periodic events with cycles (not coprime), find first collision time.
- 9. Determine if a solution exists for a modular system with overlapping constraints.
- 10. Use extended CRT to compute synchronized time in distributed systems.

☼ 11–15: Lucas Theorem

- 11. Compute C(n,k) mod pC(n,k) mod pC(n,k) mod pC(n,k) for large n,kn, kn,k and small prime ppp.
- 12. Given $n,k \le 1018n$, $k \le 10^{18}n$, $k \le 1018$, compute binomial coefficient modulo p.
- 13. Count combinations in modular arithmetic where values are massive.
- 14. Implement Lucas Theorem for combinatorial identities mod p.
- 15. Count paths in a grid modulo p where dimensions exceed standard ranges.

∮ 16–20: Fast Walsh-Hadamard Transform (FWHT)

- 16. Perform XOR convolution between two integer arrays.
- 17. Given two sets A and B, find number of pairs such that $a \oplus b = ca \setminus b = ca \oplus b$
- 18. Count subsets with XOR equal to a target value using FWHT.
- 19. Optimize bitwise convolution operations in signal processing context.
- 20. Compute subset convolution using FWHT efficiently.

☐ 21–25: Matrix Exponentiation in Rings

- 21. Compute the nth Fibonacci number modulo a composite number.
- 22. Raise a 2×2 matrix with modular entries to large power efficiently.
- 23. Solve linear recurrences under ring modulo operations.
- 24. Simulate population growth using matrix recurrence modulo m.
- 25. Implement matrix fast power over Z/mZ for generalized recurrences.

☐ 26–30: Elliptic Curve Arithmetic (Rare)

- 26. Add two points on an elliptic curve over a finite field.
- 27. Compute scalar multiplication kPkPkP on elliptic curves modulo p.
- 28. Given curve equation and point, determine order of the point.
- 29. Solve ECDLP: find kkk such that $P \cdot k = QP \cdot k = QP$
- 30. Use elliptic curve arithmetic to factor a number using ECM (Elliptic Curve Method).

Let me know if you'd like detailed tutorials, implementation strategies, or references for Olympiad or ACM ICPC-style contests involving these topics.

You said:

Strings (Advanced) • Suffix Automaton + DP on Automaton • Suffix Tree with Ukkonen's Algorithm • Z-algorithm & KMP in combinatorics • Aho-Corasick Automaton (multipattern) • Palindromic Tree (Eertree)

ChatGPT said:

Here are 30 one-line problem statements for Advanced String Algorithms:

✓ 1–5: Suffix Automaton + DP on Automaton

- 1. Count the number of different substrings of a given string using a suffix automaton.
- 2. Find the length of the longest common substring between two strings using SAM.
- 3. Given a string, count how many times each substring appears using DP on SAM.
- 4. Compute the lexicographically smallest substring of length k using suffix automaton traversal.
- 5. Find the number of times a pattern occurs as a substring in a large string using SAM.

♣ 6–10: Suffix Tree (Ukkonen's Algorithm)

- 6. Build the suffix tree of a string in linear time using Ukkonen's algorithm.
- 7. Find the longest repeated substring of a string using its suffix tree.
- 8. Count total number of different substrings using suffix tree node depth.
- 9. Compute LCS (Longest Common Substring) of two strings using generalized suffix tree.
- 10. Search for all occurrences of a pattern in a string using a suffix tree.

Q 11–15: Z-algorithm & KMP in Combinatorics

- 11. Compute the number of times a pattern appears in a text using the Z-algorithm.
- 12. Find the minimal string period using the prefix function (KMP).
- 13. Count number of borders (prefix = suffix) in a string using Z-array.
- 14. Determine all occurrences of a pattern in linear time using KMP.
- 15. Check if a string is composed of repeated patterns using prefix function.

☐ 16–20: Aho-Corasick Automaton (Multi-pattern Matching)

- 16. Search for multiple patterns simultaneously in a large text using Aho-Corasick.
- 17. Count total number of pattern occurrences in a string using Aho-Corasick.
- 18. Report all positions of any of the given dictionary words in a long text.
- 19. Detect banned or sensitive words in real-time chat using multi-pattern matching.
- 20. Count total distinct patterns matched at each position in the text using failure links.

\$ 21–25: Palindromic Tree (Eertree)

- 21. Count the number of distinct palindromic substrings in a string.
- 22. Maintain a dynamic structure to insert characters and get palindromic count in realtime.
- 23. For each suffix of a string, report the longest palindromic substring ending there.
- 24. Find the longest palindromic prefix/suffix using Eertree traversal.
- 25. Count how many times each palindrome occurs in the string.

© 26-30: Mixed Advanced Tasks

- 26. Given a string, find the longest palindromic substring using Manacher's algorithm.
- 27. Build suffix array in O(n log n) and find LCP array efficiently.
- 28. Compress all suffixes of a string into a trie and analyze space complexity.
- 29. Use hashing + Z/KMP to check string equivalence under rotations.
- 30. For multiple strings, find the shortest common superstring using suffix-prefix matches.