

SECURITY ASSESSMENT REPORT: COMPREHENSIVE

Target Asset: portal.example.com

Report ID: RPT-2026-CA96AD97 | Generated: 2026-09-02T16:17:23

OVERALL STATUS: HIGH RISK - ACTION RECOMMENDED

Potential vulnerabilities or threat indicators were detected during scanning. Follow the action plan on Page 2 to secure this asset.

THREAT SCORE	SEVERITY LEVEL	EVIDENCE CONFIDENCE	THREAT CATEGORY
78 / 100	HIGH	92%	HIGH

1. EXECUTIVE SUMMARY & BUSINESS IMPACT

Multiple critical external telemetry findings detected on portal asset.

2. SECURITY COMPONENTS & TELEMETRY VERIFIED

? Threat Intelligence:	NOT_AVAILABLE	? File Analyzer:	NOT_AVAILABLE
? Ssl Scanner:	COMPLETED	? Whois Lookup:	NOT_AVAILABLE
? Url Scanner:	NOT_AVAILABLE	? Port Scanner:	COMPLETED

3. AUTONOMOUS AI AGENT CORRELATION

AI Agent concluded multi-vector vulnerability profile on portal asset.

4. DETAILED SECURITY FINDINGS & EVIDENCE

Identified security indicators with both business impact and technical detail.

[HIGH] Public Database Port 3306 Exposed

MySQL port 3306 is open to public internet.

Technical Context: Verified via automated CyberGuardian security rule evaluation.

[MEDIUM] Expired TLS Certificate

Certificate expired 14 days ago.

Technical Context: Verified via automated CyberGuardian security rule evaluation.

5. RECOMMENDED ACTION PLAN & REMEDIATION PLAYBOOK

Clear, prioritized steps to resolve identified vulnerabilities and harden your systems.

- 1

Action Step 1:

Immediately firewall MySQL port 3306.

Apply configuration changes and verify security logs.

- 2

Action Step 2:

Provision renewed TLS certificate.

Apply configuration changes and verify security logs.

CYBERGUARDIAN AI DEFENSE VERIFIED ? 2-PAGE EXECUTIVE ASSESSMENT

SHA-256 Validated | Report ID: RPT-2026-CA96AD97 | Protected by CyberGuardian Engine
Point-in-time automated security telemetry. For incident assistance, consult your SOC administrator.