

CSC 2210 — Object Oriented Programming 2

Project Assignment 01: System Design & Report Submission

American International University–Bangladesh (AIUB)

Faculty of Science and Technology · Department of Computer Science

Semester: Summer 2025-2026

Section: AA

Group no:

Project Name: Grocery / Super Shop System Design

Supervisor: Dr. Md. Iftekharul Mobin

NAME	ID
SAHIL SUBAIR	25-62082-2
NAFIM ISLAM NABID	24-58032-2

Deadline	Tuesday, 18 August 2026 — 11:59 PM
Type	Group work (3–4 members per group)
Submit	One public GitHub repository link per group
Marks	30 (mapped to CO2 & CO3 — see Section 9)

CO2 — Display and verify the meaning of a real-life project using C# GUI concepts with database integration — 15 marks

Criterion	Marks	What earns "Excellent (5)" in this assignment
Requirement fulfillment		Case study describes a genuine, detailed real-life scenario. All three roles are meaningful in that domain. Every mandatory feature from Section 1 is present in the requirements and traceable to a form in the navigation diagram.
Validation		Every user story states what is validated and how the system responds. At least 2 mockups visibly show validation/error states. Database constraints (NOT NULL, UNIQUE, CHECK) enforce the same rules.
Verification		The data flow is proven end-to-end: the navigation diagram, the schema and the SQL queries agree with each other. Every feature has a query behind it; every query touches a table that exists in the schema.

CO3 — Prepare and explain a real-life desktop application synthesizing C# components and development tools — 15 marks

Criterion	Marks	What earns "Excellent (5)" in this assignment
Organization of the application		Repo follows the required folder structure. README is complete, well-ordered and readable. PDF report has cover page and all 8 chapters. All members have commits. Work distribution table is honest and specific.

Criterion	Marks	What earns "Excellent (5)" in this assignment
Representation and Integration of Database		6+ tables, correctly normalised to 3NF with justification. All PK/FK relationships drawn and labelled. Junction table present. SQL script runs without error and uses JOIN, GROUP BY, HAVING and aggregates.
Graphical User Interface		12+ form designs, visually consistent, user-friendly and coherent. Navigation diagram is complete with labelled arrows and the role-decision branch. Every form is reachable and every form has a way back.

Bonus

Item	Marks
Correct ER Diagram (entities, attributes, relationships, cardinality)	+2
Working login + role routing already implemented in C#	+3

TABLE OF CONTENTS

SL	CHAPTER NAME	PAGE NUMBER
1	Introduction & Case Study	5
2	Functional Requirements & User Stories	5 - 7
3	UI Navigation Diagram	8
4	Database Design	9 - 14
5	SQL Queries	15 - 17
6	User Interface Design	18 - 25
7	Work Distribution	26
8	Conclusion & Future Work	26

Chapter 1 — Introduction & Case Study

1.1 Introduction

Running a modern grocery supermarket or an online grocery marketplace isn't just about stocking shelves—it's about juggling a million moving parts behind the scenes. From independent shop owners trying to keep track of daily stock to platform administrators managing commissions and store approvals, things can get messy very quickly. That is exactly why we built Grocery-Super_Shop. It's a desktop application crafted in C# and Windows Forms (WinForms) designed to bring order to the chaos. By establishing clear boundaries for Super Admins, Shop Admins, and everyday Customers, this system handles everything from inventory tracking to automated revenue splitting under one roof.

1.2 Case Study

Think about how traditional multi-vendor platforms operate. Usually, store owners complain about opaque commission cuts, while platform managers struggle with decentralized inventory updates and unmoderated customer reviews. Grocery-Super_Shop solves these exact pain points by acting as a single, cohesive hub where multiple vendors can operate independently under a single master network.

Chapter 2 — Functional Requirements & User Stories

2.1 Functional Requirements

The system's functional requirements are categorized by user roles to ensure clear operational boundaries and granular access control:

- **Super Admin Requirements:**


- **Shop Management:** The system must allow the Super Admin to register, approve, suspend, or delete independent shop vendor accounts.
- **Platform Sales & Commission:** The system must calculate and display global platform revenue, order volumes, and automated commission percentages across all registered shops.
- **System Settings:** The system must provide configurable global parameters, including platform tax rates, default delivery fees, and service policies.
- **Review Moderation:** The system must enable the Super Admin to monitor, approve, or flag customer reviews across all vendor shops.
- **Shop Admin Requirements:**
 - **Product Management:** The system must allow Shop Admins to add new catalog items, update pricing and descriptions, archive inactive products, and perform bulk imports.
 - **Inventory Control:** The system must track stock quantities in real time, generate low-stock alerts, and allow inventory reorder thresholds to be set.
 - **Sales & Earnings:** The system must display daily and weekly gross sales, net earnings charts, average order values, and detailed transaction logs.
 - **Offers & Promotions:** The system must enable Shop Admins to create, edit, and deactivate discount codes, flash sales, and promotional bundles.
- **Customer Requirements:**
 - **Product Browsing:** The system must allow customers to search products by keyword or SKU, and filter items by category or price.

- **Cart & Checkout:** The system must support shopping cart management, promo voucher application, and secure order placement.
- **Order & Review History:** The system must provide customers with a history of past purchases and the ability to submit product ratings and feedback.

2.2 User Stories

- **As a Super Admin,** I want to view global platform commissions so that I can accurately track and audit overall platform revenue.
- **As a Super Admin,** I want to moderate customer reviews across multiple stores so that platform quality and brand safety are maintained.
- **As a Shop Admin,** I want to receive low-stock alerts so that I can reorder inventory before popular grocery items run out.
- **As a Shop Admin,** I want to monitor gross sales and net earnings trends so that I can evaluate my shop's financial performance.
- **As a Customer,** I want to filter products by category so that I can quickly find grocery items without endless scrolling.
- **As a Customer,** I want to apply promotional coupon codes at checkout so that I can receive discounts on my grocery purchases.

Chapter 3 — UI Navigation Diagram



Everything kicks off at the Login Form, where users sign in and get instantly routed based on their specific role. If you are logged in as a Super Admin, your dashboard lets you handle shop owners, check platform-wide sales and commissions, organize categories, and moderate reviews all in one place. If you are an Admin managing an individual shop, your dashboard branches out into product management, stock levels, sales earnings, and promotional offers. Meanwhile, customers land on a straightforward storefront where they can browse items, check product details, manage their cart, breeze through checkout, and look back at their order history once everything is wrapped up.

Chapter 4 — Database Design

Sql Schema Diagram



ER DIAGRAM




Table-by-Table Specifications

1. Users Table

Stores everyone who logs into the system, separating them by their specific operational roles.

- **UserID** (INT, Primary Key): The unique identification number for every registered account.
- **Username** (VARCHAR): The display name chosen by the user.
- **Email** (VARCHAR): The unique email address used for login and notifications.
- **PasswordHash** (VARCHAR): The securely encrypted password string.
- **Role** (VARCHAR): Defines permissions in the system (e.g., 'SuperAdmin', 'ShopAdmin', 'Customer').
- **CreatedAt** (DATETIME): Timestamp showing when the account was created.

2. Shops Table

Manages the independent vendor storefronts operating within our platform.

- **ShopID** (INT, Primary Key): The unique identifier for each grocery store.
- **ShopName** (VARCHAR): The commercial name of the vendor shop.
- **OwnerID** (INT, Foreign Key referencing Users.UserID): Links the shop directly to its designated admin.
- **CommissionRate** (DECIMAL): The specific percentage cut the platform takes from the shop's sales.
- **Status** (VARCHAR): Tracks the operational state (e.g., 'Active', 'Suspended').

3. Categories Table

Organizes grocery items into clean, manageable departments.

- **CategoryID** (INT, Primary Key): The unique identifier for each product category.
- **CategoryName** (VARCHAR): The name of the department (e.g., 'Fruits', 'Dairy', 'Bakery').
- **Description** (TEXT): A brief summary of what types of items belong in this category.

4. Products Table

Holds the entire catalog of grocery items available across different vendor shops.

- **ProductID** (INT, Primary Key): The unique identifier for each individual product listing.
- **SKU** (VARCHAR): The stock-keeping unit code used for quick scanning and tracking.
- **ProductName** (VARCHAR): The title of the grocery item.
- **ShopID** (INT, Foreign Key referencing Shops.ShopID): Identifies which vendor owns this product.
- **CategoryID** (INT, Foreign Key referencing Categories.CategoryID): Groups the product into its respective department.
- **Price** (DECIMAL): The cost per unit.
- **StockQty** (INT): The current physical inventory count available.
- **LowStockThreshold** (INT): The minimum stock level that triggers an automatic low-stock warning.
- **Status** (VARCHAR): Indicates whether the item is active or archived.

5. Orders Table

Tracks checkout transactions made by customers.

- **OrderID** (INT, Primary Key): The unique identifier for every processed customer order.
- **CustomerID** (INT, Foreign Key referencing Users.UserID): The customer who placed the order.
- **ShopID** (INT, Foreign Key referencing Shops.ShopID): The specific vendor store fulfilling the order.
- **OrderDate** (DATETIME): The exact timestamp when the order was submitted.
- **TotalAmount** (DECIMAL): The final calculated cost of the order.
- **Status** (VARCHAR): Current order progress (e.g., 'Pending', 'Completed', 'Cancelled').
- **PaymentMethod** (VARCHAR): The payment option selected by the customer.

6. OrderItem Table

Breaks down individual items included within a specific order.

- **OrderItemID** (INT, Primary Key): The unique identifier for the line item.
- **OrderID** (INT, Foreign Key referencing Orders.OrderID): Links the item back to its parent order.
- **ProductID** (INT, Foreign Key referencing Products.ProductID): Identifies the exact product purchased.
- **Quantity** (INT): How many units of this product were bought.
- **UnitPrice** (DECIMAL): The price of a single unit at the time of purchase.
- **Subtotal** (DECIMAL): The calculated total for this specific line item (Quantity * UnitPrice).

7. Review Table

Handles customer feedback and ratings submitted for products and stores.

- **ReviewID** (INT, Primary Key): The unique identifier for the review.
- **OrderID** (INT, Foreign Key referencing Orders.OrderID): Links the review to a verified purchase.
- **CustomerID** (INT, Foreign Key referencing Users.UserID): The user who wrote the review.
- **ProductID** (INT, Foreign Key referencing Products.ProductID): The item being evaluated.
- **Rating** (INT): The numerical score given by the customer.
- **Comment** (TEXT): The written text feedback.
- **Status** (VARCHAR): Moderation status (e.g., 'Pending', 'Approved', 'Flagged').

8. Promotion Table

Manages discount codes, flash sales, and special vendor offers.

- **PromoID** (INT, Primary Key): The unique identifier for the promotion.
- **ShopID** (INT, Foreign Key referencing Shops.ShopID): The shop offering the discount.
- **Code** (VARCHAR): The text voucher code entered at checkout (e.g., 'FRESH20').
- **DiscountType** (VARCHAR): The type of discount applied (e.g., 'Percentage', 'FixedAmount').
- **Value** (DECIMAL): The value or percentage of the discount.
- **StartDate** (DATE): When the promotion becomes active.
- **EndDate** (DATE): When the promotion expires.

Normalization Justification (Why It Is in 3NF)

We structured our database to completely satisfy **Third Normal Form (3NF)** rules, ensuring our application stays clean, scalable, and free of annoying update bugs:

- **First Normal Form (1NF):** Every table column holds atomic, indivisible values. We avoided awkward multi-value text fields by separating complex data like order items and reviews into their own dedicated relational tables.
- **Second Normal Form (2NF):** All tables are already in 1NF, and every non-key attribute is fully dependent on the primary key. For example, a product's name and price depend strictly on its ProductID, preventing any partial dependencies.
- **Third Normal Form (3NF):** We eliminated all transitive dependencies. Non-key columns depend *only* on the primary key, meaning you won't find redundant data floating around where it doesn't belong. For instance, category names live exclusively in the Categories table rather than being repeatedly hardcoded into the Products table, making future updates quick and painless.

Chapter 5 — SQL Queries & Implementation

1. Low-Stock Inventory Alert Query

- **Purpose:** Allows a Shop Admin to instantly monitor stock levels across their inventory and pinpoint items that have hit or fallen below their safety reorder threshold.

SQL

```
SELECT SKU, ProductName, StockQty, ReorderLevel, Status  
FROM Products  
WHERE ShopID = 1 AND StockQty <= ReorderLevel;
```

- **Explanation:** This query filters products by a specific vendor (ShopID = 1) and isolates rows where the physical stock quantity is less than or equal to the designated low stock threshold, driving the dashboard alerts.

2. Shop Sales & Net Earnings Calculation

- **Purpose:** Gives Shop Admins a clear breakdown of their financial performance over a selected period, separating gross revenue from net earnings after platform commission deductions.

SQL

```
SELECT SUM(TotalAmount) AS GrossSales,  
       SUM(TotalAmount * 0.90) AS NetEarnings  
FROM Orders  
WHERE ShopID = 1 AND OrderDate BETWEEN '2026-08-01' AND '2026-08-18';
```

- **Explanation:** By summing the TotalAmount column for a specific shop within a targeted date range, it calculates gross revenue and applies the vendor's net multiplier to display exact take-home earnings.

3. Super Admin Global Commission & Revenue Report

- **Purpose:** Enables the Super Admin to audit platform-wide financial statistics, compiling total orders, aggregate revenue, and platform commission cuts across every active vendor store.

SQL

```
SELECT O.ShopID, S.ShopName,  
       COUNT(O.OrderID) AS TotalOrders,  
       SUM(O.TotalAmount) AS TotalRevenue,  
       SUM(O.TotalAmount * (S.CommissionRate / 100.0)) AS CommissionEarned  
FROM Orders O  
JOIN Shops S ON O.ShopID = S.ShopID  
GROUP BY O.ShopID, S.ShopName;
```

- **Explanation:** This query performs an inner join between the Orders and Shops tables, grouping results by shop to calculate total order volume, overall sales revenue, and the exact commission earned based on each store's unique rate.

4. Customer Product Search & Category Filter

- **Purpose:** Powers the customer storefront browsing experience by allowing users to narrow down product catalogs by specific departments and keyword searches.

SQL

```
SELECT ProductID, SKU, ProductName, Price, StockQty
```


```
FROM Products
```

```
WHERE CategoryID = 3 AND (ProductName LIKE '%Apple%' OR SKU LIKE '%APP%');
```

- **Explanation:** It targets a specific category (CategoryID = 3) while matching flexible wildcard patterns against product names or SKUs to ensure fast, responsive item retrieval during customer shopping sessions.

Chapter 6 — User Interface Design


1-login:



The screenshot shows a window titled "Grocery Super Shop - Login". Inside, there is a "Sign In" section with a "User Name:" label and a text input field containing "Sahil". Below it is a "Password:" label and a text input field with masked characters "*****". A blue "SIGN IN" button is positioned below the password field. Underneath the sign-in section is a "New User" label and a blue "REGISTER" button.

The login screen allows existing users and admins to securely sign in using their username and password.

2-signup:



The screenshot shows a window titled "Grocery Super Shop — Registration". It contains several input fields: "Full Name:" with "Sahil Subair", "Email:" with ".....@gmail.com", "Contact No.:" with "01XXXXXXXXXX", "Password:", and "Confirm Password:". At the bottom, there are two blue buttons: "REGISTER" and "BACK TO LOGIN".

The registration form enables new users to create an account by providing their personal and contact details.

3-superadmin-manage-shop-owners:

Grocery Super Shop - Super Admin Dashboard					
MANAGE SHOP OWNERS		PLATFORM SALES AND COMMISSION		MANAGE CATEGORIES	MANAGE REVIEWS
Search by Shop name or ID		SEARCH			
SHOP ID	SHOP NAME	OWNER'S NAME	EMAIL	STATUS	ACTIONS
SHP001	FRESH GROCERIES	John Smith	jhn22@gmail.com	Active	[SUSPEND]
SHP005	DAILY NEEDS	Jane Doe	jane77@gmail.com	Active	[SUSPEND]

The super admin interface displays a searchable list of shop owners with options to view their status or suspend their accounts.

4-superadmin-sales-report:

Grocery Super Shop — Super Admin Dashboard

MANAGE SHOP OWNERS

PLATFORM SALES AND COMMISSION

MANAGE CATEGORIES

MANAGE REVIEWS

DATE

From: 08/01/2026

To: 08/15/2026

GENERATE REPORT

TOTAL REVENUE

\$45,280.50

TOTAL ORDERS

942

AVG. ORDER VALUE

\$48.07

PLATFORM COMMISSION

\$4,528.05

DATE	TOTAL SALES	COMMISSION EARNED
08/15/2026	\$3,150	\$315
08/11/2026	\$3,050	\$289

The platform sales and commission page summarizes overall revenue, total orders, and platform earnings with date filtering.

5-superadmin-manage-categories:

Grocery Super Shop — Super Admin Dashboard

MANAGE SHOP OWNERS

PLATFORM SALES AND COMMISSION

MANAGE CATEGORIES

MANAGE REVIEWS

Search Categories

+ Add New Category

ID	Category Name	Items	Items Count	Status	Actions
#JAY-101	Fruits	Apple	668	Active	[EDIT] [DELETE]
#JAY-405	Dairy & Eggs	Eggs	87	Active	[EDIT] [DELETE]

The category management panel lists item categories with counts and provides controls to add, edit, or delete them.

6-superadmin-manage-reviews:

Grocery Super Shop — Super Admin Dashboard

MANAGE SHOP OWNERS	PLATFORM SALES AND COMMISSION	MANAGE CATEGORIES	MANAGE REVIEWS
--------------------	-------------------------------	-------------------	----------------

Filter by Shop:

All Shops

Ratings:

All Ratings

REVIEW ID	CUSTOMER NAME	SHOP	RATING	COMMENT	Actions
#REV-101	ZAHIN	FRESH GROCERIES	★★★★	"Fresh products"	[REPLY] [DELETE]
#REV-405	KARIM	EVERYDAY BAZAAR	★	"Rude Employees"	[REPLY] [DELETE]

The review management dashboard allows super admins to filter customer reviews by shop or rating and reply or delete comments.

7-admin-products-management:

Grocery Super Shop — Admin Dashboard

PRODUCT MANAGEMENT

INVENTORY / STOCK

SALES AND EARNINGS

OFFERS

Search



+ ADD NEW PRODUCT

Item ID	PRODUCT NAME	CATEGORY	PRICE	STATUS	Actions
#JAY-101	Green Apples	Fruits	\$8.00/KG	Active	[EDIT] [DELETE]
#JAY-405	Shampoo	Toiletries	\$13.00	Low Stock	[EDIT] [DELETE]

The shop admin's product management screen shows items, categories, pricing, and stock status with options to add, edit, or delete products.

8-admin-inventory:

Grocery Super Shop — Admin Dashboard

PRODUCT MANAGEMENT

INVENTORY / STOCK

SALES AND EARNINGS

OFFERS

Search

Filter:

All Categories

Stock Status:


All Levels

+ ADD NEW STOCK

Item ID	PRODUCT NAME	CATEGORY	Last Updated	STOCK	Actions
#JAY-101	Green Apples	Fruits	01/15/2026	65 KG's	[EDIT] [DELETE]
#JAY-405	Shampoo	Toiletries	01/10/2026	18	[EDIT] [DELETE]


The inventory stock table tracks quantities, categories, and last update dates for each product with stock filtering tools.

9-admin-sales-earnings:




The shop sales and earnings dashboard highlights total sales, net earnings, total orders, and overall revenue for specific date ranges.

10-admin-offers:




The promotional offers page displays active promos, discounted items, and discount totals alongside options to create, edit, or deactivate offers.

11-customer-browse:



The customer browse screen lists available items with search, category filters, and status indicators.

12-customer-product-details:



The product details page shows pricing, availability, and average reviews while allowing quantity selection before adding to cart.

13-customer-cart:

Grocery Super Shop — Customer Dashboard

CART

Item ID	PRODUCT NAME	CATEGORY	PRICE	AMOUNT	Actions
#JAY-101	Green Apples	Fruits	\$8.00/KG	5 KG/s	[REMOVE]
#JAY-405	Shampoo	Toiletries	\$13.00	1	[REMOVE]

Go BackGo Back

The cart interface displays selected items, categories, prices, and quantities with an option to remove products.

14-customer-checkout:

Grocery Super Shop — Customer Dashboard

CHECKOUT

Name: Sahil Subair
Address: House-xx, Road-xx, Sector-xx, Uttara, Dhaka
Contact: 01xxxxxxxx
Email: sahil123@gmail.com

PRODUCT	AMOUNT	PRICE
Green Apples	5 KG/s	\$40.00
Shampoo	1	\$13.00

Delivery Charge: \$5.00
Total To be Paid: \$58.00

PAYMENT METHOD

☐ COD
☐ Mobile Banking
☒ Debit/Credit Card

Go BackCHECKOUT

The checkout screen summarizes customer shipping details, order totals including delivery charges, and payment method choices.

15-customer-order-history:



DATE OF PURCHASE	PRODUCTS	TOTAL PAID
01/01/2026	1. Ice Cream 2. Chocolate 3. Frozen Nuggets	\$89.00
08/15/2026	1. Green Apples 2. Shampoo	\$58.00

The order history log displays past purchase dates, purchased product lists, and total amounts paid.

Chapter 7 — Work Distribution

NAME	ID	CONTRIBUTION
Sahil Subair	25-62082-2	D1, D2, D3, D6, D7
Nafim Islam Nabid	24-58032-2	D4, D5

Chapter 8 — Conclusion & Future Work

Building the **Grocery Super Shop** platform has been a rewarding journey in designing a robust, multi-vendor desktop application using C# WinForms and standard ADO.NET patterns. By structuring our database schema up to 3NF and securing dynamic queries with parameterized commands, we created an efficient system that seamlessly connects administrators, shop owners, and customers.

Looking ahead, our next milestone is transitioning this desktop architecture into a cloud-connected ecosystem. We plan to introduce real-time order tracking notifications, dynamic product recommendation logic based on buying habits, and an automated multi-vendor settlement system.

As the application scales, we anticipate key technical hurdles, particularly around managing concurrent database updates during peak shopping hours, keeping inventory synchronized seamlessly across independent vendors, and ensuring top-tier security for automated payment integrations. Tackling these upcoming challenges will be essential as we evolve this project into a enterprise-ready retail solution.