PIZZA SALES SQL ANALYSIS – QUERIES & RESULTS

A. KPI'S

1. TOTAL REVENUE:

```
SELECT
  round(SUM(total_price),2) AS Total_Revenue
FROM
  pizza_sales;
```

Result Grid | Filter Rows:

Total_Revenue
817860.05

2. TOTAL ORDERS

```
SELECT
  COUNT(DISTINCT order_id) AS Total_order
FROM
  pizza_sales;
```

Result Grid | Filter Rows:

Total_order
21350

3. TOTAL PIZZA SOLD


```
SELECT
  SUM(quantity) as Total_pizza_sold
FROM
  pizza_sales;
```

Result Grid | Filter Rows:

Total_pizza_sold
49574

4.AVERAGE ORDER VALUE

```
SELECT
  ROUND(SUM(total_price) / COUNT(DISTINCT order_id),
      2) AS Average_order_value
FROM
  pizza_sales;
```




Result Grid | Filter Rows:

Average_order_value
38.31

4. AVERAGE PIZZA PER ORDER

```
SELECT
  ROUND(SUM(quantity) / COUNT(DISTINCT order_id),
      2) AS Average_pizza_per_order
FROM
  pizza_sales;
```




Result Grid | Filter Rows:

Average_pizza_per_order
2.32

5. DAILY TRENDS OF ORDERS

```
SELECT
  DAYNAME(order_date) AS Order_day,
  COUNT(DISTINCT order_id) AS Total_order
FROM
  pizza_sales
GROUP BY DAYOFWEEK(order_date) , DAYNAME(order_date)
ORDER BY DAYOFWEEK(order_date);
```




Result Grid | Filter Rows:

Order_day	Total_order
Sunday	2794
Monday	2973
Tuesday	3024
Wednesday	3239
Thursday	3538
Friday	3158
Saturday	2624

6. HOURLY TRENDS OF ORDERS

```
SELECT
  HOUR(order_time) AS Order_hour,
  COUNT(DISTINCT order_id) AS Total_order
FROM
  pizza_sales
GROUP BY HOUR(order_time)
ORDER BY order_hour;
```




Result Grid | Filter Rows:

Order_hour	Total_order
9	1
10	8
11	1231
12	2520
13	2455
14	1472
15	1468
16	1920
17	2336
18	2399
19	2009
20	1642
21	1198
22	663
23	28

Result 4

8.MONTHLY TRENDS OF ORDERS

```
SELECT
  MONTHNAME(order_date) AS Month_name,
  COUNT(DISTINCT order_id) AS Total_order
FROM
  pizza_sales
GROUP BY MONTH(order_date) , MONTHNAME(order_date)
ORDER BY month(order_date);
```




Result Grid | Filter Rows:

Month_name	Total_order
January	1845
February	1685
March	1840
April	1799
May	1853
June	1773
July	1935
August	1841
September	1661
October	1646
November	1792
December	1680

9.MONTHLY SALES TRENDS

```
SELECT
  MONTHNAME(order_date) AS Month_name,
  ROUND(SUM(total_price), 2) AS Total_sales
FROM
  pizza_sales
GROUP BY MONTH(order_date) , MONTHNAME(order_date)
ORDER BY MONTH(order_date);
```




Result Grid | Filter Rows:

Month_name	Total_sales
January	69793.3
February	65159.6
March	70397.1
April	68736.8
May	71402.75
June	68230.2
July	72557.9
August	68278.25
September	64180.05
October	64027.6
November	70395.35
December	64701.15

10.TOTAL PIZZA SOLD BY PIZZA CATEGORY

```
SELECT
  pizza_category, SUM(quantity) AS Total_pizza_sold
FROM
  pizza_sales
GROUP BY pizza_category
ORDER BY total_pizza_sold DESC;
```




Result Grid | Filter Rows:

pizza_category	Total_pizza_sold
Classic	14888
Supreme	11987
Veggie	11649
Chicken	11050

11.CATEGORY WISE SALES PERFORMANCE

```
SELECT
  pizza_category, ROUND(SUM(total_price), 2) AS Total_sales
FROM
  pizza_sales
GROUP BY pizza_category
ORDER BY total_sales desc;
```




Result Grid | Filter Rows:

pizza_category	Total_sales
Classic	220053.1
Supreme	208197
Chicken	195919.5
Veggie	193690.45

12.SALES BY PIZZA CATEGORY(%)

```
SELECT
pizza_category,
ROUND(SUM(total_price) * 100 / (SELECT SUM(total_price)
FROM pizza_sales),2) AS Sales_percentage
FROM pizza_sales
GROUP BY pizza_category
order by Sales_percentage desc;
```



Result Grid | Filter Rows:

pizza_category	Sales_percentage
Classic	26.91
Supreme	25.46
Chicken	23.96
Veggie	23.68

13.CATEGORY-WISE SALES PERFORMANCE

```
SELECT
  pizza_category,
  ROUND(SUM(total_price), 2) AS Total_Sales,
  ROUND(
    SUM(total_price) * 100 /
    (SELECT SUM(total_price) FROM pizza_sales),
    2
  ) AS Sales_Percentage
FROM pizza_sales
GROUP BY pizza_category
ORDER BY Total_Sales DESC;
```

Result Grid | Filter Rows:

pizza_category	Total_Sales	Sales_Percentage
Classic	220053.1	26.91
Supreme	208197	25.46
Chicken	195919.5	23.96
Veggie	193690.45	23.68

14.CATEGORY-WISE SALES PERFORMANCE (JANUARY)


```
SELECT
  pizza_category,
  ROUND(SUM(total_price), 2) AS Total_Sales,
  ROUND(
    SUM(total_price) * 100 /
    (SELECT SUM(total_price)
     FROM pizza_sales
     WHERE MONTH(order_date) = 1),
    2
  ) AS Sales_Percentage
FROM pizza_sales
WHERE MONTH(order_date) = 1
GROUP BY pizza_category
ORDER BY Total_Sales DESC;
```

Result Grid | Filter Rows:

pizza_category	Total_Sales	Sales_Percentage
Classic	18619.4	26.68
Supreme	17929.75	25.69
Veggie	17055.4	24.44
Chicken	16188.75	23.2

15.SALES BY PIZZA SIZE

```
SELECT
pizza_size, ROUND(SUM(total_price), 2) AS Sales_by_size
FROM pizza_sales
GROUP BY pizza_size
ORDER BY sales_by_size DESC;
```




Result Grid | Filter Rows:

pizza_size	Sales_by_size
L	375318.7
M	249382.25
S	178076.5
XL	14076
XXL	1006.6

16.SALES BY PIZZA SIZE (%)

```
SELECT
pizza_size,
ROUND(SUM(total_price) * 100 / (SELECT
SUM(total_price)
FROM pizza_sales),2) AS Sales_Percentage_by_Pizza_Size
FROM pizza_sales
GROUP BY pizza_size
ORDER BY Sales_Percentage_by_Pizza_Size DESC;
```




Result Grid | Filter Rows:

pizza_size	Sales_Percentage_by_Pizza_Size
L	45.89
M	30.49
S	21.77
XL	1.72
XXL	0.12

17.SALES BY PIZZA SIZE AND PERCENTAGE

```
SELECT
  pizza_size,
  ROUND(SUM(total_price), 2) AS Total_Sales,
  ROUND(
    SUM(total_price) * 100 /
    (SELECT SUM(total_price) FROM pizza_sales),
    2
  ) AS Sales_Percentage
FROM pizza_sales
GROUP BY pizza_size
ORDER BY Total_Sales DESC;
```




Result Grid | Filter Rows:

pizza_size	Total_Sales	Sales_Percentage
L	375318.7	45.89
M	249382.25	30.49
S	178076.5	21.77
XL	14076	1.72
XXL	1006.6	0.12

18.SALES BY PIZZA SIZE AND PERCENTAGE (Q1)

```
SELECT
  pizza_size,
  ROUND(SUM(total_price), 2) AS Total_Sales,
  ROUND(
    SUM(total_price) * 100 /
    (SELECT SUM(total_price)
     FROM pizza_sales
     WHERE QUARTER(order_date) = 1),
    2
  ) AS Sales_Percentage
FROM pizza_sales
WHERE QUARTER(order_date) = 1
GROUP BY pizza_size
ORDER BY Total_Sales DESC;;
```




Result Grid | Filter Rows:

pizza_size	Total_Sales	Sales_Percentage
L	95229.65	46.37
M	61159	29.78
S	45384.25	22.1
XL	3289.5	1.6
XXL	287.6	0.14

19.TOP 5 BEST-SELLING PIZZA BASED ON QUANTITY

```
SELECT
  pizza_name, SUM(quantity) AS Total_pizza_sold
FROM
  pizza_sales
GROUP BY pizza_name
ORDER BY Total_pizza_sold DESC
LIMIT 5;
```




Result Grid | Filter Rows:

pizza_name	Total_pizza_sold
The Classic Deluxe Pizza	2453
The Barbecue Chicken Pizza	2432
The Hawaiian Pizza	2422
The Pepperoni Pizza	2418
The Thai Chicken Pizza	2371

20.TOP 5 BEST-SELLING PIZZA BASED ON TOTAL REVENUE

```
SELECT
  pizza_name, SUM(total_price) AS Total_revenue
FROM
  pizza_sales
GROUP BY pizza_name
ORDER BY Total_revenue DESC
LIMIT 5;
```




Result Grid | Filter Rows:

pizza_name	Total_revenue
The Thai Chicken Pizza	43434.25
The Barbecue Chicken Pizza	42768
The California Chicken Pizza	41409.5
The Classic Deluxe Pizza	38180.5
The Spicy Italian Pizza	34831.25

21.TOP 5 BEST-SELLING PIZZA BASED ON ORDERS

```
SELECT
  pizza_name, COUNT(DISTINCT order_id) AS Total_order
FROM
  pizza_sales
GROUP BY pizza_name
ORDER BY Total_order DESC
LIMIT 5;
```




Result Grid | Filter Rows:

pizza_name	Total_order
The Classic Deluxe Pizza	2329
The Hawaiian Pizza	2280
The Pepperoni Pizza	2278
The Barbecue Chicken Pizza	2273
The Thai Chicken Pizza	2225

22.BOTTUM 5 WORST-SELLING PIZZA BASED ON QUANTITY

```
SELECT
  PIZZA_NAME, SUM(quantity) AS Total_pizza_sold
FROM
  pizza_sales
GROUP BY pizza_name
ORDER BY Total_pizza_sold ASC
LIMIT 5;
```



Result Grid | Filter Rows:

PIZZA_NAME	Total_pizza_sold
The Brie Carre Pizza	490
The Mediterranean Pizza	934
The Calabrese Pizza	937
The Spinach Supreme Pizza	950
The Soppressata Pizza	961

23.BOTTUM 5 WORST-SELLING PIZZA BASED ON tOTAL REVENUE

```
SELECT
  pizza_name, round(SUM(total_price),2) AS Total_revenue
FROM
  pizza_sales
GROUP BY pizza_name
ORDER BY Total_revenue ASC
LIMIT 5;
```




Result Grid | Filter Rows:

pizza_name	Total_revenue
The Brie Carre Pizza	11588.5
The Green Garden Pizza	13955.75
The Spinach Supreme Pizza	15277.75
The Mediterranean Pizza	15360.5
The Spinach Pesto Pizza	15596

23.BOTTUM 5 WORST-SELLING PIZZA BASED ON ORDERS

```
SELECT
  pizza_name, COUNT(distinct order_id) AS Total_orders
FROM
  pizza_sales
GROUP BY pizza_name
ORDER BY Total_orders ASC
LIMIT 5;
```



Result Grid | Filter Rows:

pizza_name	Total_orders
The Brie Carre Pizza	480
The Mediterranean Pizza	912
The Calabrese Pizza	918
The Spinach Supreme Pizza	918
The Chicken Pesto Pizza	938