```
(base) sahilkumar@SAHILs-MacBook-Air ~ % mysql -u root
Welcome to the MySQL monitor.  Commands end with ; or \g.
Your MySQL connection id is 26
Server version: 8.3.0 Homebrew

Copyright (c) 2000, 2018, Oracle and/or its affiliates. All rights reserved.

Oracle is a registered trademark of Oracle Corporation and/or its
affiliates. Other names may be trademarks of their respective
owners.

Type 'help;' or '\h' for help. Type '\c' to clear the current input statement.

mysql> create database userDetails;
Query OK, 1 row affected (0.06 sec)

mysql> use userDetails;
Database changed
mysql>
mysql> create table cities (id int primary key auto_increment,name varchar(300) not null);
Query OK, 0 rows affected (0.03 sec)

mysql> create table addresses ( id int primary key auto_increment,
    -> street varchar(300) not null,
    -> house_number varchar(50) not null,
    -> city_id int not null);
Query OK, 0 rows affected (0.01 sec)

mysql> create table users (id int primary key auto_increment,first_name varchar(300) not null ,
    -> last_name  varchar(300) not null,
    -> email varchar(300) not null,
    -> address_id int  not null,
    -> foreign key (address_id) reference addresses(id) on delete set null);
ERROR 1064 (42000): You have an error in your SQL syntax; check the manual that corresponds to your MySQL server version for the r
ight syntax to use near 'reference addresses(id) on delete set null)' at line 5
mysql> create table users (id int primary key auto_increment,first_name varchar(300) not null , last_name  varchar(300) not null,
email varchar(300) not null, address_id int  not null, foreign key (address_id) reference addresses(id) on delete restrict);
ERROR 1064 (42000): You have an error in your SQL syntax; check the manual that corresponds to your MySQL server version for the r
ight syntax to use near 'reference addresses(id) on delete restrict)' at line 1
mysql>
mysql>
mysql>
mysql> create table users (id int primary key auto_increment,first_name varchar(300) not null , last_name  varchar(300) not null,
email varchar(300) not null, address_id int  not null, foreign key (address_id) references addresses(id) on delete restrict);
Query OK, 0 rows affected (0.06 sec)

mysql>
mysql> insert into cities (name) values ("NY"),("LA"),("Berlin");
Query OK, 3 rows affected (0.01 sec)
Records: 3  Duplicates: 0  Warnings: 0

mysql> insert into addresses(street , house_number , city_id)
    -> values ("TestStreet","7A",3),
    -> ("TestStreet","7A",3)
    -> , ("Some Street","9",1),
    -> ("TestStreet',"1",3),
    "> ("My Street","101",2);
    ">
    "> ;
    ">
    "> "
    -> ;
ERROR 1064 (42000): You have an error in your SQL syntax; check the manual that corresponds to your MySQL server version for the r
ight syntax to use near '1",3),
("My Street","101",2);

;

"' at line 5
mysql> insert into addresses(street , house_number , city_id) values ("TestStreet","7A",3), ("TestStreet","7A",3) , ("Some Street"
,"9",1), ("TestStreet","1",3),
("My Street","101",2);

Query OK, 5 rows affected (0.01 sec)
Records: 5  Duplicates: 0  Warnings: 0

mysql> insert into users (first_name,last_name,email,address_id) values
    -> ("Ravi","Yadav","ravi23@gmail.com"),
    -> ("Emanuel","Chris","Emu123@gmail.com"),
    -> ;;
ERROR 1064 (42000): You have an error in your SQL syntax; check the manual that corresponds to your MySQL server version for the r
ight syntax to use near '' at line 3
ERROR:
No query specified

mysql> insert into users (first_name,last_name,email,address_id) values ("Ravi","Yadav","ravi23@gmail.com",2), ("Emanuel","Chris",
"Emu123@gmail.com",4),("Thomas","hardy","thommas@gmail.com",3);
Query OK, 3 rows affected (0.01 sec)
Records: 3  Duplicates: 0  Warnings: 0

mysql>
mysql> select * from users;
+----+------------+-----------+--------------------+------------+
| id | first_name | last_name | email              | address_id |
+----+------------+-----------+--------------------+------------+
```

```
|  1 | Ravi       | Yadav      | ravi23@gmail.com   |          2 |
|  2 | Emanuel    | Chris      | Emu123@gmail.com   |          4 |
|  3 | Thomas     | hardy      | thommas@gmail.com  |          3 |
+----+------------+------------+--------------------+------------+
3 rows in set (0.01 sec)

mysql> select * from addresses;
+----+-------------+--------------+---------+
| id | street      | house_number | city_id |
+----+-------------+--------------+---------+
|  1 | TestStreet  | 7A           |       3 |
|  2 | TestStreet  | 7A           |       3 |
|  3 | Some Street | 9            |       1 |
|  4 | TestStreet  | 1            |       3 |
|  5 | My Street   | 101          |       2 |
+----+-------------+--------------+---------+
5 rows in set (0.00 sec)

mysql> select * from cities;
+----+--------+
| id | name   |
+----+--------+
|  1 | NY     |
|  2 | LA     |
|  3 | Berlin |
+----+--------+
3 rows in set (0.00 sec)

mysql> insert into users (first_name,last_name,email,address_id) values ("Steve","jr","stew@gmail.com",100);
ERROR 1452 (23000): Cannot add or update a child row: a foreign key constraint fails (`userdetails`.`users`, CONSTRAINT `users_ibf
k_1` FOREIGN KEY (`address_id`) REFERENCES `addresses` (`id`) ON DELETE RESTRICT)
mysql>
mysql> delete from addresses where id = 2;
ERROR 1451 (23000): Cannot delete or update a parent row: a foreign key constraint fails (`userdetails`.`users`, CONSTRAINT `users
_ibfk_1` FOREIGN KEY (`address_id`) REFERENCES `addresses` (`id`) ON DELETE RESTRICT)
mysql>
mysql> delete from users where id = 1;
Query OK, 1 row affected (0.01 sec)

mysql> select * from users;
+----+------------+-----------+--------------------+------------+
| id | first_name | last_name | email              | address_id |
+----+------------+-----------+--------------------+------------+
|  2 | Emanuel    | Chris     | Emu123@gmail.com   |          4 |
|  3 | Thomas     | hardy     | thommas@gmail.com  |          3 |
+----+------------+-----------+--------------------+------------+
2 rows in set (0.01 sec)

mysql> select * from cities;
+----+--------+
| id | name   |
+----+--------+
|  1 | NY     |
|  2 | LA     |
|  3 | Berlin |
+----+--------+
3 rows in set (0.00 sec)

mysql> select * from addresses;
+----+-------------+--------------+---------+
| id | street      | house_number | city_id |
+----+-------------+--------------+---------+
|  1 | TestStreet  | 7A           |       3 |
|  2 | TestStreet  | 7A           |       3 |
|  3 | Some Street | 9            |       1 |
|  4 | TestStreet  | 1            |       3 |
|  5 | My Street   | 101          |       2 |
+----+-------------+--------------+---------+
5 rows in set (0.00 sec)

mysql>
mysql>
```