Nijat Aliyev

**BHOS** 

Calculus

October 5, 2023

## Rate of Change

Let y = f(x) be a given function.

### Rate of Change

Let y = f(x) be a given function.

We consider  $\frac{f(x+h)-f(x)}{h}$  as the average rate of change in f over the interval from x to x+h.

#### Rate of Change

Let y = f(x) be a given function.

We consider  $\frac{f(x+h)-f(x)}{h}$  as the average rate of change in f over the interval from x to x+h.

We interpret the limit of the above fraction as  $h \to 0$  as the rate at which f is changing at x.

#### Rate of Change

Let y = f(x) be a given function.

We consider  $\frac{f(x+h)-f(x)}{h}$  as the average rate of change in f over the interval from x to x+h.

We interpret the limit of the above fraction as  $h \to 0$  as the rate at which f is changing at x.

Thus, instantaneous rates are limits of average rates..

Let y = f(x) be a given function.

We consider  $\frac{f(x+h)-f(x)}{h}$  as the average rate of change in f over the interval from x to x+h.

We interpret the limit of the above fraction as  $h \to 0$  as the rate at which f is changing at x.

Thus, instantaneous rates are limits of average rates...

**DEFINITION** The **instantaneous rate of change** of f with respect to x at  $x_0$  is the derivative

$$f'(x_0) = \lim_{h \to 0} \frac{f(x_0 + h) - f(x_0)}{h},$$

provided the limit exists.



Let y = f(x) be a given function.

We consider  $\frac{f(x+h)-f(x)}{h}$  as the average rate of change in f over the interval from x to x+h.

We interpret the limit of the above fraction as  $h \to 0$  as the rate at which f is changing at x.

Thus, instantaneous rates are limits of average rates...

**DEFINITION** The **instantaneous rate of change** of f with respect to x at  $x_0$  is the derivative

$$f'(x_0) = \lim_{h \to 0} \frac{f(x_0 + h) - f(x_0)}{h},$$

provided the limit exists.



#### Rate of Change

**Example**: The area A of a circle is related to its diameter by the equation

$$A=\frac{\pi}{4}D^2$$

How fast does the area change with respect to the diameter when the diameter is  $10\ \mathrm{m}$ ?

#### Rate of Change

**Example**: The area A of a circle is related to its diameter by the equation

$$A=\frac{\pi}{4}D^2$$

How fast does the area change with respect to the diameter when the diameter is 10 m?

#### Solution:

The rate of change of the area with respect to the diameter is

$$\frac{dA}{dD} = \frac{\pi}{4} \cdot 2D = \frac{\pi D}{2}.$$

**Example**: The area A of a circle is related to its diameter by the equation

$$A=\frac{\pi}{4}D^2$$

How fast does the area change with respect to the diameter when the diameter is  $10\ m$ ?

#### Solution:

The rate of change of the area with respect to the diameter is

$$\frac{dA}{dD} = \frac{\pi}{4} \cdot 2D = \frac{\pi D}{2}.$$

When D = 10 m, the area is changing with respect to the diameter at the rate of  $(\pi/2)10 = 5\pi \text{ m}^2/\text{m} \approx 15.71 \text{ m}^2/\text{m}$ .

## Velocity

Suppose the object is moving along a line and its position is given by the function s=f(t), a function of time.

### Velocity

Suppose the object is moving along a line and its position is given by the function s=f(t), a function of time.

The displacement of the object over the time interval from t to  $t+\Delta t$  is

$$\Delta s = f(t + \Delta t) - f(t)$$

#### Velocity

Suppose the object is moving along a line and its position is given by the function s=f(t), a function of time.

The displacement of the object over the time interval from t to  $t+\Delta t$  is

$$\Delta s = f(t + \Delta t) - f(t)$$

Its average velocity is

$$v_{\mathsf{av}} = rac{\mathsf{Displacement}}{\mathsf{Travel}\;\mathsf{Time}} = rac{\Delta s}{\Delta t} = rac{f(t + \Delta t) - f(t)}{\Delta t}$$

To find the object's velocity at the exact instant t, we take the limit of the average velocity

#### Velocity

Suppose the object is moving along a line and its position is given by the function s=f(t), a function of time.

The displacement of the object over the time interval from t to  $t+\Delta t$  is

$$\Delta s = f(t + \Delta t) - f(t)$$

Its average velocity is

$$v_{\mathsf{av}} = rac{\mathsf{Displacement}}{\mathsf{Travel}\;\mathsf{Time}} = rac{\Delta s}{\Delta t} = rac{f(t + \Delta t) - f(t)}{\Delta t}$$

To find the object's velocity at the exact instant t, we take the limit of the average velocity Velocity (instantaneous velocity) is the derivative of position w.r.t time:

$$v(t) = \frac{ds}{dt} = \lim_{\Delta t \to 0} \frac{f(t + \Delta t) - f(t)}{\Delta t}$$