



/v3/api-docs

Explore

OpenAPI definition v0 OAS 3.1

/v3/api-docs

Servers

http://localhost:8081 - Generated server url

user-controller



GET /api/users



Parameters

Try it out

Name	Description
managerId integer(\$int64) (query)	managerId
Authorization * required string (header)	Authorization

Responses

Code	Description	Links
200	OK Media type	No links

Code

Description

Links

```
/**
```

Controls Accept header.

Example Value Schema

```
[
  {
    "userId": 0,
    "firstname": "string",
    "lastname": "string",
    "email": "string",
    "password": "string",
    "role": "string",
    "managerId": 0
  }
]
```

PUT

/api/users



Parameters

Try it out

Name

Description

Authorization * required

string

(header)

Authorization

Request body required

application/json

Example Value Schema

```
{
  "userId": 0,
  "firstname": "string",
  "lastname": "string",
  "email": "string",
  "password": "string",
  "role": "string",
  "managerId": 0
}
```

Responses

Code	Description	Links
200	OK Media type */* Controls Accept header. Example Value Schema <pre>{ "userId": 0, "firstname": "string", "lastname": "string", "email": "string", "password": "string", "role": "string", "managerId": 0}</pre>	No links

POST /api/signup

Parameters

Try it out

No parameters

Request body required

application/json

Example Value Schema

```
{  "userId": 0,  "firstname": "string",  "lastname": "string",  "email": "string",  "password": "string",  "role": "string",  "managerId": 0}
```

Responses

Code	Description	Links
200	OK Media type */* Controls Accept header. Example Value Schema <pre>{ "userId": 0, "firstname": "string", "lastname": "string", "email": "string", "password": "string", "role": "string", "managerId": 0}</pre>	No links

POST/api/login

^

Parameters

Try it out

No parameters

Request body required

application/json

Example Value Schema

```
{  "userId": 0,  "firstname": "string",  "lastname": "string",  "email": "string",  "password": "string",  "role": "string",  "managerId": 0}
```

Responses

Code	Description	Links
200	OK Media type */* Controls Accept header. Example Value Schema { }	No links

GET /api/users/{id}

^

Parameters

Try it out

Name	Description
id * required integer(\$int64) (path)	id
Authorization * required string (header)	Authorization

Responses

Code	Description	Links
200	OK Media type */* Controls Accept header. Example Value Schema	No links

Code	Description	Links
	<pre>{ "userId": 0, "firstname": "string", "lastname": "string", "email": "string", "password": "string", "role": "string", "managerId": 0 }</pre>	

DELETE

/api/users/{id}

Parameters

Try it out

Name	Description
id * required integer(\$int64) (path)	id
Authorization * required string (header)	Authorization

Responses

Code	Description	Links
200	OK Media type */* Controls Accept header. Example Value Schema string	No links

GET /api/managers

Parameters Try it out

Name	Description
Authorization * required string (header)	Authorization

Responses

Code	Description	Links
200	OK Media type */* Controls Accept header. Example Value Schema <pre>[{ "userId": 0, "firstname": "string", "lastname": "string", "email": "string", "password": "string", "role": "string", "managerId": 0 }]</pre>	No links

project-controller

GET /api/projects

Parameters Try it out

Name	Description
------	-------------

Authorization * required

string
(header)

Authorization

Responses

Code	Description	Links
200	OK	No links

Media type

/

Controls Accept header.

Example Value Schema

```
[
  {
    "projectId": 0,
    "managerId": 0,
    "projectName": "string",
    "projectDescription": "string"
  }
]
```

PUT /api/projects

Parameters

Try it out

Name	Description
------	-------------

Authorization * required

string
(header)

Authorization

Request body required

application/json

Example Value Schema


```
{
  "projectId": 0,
  "managerId": 0,
  "projectName": "string",
  "projectDescription": "string"
}
```

Responses

Code	Description	Links
200	OK	No links
Media type		
/**		
Controls Accept header.		
Example Value Schema		
{ "projectId": 0, "managerId": 0, "projectName": "string", "projectDescription": "string" }		

POST /api/projects

Parameters

Try it out

Name	Description
Authorization * required	Authorization
string	
(header)	

Request body required

application/json

Example Value Schema

```
{
  "projectId": 0,
  "managerId": 0,
```

```
"projectName": "string",
"projectDescription": "string"
}
```

Responses

Code	Description	Links
200	OK	No links
Media type */* Controls Accept header. Example Value Schema <pre>{ "projectId": 0, "managerId": 0, "projectName": "string", "projectDescription": "string" }</pre>		

GET /api/projects/{id}



Parameters

Try it out

Name	Description
id * required integer(\$int64) (path)	id
Authorization * required string (header)	Authorization

Responses

Code	Description	Links
200	OK Media type */* Controls Accept header. Example Value Schema <pre>{ "projectId": 0, "managerId": 0, "projectName": "string", "projectDescription": "string" }</pre>	No links

DELETE

/api/projects/{id}

^

Parameters

Try it out

Name	Description
id * required integer(\$int64) (path)	id
Authorization * required string (header)	Authorization

Responses

Code	Description	Links
200	OK	No links

bug-controller



GET /api/bugs



Parameters

Try it out

Name	Description
projectId	
array<integer>	
(query)	
status	
string	status
(query)	
assigneeId	
array<integer>	
(query)	
priority	
string	priority
(query)	
startDate	
string(\$date-time)	startDate
(query)	
endDate	
string(\$date-time)	endDate
(query)	
Authorization * required	
string	Authorization
(header)	

Responses

Code	Description	Links
200	OK	No links
	Media type	
	/	

Code	Description	Links
	Controls Accept header.	
	Example ValueSchema <pre>[{ "bugId": 0, "projectId": 0, "assigneeId": 0, "environment": "string", "bugTitle": "string", "bugDescription": "string", "priority": "string", "status": "string", "startDate": "2025-09-16T04:46:25.691Z", "endDate": "2025-09-16T04:46:25.691Z" }]</pre>	

PUT

/api/bugs

Parameters

Try it out

Name	Description
Authorization * required string (header)	Authorization

Request body required

application/json

Example ValueSchema

```
{
  "bugId": 0,
  "projectId": 0,
  "assigneeId": 0,
  "environment": "string",
  "bugTitle": "string",
  "bugDescription": "string",
  "priority": "string",
  "status": "string",
  "startDate": "2025-09-16T04:46:25.698Z",
  "endDate": "2025-09-16T04:46:25.698Z"
}
```

Responses

Code	Description	Links
200	OK Media type */* Controls Accept header. Example Value Schema <pre>{ "bugId": 0, "projectId": 0, "assigneeId": 0, "environment": "string", "bugTitle": "string", "bugDescription": "string", "priority": "string", "status": "string", "startDate": "2025-09-16T04:46:25.702Z", "endDate": "2025-09-16T04:46:25.702Z"}</pre>	No links

POST /api/bugs

Parameters

Try it out

Name	Description
Authorization * required	
string (header)	Authorization

Request body required

application/json

Example Value Schema

```
{  "bugId": 0,  "projectId": 0,  "assigneeId": 0,  "environment": "string",
```

```
"bugTitle": "string",
"bugDescription": "string",
"priority": "string",
"status": "string",
"startDate": "2025-09-16T04:46:25.712Z",
"endDate": "2025-09-16T04:46:25.712Z"
}
```

Responses

Code	Description	Links
200	OK	No links
Media type		
/*		
Controls Accept header.		
Example Value Schema		
{ "bugId": 0, "projectId": 0, "assigneeId": 0, "environment": "string", "bugTitle": "string", "bugDescription": "string", "priority": "string", "status": "string", "startDate": "2025-09-16T04:46:25.715Z", "endDate": "2025-09-16T04:46:25.715Z" }		

GET /api/bugs/{id}

Parameters

Try it out

Name	Description
id * required	
integer(\$int64)	id
(path)	

Name	Description
Authorization * required	
string (header)	Authorization

Responses

Code	Description	Links
200	OK	No links
	Media type	
	/	
	Controls Accept header.	
	Example Value	Schema
	<pre>{ "bugId": 0, "projectId": 0, "assigneeId": 0, "environment": "string", "bugTitle": "string", "bugDescription": "string", "priority": "string", "status": "string", "startDate": "2025-09-16T04:46:25.721Z", "endDate": "2025-09-16T04:46:25.721Z" }</pre>	

DELETE /api/bugs/{id}



Parameters

Try it out

Name	Description
id * required	
integer(\$int64) (path)	id

Name

Description

Authorization * required

string
(header)

Authorization

Responses

Code	Description	Links
200	OK Media type */* Controls Accept header. Example Value Schema <pre>{ "bugId": 0, "projectId": 0, "assigneeId": 0, "environment": "string", "bugTitle": "string", "bugDescription": "string", "priority": "string", "status": "string", "startDate": "2025-09-16T04:46:25.728Z", "endDate": "2025-09-16T04:46:25.728Z"}</pre>	No links

homecontroller



GET /api/home

Parameters

No parameters

Responses

Try it out

Code	Description	Links
200	OK Media type */* Controls Accept header. Example Value Schema string	No links

Schemas



User ^ Collapse all object

```
userId integer int64
firstname string
lastname string
email string
password string
role string
managerId integer int64
```

Project ^ Collapse all object

```
projectId integer int64
managerId integer int64
projectName string
projectDescription string
```

Bug ^ Collapse all object

```
bugId integer int64
projectId integer int64
assigneeId integer int64
```

```
environment string
bugTitle string
bugDescription string
priority string
status string
startDate string date-time
endDate string date-time
```