

Department of Computer Science and Engineering (Data Science)

| Experiment No.7 |
|--|
| Implement Named Entity Recognizer for the given Text input |
| Date of Performance: |

Date of Submission:



Department of Computer Science and Engineering (Data Science)

Aim: Implement Named Entity Recognizer for the given Text input

Objective: Understand the importance of NER in NLP and Implement NER.

Theory:

The named entity recognition (NER) is one of the most data preprocessing task. It involves the identification of key information in the text and classification into a set of predefined categories. An entity is basically the thing that is consistently talked about or refer to in the text.

NER is the form of NLP.

At its core, NLP is just a two-step process, below are the two steps that are involved:

- Detecting the entities from the text
- Classifying them into different categories

Some of the categories that are the most important architecture in NER such that:

- Person
- Organization
- Place/ location

Other common tasks include classifying of the following:

- date/time.
- expression
- Numeral measurement (money, percent, weight, etc)
- E-mail address

CSDL7013: Natural Language Processing Lab



Department of Computer Science and Engineering (Data Science)

Ambiguity in NE

For a person, the category definition is intuitively quite clear, but for computers, there is some ambiguity in classification. Let's look at some ambiguous example:

England (Organisation) won the 2019 world cup vs The 2019 world cup happened in England(Location).

Washington(Location) is the capital of the US vs The first president of the US was Washington(Person).



Department of Computer Science and Engineering (Data Science)

Implementation:



Conclusion: