

OrbitAvanya Email Automation System

Step-by-Step Guide to Install, Configure & Run the Campaign

Prepared for: Management / Team Members

Date: August 2026

Document: How-To-Run Guide

Read this guide fully before starting the first campaign. It takes roughly 10-15 minutes the first time.

Contents

- 1. What this system does
- 2. What you need before you start (Prerequisites)
- 3. Step 1 - Install Python
- 4. Step 2 - Place the project folder

- 5. Step 3 - Set up the email configuration
- 6. Step 4 - Set up the tracking backend (PHP)
- 7. Step 5 - Install the required libraries
- 8. Step 6 - Prepare the lead list (Excel)
- 9. Step 7 - Run the campaign (3 terminals)
- 10. What you will see on screen
- 11. How to check results (Excel tracker)
- 12. Stopping / restarting the campaign
- 13. Common problems & fixes

1. What this system does

The Email Automation System is a B2B cold-email outreach and tracking platform. It reads a list of CEO / CXO leads from an Excel file, validates that each email address is real (without sending anything), then sends a personalized email to every valid lead. Each email contains an invisible tracking pixel and link tracker, so the system can detect:

- Who opened the email, when, and how many times
- Who clicked the links (with real IP, city, country, timezone)
- Who visited the website and how long they stayed
- Replies and bounced emails (read from the inbox via IMAP)
- Automatic follow-up reminders to leads who have not replied

All results are written into a color-coded Excel master tracker (Email_Tracking_NEW.xlsx) plus a separate Sent/Bounced/Summary report (Sent_Bounced_Report.xlsx).

2. What you need before you start (Prerequisites)

Item	Requirement
Windows PC	Windows 10 or 11 with an internet connection
Python	Python 3.8 or newer (3.10 recommended) - install from python.org
Project files	The EmailAutomation2026 project folder (unzipped)
Email account	The campaign mailbox login (e.g. pradeep@orbitavanyatech.com) - stored in the config
Hosting (optional)	cPanel access to upload track.php - only needed for 24/7 tracking
Editor (optional)	VS Code - makes editing config and watching logs easier

3. Step 1 - Install Python

- Open your web browser and go to **www.python.org/downloads**.
- Click the Download button for the latest version (3.10 or newer).
- Run the downloaded installer.
- **IMPORTANT:** Tick the checkbox **"Add Python to PATH"** at the bottom of the first screen.
- Click **Install Now** and wait for the installation to finish.
- Verify: open a Command Prompt and type **python --version**. You should see a version number like Python 3.10.9.

If you see an error instead of a version number, Python was not added to PATH - reinstall and tick the PATH checkbox.

4. Step 2 - Place the project folder

Copy the whole **EmailAutomation2026** folder to a permanent location on the PC, for example **C:\EmailAutomation2026** or your Documents folder. Do not keep it inside Downloads and do not move it after configuration, because the config stores the full file paths.

The key folders and files inside the project are:

Folder / File	What it is
Scripts\RUN_CAMPAIGN.py	The main launcher - starts tracking, sends emails, watches replies
Scripts\check_replies_and_reminders.py	Standalone watcher - checks replies/bounces & sends reminders
Scripts\sync_tracking_events.py	Pulls tracking events from the PHP server into Excel
Scripts\DASHBOARD.py	Optional web dashboard for the campaign
Server\track.php	PHP tracking endpoint - upload to your hosting (Step 4)
Data\	Lead Excel files, master tracker, JSON logs
Templates\	Email HTML templates (editable)
Testing\	Small test lead files - use these for trial runs
Tools\	cloudflared.exe and ngrok.exe (tunnel tools)

5. Step 3 - Set up the email configuration

Open **Scripts\RUN_CAMPAIGN.py** in a text editor (VS Code recommended). Scroll to **Section 2 - YOUR CONFIGURATION** (the Config class, around line 81). Update these values:

Setting	Meaning / What to put
SENDER_EMAIL	The email address that sends the campaign emails
SENDER_PASSWORD	The password (or app password) for that mailbox
SMTP_SERVER / SMTP_PORT	Outgoing mail server + port (usually 465 SSL). Your hosting provider supplies these
IMAP_SERVER / IMAP_PORT	Incoming mail server + port (usually 993 SSL)
EXCEL_FILE_PATH	Full path to the lead list Excel file (see Step 6)
TRACKER_FILE	Full path to Email_Tracking_NEW.xlsx (master tracker)
TRACKING_SCRIPT_URL	The PHP endpoint URL, e.g. https://yourdomain.com/track.php
EMAIL_SUBJECT	Subject line - {company_name} is replaced automatically per lead
MAX_EMAILS_PER_RUN	How many emails per batch (default 100)
DAILY_SEND_LIMIT	Maximum emails per day (default 500) - safety cap
EMAIL_DELAY_MIN/MAX	Seconds between emails (default 2 seconds)
VALIDATE_EMAILS	True = validate every email before sending (recommended)

The same email settings must also be present in Scripts\check_replies_and_reminders.py (it has its own Config section near the top). Keep the two files in sync.

6. Step 4 - Set up the tracking backend (PHP)

This step is only needed if you want tracking to keep recording opens/clicks even when the laptop is switched off (recommended for real campaigns). The PHP file runs on your always-on web hosting.

- Log in to your hosting control panel (cPanel) for your domain.
- Open **File Manager** and go to the **public_html** folder.

- Upload the file **Server\track.php** from the project into public_html.
- Make sure the secret key **orbitavanya2026** in track.php matches EVENTS_ACCESS_KEY in RUN_CAMPAIGN.py.
- Test it: open **https://yourdomain.com/track.php?action=status** in a browser. It should return {"status": "running"}.
- The script auto-creates tracking_log.json next to itself on the first recorded event.

If hosting is not set up, the system can still work using a temporary public tunnel (cloudflared) while the laptop is on - RUN_CAMPAIGN.py does this automatically.

7. Step 5 - Install the required libraries

The launcher installs missing libraries automatically on first run. To install them manually, open a Command Prompt in the project folder (type cmd in the address bar of the folder) and run:

```
pip install flask openpyxl pandas tqdm requests deep-translator beautifulsoup4 dnspython
```

You only need to do this once per PC. cloudflared.exe and ngrok.exe are already included in the Tools\ folder.

8. Step 6 - Prepare the lead list (Excel)

The lead file must be an .xlsx file with a sheet containing at least these columns:

- **Company Name** - the company of the lead
- **CEO Name** - the person being emailed
- **Lead Email ID** - the email address
- **Country** and **City** - used for translation and geolocation

A sample file already exists: Data\Trail for email automation3112.xlsx. For a safe first trial, use the smaller files in the Testing\ folder (e.g. 50_Leads_With_Real_CEO_Names.xlsx) and point EXCEL_FILE_PATH at them.

9. Step 7 - Run the campaign (3 terminals)

Open the project folder, then open a terminal. The easiest way: right-click inside the project folder and choose **Open in Terminal** (or use VS Code: File > Open Folder, then Terminal > New Terminal).

9.1 Terminal 1 - main campaign launcher (keep it open)

Run this command and press Enter:

```
python Scripts\RUN_CAMPAIGN.py
```

This one command installs libraries, starts the tracking server, creates the tracking URL, sends the emails, and then keeps watching for replies and reminders. **Keep this terminal window open** for the whole campaign.

9.2 Terminal 2 - standalone watcher (recommended, optional)

Open a second terminal and run:

```
python Scripts\check_replies_and_reminders.py
```

This independently checks the inbox for replies and bounces every few minutes and sends follow-up reminders. It can run even when Terminal 1 is not sending.

9.3 Terminal 3 - PHP event sync (only if using the PHP backend)

Open a third terminal and run:

```
python Scripts\sync_tracking_events.py
```

This polls the PHP server every 60 seconds and copies new opens/clicks/visits into the Excel tracker.

These three commands must be run from the project folder (the one containing the Scripts\ folder), otherwise Python will not find the scripts.

10. What you will see on screen

During the first run Terminal 1 prints a checklist like this:

```
[0/5] Sender location detection
[1/5] Library check/install
[2/5] cloudflared check/download
[3/5] Flask tracker on port 6060
[4/5] Tracking URL set
[5/5] Sending emails with progress bar
```

After that, emails are sent one by one with a progress bar. Then the script enters an idle loop: it checks for replies every 5 minutes and sends follow-ups every 10 minutes. Every email is logged with its status (Sent / Failed / Fake / Duplicate).

11. How to check results (Excel tracker)

- **Data>Email_Tracking_NEW.xlsx** - the master tracker. One row per lead with color coding: sent = green, bounced = red, fake email = flagged, replied = highlighted.
- **Data\Sent_Bounced_Report.xlsx** - separate Sent / Bounced / Summary report, rebuilt automatically.
- **Data\sent_emails_log.json** - history of every sent email (used to prevent duplicate sending).
- **Data\tracking_events.json** - raw open / click / visit events.
- **email_campaign_logs** - detailed text log of every run.

Close Email_Tracking_NEW.xlsx in Excel before (re)running the campaign - open files lock the workbook and cause save warnings.

12. Stopping / restarting the campaign

Stopping: press Ctrl + C in the terminal window. Answer yes if asked to close the server.

Restarting: simply run `python Scripts\RUN_CAMPAIGN.py` again. Leads already recorded in `sent_emails_log.json` are skipped automatically, so nobody is emailed twice. New leads in the Excel file are picked up automatically.

13. Common problems & fixes

Problem	Fix
'python' is not recognized	Python was not added to PATH. Reinstall Python and tick 'Add Python to PATH'.
Login/authentication failed	Check SENDER_EMAIL and SENDER_PASSWORD; for Gmail/Outlook use an app password.
Emails sending very slowly	Lower the delay? No - increase EMAIL_DELAY_MIN/MAX for safety. Default 2 s is fast.
No tracking recorded	Confirm track.php URL is correct and the /status test works; keep Terminal 1 open.

Excel file locked / cannot save	Close the tracker file in Excel, then re-run.
Port 6060 already in use	Another instance is running. Stop it, or change TRACKING_PORT.
cloudflared download failing	It is already in Tools\ - the script should reuse it. Check internet connection.

Full project documentation is available in the documentation\ folder (README.md, 04_Setup_Guide.md, 12_Troubleshooting_FAQ.md, and more).