


# Assignment - 1

Q1 The notations that are used to tell the complexity of an algorithm when input is very large is known as asymptotic notation.  
The various types of asymptotic notation are :-

(i) Big-Oh ( $O$ ) :-

$$f(n) = O(g(n))$$

$g(n)$  is tight upper bound of



$$f(n) = O(g(n))$$

i.e.

$$f(n) \leq c \cdot g(n)$$


$\forall n \geq n_0$  and  $c > 0$ .



(ii) Big - Omega ( $\Omega$ ) :-

$$f(n) = \Omega(g(n))$$

$g(n)$  is 'tight' lower bound of  $f(n)$



$$f(n) = \Omega(g(n))$$


iff.

$$f(n) > c \cdot g(n)$$

$\forall n \geq n_0$  and  $c > 0$ .

(iii) Theta ( $\Theta$ ) :- It gives both upper & lower bound

$$f(n) = \Theta(g(n))$$



$$\Theta(g(n)) = f(n)$$


iff.

$$c_1 \cdot g(n) \leq f(n) \leq c_2 \cdot g(n)$$

$\forall n \geq \max(n_1, n_2)$  and  $c_1, c_2 > 0$ .



(iv) Small-oh ( $o$ ) :-  
 It gives the upper bound of the fu.




$$f(n) = o(g(n))$$

iff.

$$f(n) < c \cdot g(n) \quad \forall n > n_0 \text{ and } c > 0.$$

(v) Small omega ( $\omega$ ) aka vho :-  
 It gives the lower bound of the function (or algorithm).



$$f(n) = \omega(g(n))$$

iff

$$f(n) > c \cdot g(n) \quad \forall n > n_0 \text{ and } c > 0.$$



Q2

for  $(i=1 \text{ to } n)$   
 $C = C * 2$

$$\sum_{i=1}^n \text{step} \frac{2}{i}$$

$\Rightarrow 1, 2, 4, \dots, n$  (k-terms).

$$\Rightarrow 2^{(k-1)} = n.$$

taking log

$$k-1 = \log(n).$$

$$k = \log(n) + 1.$$

$$\Rightarrow \text{complexity} = O(\log n)$$

Q3

$$T(n) = \begin{cases} 3T(n-1) & n > 0. \\ 1 & \text{otherwise} \end{cases}$$

$$T(n) = 3T(n-1) \quad \forall n > 0. \quad \text{--- (1)}$$

putting  $n = n-1$  in eq. (1).

$$T(n-1) = 3T(n-2) \quad \text{--- (2)}$$

putting eq. (2) in (1).

$$\begin{aligned} T(n) &= 3(3T(n-2)) \\ &= 3^2 \cdot T(n-2) \quad \text{--- (3)} \end{aligned}$$

putting  $n = n-2$  in eq. (1).

$$T(n-2) = 3T(n-3) \quad \text{--- (4)}$$

putting eq. (4) in (3).

$$T(n) = 3^3 T(n-3). \quad \text{--- (5)}$$



$$\Rightarrow T(n) = 3^k T(n-k) \quad \text{--- (6)}$$

Base case

$$T(0) = 1$$

$$\Rightarrow n - k = 0$$

$$n = k$$

Putting ~~in~~ ~~in~~  $k=n$  in eq. (6).

$$\begin{aligned} T(n) &= 3^n T(n-n) \\ &= 3^n T(0) \\ &= 3^n \end{aligned}$$

$$\Rightarrow T(n) = O(3^n)$$

04

$$T(n) = \begin{cases} 2T(n-1) - 1 & n > 0 \\ 1 & n \leq 0 \end{cases}$$

$$T(n) = 2T(n-1) + 1 \quad \forall n \geq 0.$$

putting  $n = n - 1$  in eq. (1).

$$T(n-1) = 2T(n-2) - 1 \quad \text{--- (2)}$$

putting eq (2) in (1),

$$T(n) = 2(2T(n-2) + 1) - 1$$
$$= 2^2 T(n-2) + 1 + 1 \quad \text{--- (3)}$$

putting  $n = n - 2$  in eq (1),

$$T(n-2) = 2T(n-3) + 1 \quad \text{--- (9)}$$

putting eq (4) in eq. (3),

$$T(n) = 2^2 (2T(n-3) + 1) + 1 + 2$$

$$= 2^3 T(n-3) + (1 + 2 + 4)$$



$$\Rightarrow T(n) = 2^k T(n-k) - (1 + 2 + 2^2 + \dots + 2^k) \quad \text{--- (5)}$$

~~(1+2+2^2+...+2^k)~~  
Base case  $\Rightarrow T(0) = 1$

$$n - k = 0$$

$$k = n$$

putting  $k = n$  in eqn. (5)

$$T(n) = 2^n T(n-n) - (1 + 2 + 2^2 + \dots + 2^n)$$

$$= 2^n - (1 + 2 + 2^2 + \dots + 2^n)$$

$$= 2^n - \frac{2^{n+1} - 1}{2 - 1}$$

$$= 2^n - (2^{n+1} - 1)$$

$$= \cancel{2^n} + 1 - \cancel{2^{n+1}}$$

$$\Rightarrow T(n) = O(1)$$

5.)  
int i=1, S=1;  
while (S <= n)  
{  
    i++; S = S + i;  
    printf("#");  
}

i	S
1	1
2	3
3	6
4	10

$$\begin{matrix} 3 & 4 \\ i & \# & S & \# & 3 & 6 & 10 \end{matrix}$$

1, 3, 6, 10, ... n terms

$$\Rightarrow S = 1 + 3 + 6 + 10 + \dots + k$$

$$S = \begin{matrix} 1 & 3 & 6 & 10 & \dots & k \\ \oplus & \oplus & \oplus & \oplus & \dots & \oplus \end{matrix}$$

$$0 = 1 + 2 + 3 + 4 + \dots + k$$

$$0 = \frac{k(k+1)}{2} \quad \text{--- (6)}$$



$$\Rightarrow n \approx k^2$$

$$k = \sqrt{n}$$

$$\Rightarrow T(n) = O(\sqrt{n})$$

Q6

```
void function (int n) {
    int i, count = 0;
    for (i = 1; i * i <= n; i++)
        count++;
}
```

3

1, 2, 3, ...,  $\sqrt{n}$

$$\Rightarrow T_n = O(\sqrt{n})$$

Q7

```
void function (int n) {
    int i, j, k, count = 0;
    for (int i = n/2; i <= n; i++)
        for (j = 1; j <= n; j = j * 2)
            for (k = 1; k <= n; k = k * 2)
                count++;
}
```

$$\sum_{i=n/2}^n \sum_{j=1}^{n(j*2)} \sum_{k=1}^n \text{step}$$

step =  $k * 2$

$$\sum_{i=n/2}^n \sum_{j=1}^{n(j*2)} \log(n)$$

$$\sum_{i=n/2}^n (\log(n))^2$$

$$(n/2 + 1) (\log(n))^2 \Rightarrow T(n) = O(n \log^2 n)$$



Q8

```
function(int n) {  
    if (n==1) return;  
    for (i=1 to n) {  
        for (j=1 to n) {  
            printf("*");  
        }  
    }  
    function(n-3);  
}
```

$$\sum_{i=1}^n \sum_{j=1}^n 1 = \sum_{i=1}^n n = n^2$$

$$T(n) = T(n-3) + n^2 \quad \text{--- (1)}$$

putting  $n = n-3$  in eq (1)

$$T(n-3) = T(n-6) + (n-3)^2 \quad \text{--- (2)}$$

putting (2) in eq (1).

$$T(n) = T(n-6) + n^2 + (n-3)^2 \quad \text{--- (3)}$$

putting  $n = n-6$  in eq (1).

$$T(n-6) = T(n-9) + (n-6)^2 \quad \text{--- (4)}$$

putting eq (4) in (3).

$$T(n) = T(n-9) + n^2 + (n-3)^2 + (n-6)^2$$

$$\Rightarrow T(n) = T(n-3k) + n^2 + (n-3)^2 + \dots + (n-3(k-1))^2$$

$$T(1) = 0.$$

$$n-3k=1 \\ k = \frac{n-1}{3}$$

$$T(n) = n^2 + (n-3)^2 + \dots + (n-k)^2$$

$$\Rightarrow T(n) = n^3$$



Q9

```

void function (int n) {
    for (i = 1 to n)
        for (j = 1; j <= n; j = j + i)
            printf("%d");
}

```

$$\sum_{i=1}^n \sum_{j=1}^n \text{Step} = i$$

$$A = 1 + (k-1)i$$

$$\frac{n-1}{i} + 1 = k$$


$$\sum_{i=1}^n \left( \frac{n-1}{i} + 1 \right)$$

$$(n-1) \sum_{i=1}^n \frac{1}{i} + \sum_{i=1}^n 1$$

$$(n-1) \cdot \log n + n$$

$$\Rightarrow T(n) = O(n \log n)$$

Q10



$$\Rightarrow n^k = O(a^n)$$

$$\therefore n^k \leq a^n \cdot c \quad \forall c > 0 \text{ and } n \geq n_0$$

$$\text{Let } n = n_0$$

$$\Rightarrow n_0^k \leq c \cdot a^{n_0}$$

$$n_0^3 \leq c \cdot 3^{n_0}$$

$$k = a = 3 \text{ (say)}$$

$$\Rightarrow c \geq 1 \text{ \& } n_0 \geq 1$$



Q11

```
void fun (int n) {  
    int j=1, i=0;  
    while (i<n) {  
        i = i + j;  
        j++;  
    }  
}
```

j	i	n
1	0	20
2	1	
3	3	
4	6	
5	10	
6	15	
7	21	

$$S = 0, 1, 3, 6, 10, 15 \dots + A \quad \text{--- ①}$$

$$S = 0, 1, 3, 6, 10 \dots + A \quad \text{--- ②}$$

Sub. ② from ①.

$$0 = 0, 1, 2, 3, 4, 5 \dots + k \dots$$

$$n = 0 + 1 + 2 + \dots + k.$$

$$n = \frac{k(k-1)}{2}.$$

$$\Rightarrow n \approx k^2$$

$$k = \sqrt{n}$$


$$\Rightarrow T(n) = O(\sqrt{n}).$$



Q12

0, 1, 1, 2, 3, —,  $T_n$ .

$$T(n) = T(n-2) + T(n-1) + 1.$$



$$T = 1 + 2 + 4 + \dots + 2^n$$

$$a = 1$$

$$r = 2$$

$$T = \frac{1(2^{n+1} - 1)}{2 - 1}$$

$$= 2^{n+1} - 1$$

$$T(n) = O(2^n).$$



Q13

10

(i)

```
for (int i=0; i<=n; ++i)
  for (int j=1; j<=n; j*=2)
    print("*");
```

$O(n \log n)$

(ii)

```
int a=1; b=2;
while (a<=n) {
  a*=b;
  b*=2;
}
```

$O(\log \log n)$


(iii)

```
for (i=1 to n) {
  for (j=1 to n) {
    for (k=1 to n) {
      print("*");
    }
  }
}
```

$O(n^3)$



$$T(n) = T(n/4) + T(n/2) + cn^2$$





15

int fun(int n) {

for (int i=1; i<=n; ++i) {

for (int j=1; j<=n; ++j = j+i) {

Some O(1) task

}

}

}

$$T(n) = \sum_{i=1}^n \sum_{\substack{j=1 \\ \text{step } i}}^{n-1} (1)$$

$$= \sum_{i=1}^n \frac{n-1}{i}$$

$$= (n-1) \left( \frac{1}{1} + \frac{1}{2} + \frac{1}{3} + \frac{1}{4} + \dots + \frac{1}{n} \right)$$

$$= (n-1) \log n$$

$$T(n) = n \log n$$

$$\Rightarrow T(n) = O(n \log n)$$

Q16

for (int i=2; i<=n; i=pow(i,k)) {

Some O(1) expression

}

$$i = 2 \quad 2^k \quad 2^{k^2} \quad 2^{k^3} \quad \dots$$

$$\Rightarrow 2^{k^n} = n$$

$\therefore k$  is constant

$$\Rightarrow T(n) = O(\log \log(n))$$

$$\log(n) = k \log 2$$

$$\log(n) = k^n$$

$$\log_k(\log(n)) = k \log k$$

$$\Rightarrow n = \log(\log(n))$$



17

$$T(n) = T\left(\frac{99}{100}n\right) + n/100.$$

$$T(1) = 0$$

— (1)

putting  $n = \frac{99}{100}n$  in eq (1).

$$T(99/100n) = T\left(\left(\frac{99}{100}\right)^2 n\right) + n/100 - \epsilon$$

putting eq (2) in (1).

$$T(n) = T\left(\left(\frac{99}{100}\right)^k n\right) + \cancel{kn}/100. \quad \text{--- (3)}$$

$$T(n) = T\left(\left(\frac{99}{100}\right)^k n\right) + kn/100. \quad \text{--- (4)}$$

$$\left(\frac{99}{100}\right)^k n = 1.$$

$$n = \left(\frac{100}{99}\right)^k$$

$$k = \log_{\frac{100}{99}} n. \quad \text{--- (5)}$$

putting  $k = \log_{\frac{100}{99}} n$  in eq (4).

$$T(n) = \frac{n \left( \log_{\frac{100}{99}} n \right)}{100}$$

$$\Rightarrow T(n) = O(n \log n)$$



18  
(a)

$$100 < \log \log n < \log n < \sqrt{n} < n < n \log n = \log(n!) < n^2 < 2^n < 2^{2n} \\ 4^n < n!$$

(b)

$$1 < \log \log(n) < \sqrt{\log(n)} < \log(n) < 2n < 4n < 2(2^n) < \log(2n) < 2 \log(n) < n < n \log n = \log(n!) < n! < n!$$

(c)

$$96 < \log_2(n) = \log_8(n) < n \log_6(n) = n \log_6(n) = \log(n!) < 5n < 8n^2 < 7n < 8^{2n}$$

Q19

```

INPUT ARR[N], KEY;
for (i = 0 to n-1) {
    if (ARR[i] == KEY) {
        return i;
    }
}
return -1;

```



## Q20 Iterative Insertion Sort

```
void InsertionSort (int arr[], int n)
```

```
{
```

```
    int i, temp, j;
```

```
    for (i = 1 to n-1) {
```

```
        temp = arr[i]
```

```
        j = i - 1;
```

```
        while (j >= 0 AND arr[j] > temp) {
```

```
            arr[j+1] = arr[j];
```

```
            j = j - 1;
```

```
        }
```

```
        arr[j+1] = temp;
```

```
    }
```

```
}
```

## Q Recursive ~~Sort~~ Insertion Sort

```
void InsertionSort (int arr[], int n)
```

```
{
```

```
    if (n < 2)
```

```
        return;
```

```
    InsertionSort (arr, n-1);
```

```
    last = arr[n-1], j = n-2;
```

```
    while (j >= 0 AND arr[j] > last) {
```

```
        arr[j+1] = arr[j];
```

```
        j = j - 1;
```

```
    }
```

```
    arr[j+1] = last;
```

```
}
```



Insertion sort is online algorithm because it processes the elements one-by-one in a serial fashion without considering the future elements. Whereas bubble sort, selection sort and merge sort are offline as they require all inputs on which they can process the data for correct output i.e. these algorithms want all the input beforehand.

Q21

Algorithm	Best Case	Avg. Case	Worst Case
① Bubble Sort	$O(n^2)$	$O(n^2)$	$O(n^2)$
② Selection Sort	$O(n^2)$	$O(n^2)$	$O(n^2)$
③ Insertion Sort	$O(n)$	$O(n^2)$	$O(n^2)$
④ Merge Sort	$O(n \log n)$	$O(n \log n)$	$O(n \log n)$
⑤ Quick Sort	$O(n \log n)$	$O(n \log n)$	$O(n^2)$
⑥ Heap Sort	$O(n \log n)$	$O(n \log n)$	$O(n \log n)$

Q22

Algorithm	In-place	Stable	Online
① Bubble Sort	✓	✓	✗
② Selection Sort	✓	✗	✗
③ Insertion Sort	✓	✓	✓
④ Merge Sort	✗	✓	✗
⑤ Quick Sort	✗	✗	✗
⑥ Heap Sort	✓	✗	✗



Q23

## Iterative Binary Search

```

int BinarySearch(int arr[], int l, int r, int x)
{
    while (l <= r) {
        int m = (l + r) / 2;
        if (arr[m] == x)
            return m;
        else if (arr[m] < x)
            l = m + 1;
        else
            r = m - 1;
    }
    return -1;
}

```

## Recursive Binary Search

```

int BinarySearch(int arr[], int l, int r, int x)
{
    if (l > r)
        return -1;
    int m = (l + r) / 2;
    if (arr[m] == x)
        return m;
    else if (arr[m] < x)
        return BinarySearch(arr, m + 1, r, x);
    else
        return BinarySearch(arr, l, m - 1, x);
}

```



## → Iterative Binary Search

### ① Time Complexity

$$\text{Best Case} = O(1)$$

$$\text{Average Case} = O(\log n)$$

$$\text{Worst Case} = O(\log n).$$

### ② Space Complexity = $O(1)$ (All cases)

## → Recursive Binary Search

### ① Time Complexity

$$\text{Best Case} = O(1)$$

$$\text{Average Case} = O(\log n)$$

$$\text{Worst Case} = O(\log n)$$

### ② Space complexity #

$$\text{Best Case} = O(1)$$

$$\text{Average Case} = O(\log n)$$

$$\text{Worst Case} = O(\log n)$$

Ans

$$T(n) = T(n/2) + 1$$

$$T(n) = O(\log n).$$