

Experiment No.6

Abhijeet Vishwas Jadhav.

SY-B

Introduction to Dictionary in Python

```
In [1]: x={1:100,2:200}  
x
```

```
Out[1]: {1: 100, 2: 200}
```

```
In [2]: type(x)
```

```
Out[2]: dict
```

```
In [3]: x1={'Abhijeet':'hari','xyz':10.10,'aam':True}  
x1
```

```
Out[3]: {'Abhijeet': 'hari', 'xyz': 10.1, 'aam': True}
```

```
In [4]: x2={'Abhijeet':100,'xyz':200,'Abhijeet':100}  
x2
```

```
Out[4]: {'Abhijeet': 100, 'xyz': 200}
```

```
In [5]: x3={'Abhijeet':100,'xyz':200,'Abhijeet':300}  
x3
```

```
Out[5]: {'Abhijeet': 300, 'xyz': 200}
```

```
In [6]: x4={'Abhijeet':100,'xyz':200,'abcd':[100,200,300,400,'ram']}
```

```
In [7]: x4['Abhijeet']
```

```
Out[7]: 100
```

```
In [8]: x4['xyz']
```

```
Out[8]: 200
```

```
In [9]: x4['abcd']
```

```
Out[9]: [100, 200, 300, 400, 'ram']
```

```
In [10]: x4['abcd'][1]
```

```
Out[10]: 200
```

```
In [11]: x4['abcd'][4][::-1][1]
```

```
Out[11]: 'a'
```

```
In [12]: x4['abcd'][4][1]
```

```
Out[12]: 'a'
```

```
In [13]: x4.keys()
```

```
Out[13]: dict_keys(['Abhijeet', 'xyz', 'abcd'])
```

```
In [14]: x4.values()
```

```
Out[14]: dict_values([100, 200, [100, 200, 300, 400, 'ram']])
```

```
In [15]: x4.items()
```

```
Out[15]: dict_items([('Abhijeet', 100), ('xyz', 200), ('abcd', [100, 200, 300, 400, 'ram'])])
```

```
In [16]: x5=x4.copy()
```

```
In [17]: x5
```

```
Out[17]: {'Abhijeet': 100, 'xyz': 200, 'abcd': [100, 200, 300, 400, 'ram']}
```

```
In [18]: x5.get('Abhijeet')
```

```
Out[18]: 100
```

```
In [19]: x5.pop()
```

TypeError

Traceback (most recent call last)

Cell In[19], line 1

----> 1 x5.pop()

TypeError: pop expected at least 1 argument, got 0

```
In [20]: x5.popitem()
```

```
Out[20]: ('abcd', [100, 200, 300, 400, 'ram'])
```

```
In [21]: x5
```

```
Out[21]: {'Abhijeet': 100, 'xyz': 200}
```

```
In [22]: x5.pop('Abhijeet')
```

```
Out[22]: 100
```

```
In [23]: x5
```

```
Out[23]: {'xyz': 200}
```

```
In [24]: x5.update({'m':100})
```

```
In [25]: x5
```

```
Out[25]: {'xyz': 200, 'm': 100}
```

```
In [26]: 'xyz' in x5
```

```
Out[26]: True
```

```
In [27]: x6={'a':{'b':100}}
```

```
In [28]: x6
```

```
Out[28]: {'a': {'b': 100}}
```

```
In [29]: x6['a']['b']
```

```
Out[29]: 100
```

```
In [30]: x7={'a':{'b':[100,200,'Abhijeet','om']}}
```

```
In [31]: x7
```

```
Out[31]: {'a': {'b': [100, 200, 'Abhijeet', 'om']}}
```

```
In [32]: x7['a']['b'][2]
```

```
Out[32]: 'Abhijeet'
```

```
In [33]: z={1:'Abhijeet',2:'hari',3:'om'}
```

```
In [34]: z
```

```
Out[34]: {1: 'Abhijeet', 2: 'hari', 3: 'om'}
```

```
In [35]: z.fromkeys('xyz')
```

```
Out[35]: {'x': None, 'y': None, 'z': None}
```

```
In [36]: z.fromkeys('Abhijeet',z)
```

```
Out[36]: {'A': {1: 'Abhijeet', 2: 'hari', 3: 'om'},  
          'b': {1: 'Abhijeet', 2: 'hari', 3: 'om'},  
          'h': {1: 'Abhijeet', 2: 'hari', 3: 'om'},  
          'i': {1: 'Abhijeet', 2: 'hari', 3: 'om'},  
          'j': {1: 'Abhijeet', 2: 'hari', 3: 'om'},  
          'e': {1: 'Abhijeet', 2: 'hari', 3: 'om'},  
          't': {1: 'Abhijeet', 2: 'hari', 3: 'om'}}
```

```
In [37]: z.fromkeys('jadhav',[7,4,3,4])
```

```
Out[37]: {'j': [7, 4, 3, 4],  
          'a': [7, 4, 3, 4],  
          'd': [7, 4, 3, 4],  
          'h': [7, 4, 3, 4],  
          'v': [7, 4, 3, 4]}
```

```
In [38]: z.fromkeys('abhi',345)
```

```
Out[38]: {'a': 345, 'b': 345, 'h': 345, 'i': 345}
```