



વાપી મહાનગરપાલિકા - વાપી

વાપી ટાઉન પોલીસ સ્ટેશન પાસે, વાપી-૩૯૬૧૯૧ તા-વાપી, જી.વલસાડ
VAPI MUNICIPAL CORPORATION - VAPI
 Nr.Vapi Town Police Station, At. Po. Vapi- 396191, Tal. Vapi-,Dist.
 Valsad.



જા.નં./વાપી.મ.ન.પા/ફેનેજ.વિભાગ./રજી.૧/વશી. ૪૪૫ /૨૦૨૬-૨૭

તા. 27/08/2026

પ્રતિ,

આચાર્યશ્રી,

લોટસ ગ્લોબલ સ્કૂલ,

પ્લોટ નં.૧૮૩૬/૧ થી ૧૮૪૬/૩ , પ્રાથમિક ચિકિત્સા કેન્દ્ર ની બાજુમાં , વટાર , વાપી.

તા. વાપી, જી. વલસાડ.

વિષય: શાળાના પીવાના પાણીના સેમ્પલ ટેસ્ટિંગ રિપોર્ટ તથા સર્ટિફિકેટ મોકલવા બાબત.

સંદર્ભ: આપનો પત્ર તારીખ: ૧૩/૦૮/૨૦૨૬ (વા.મ.પા. આવક નં.૪૭૪૯, તારીખ: ૧૩/૦૫/૨૦૨૬)

રીપોર્ટ સમય મર્યાદા - એક વર્ષ નાં સમયગાળા માટે માન્ય છે (ઓગસ્ટ-૨૦૨૭ સુધી)

ઉપરોક્ત વિષય તથા સંદર્ભ અન્વયે જણાવવાનું કે, આપની શાળા દ્વારા આપવામાં આવેલ અરજી અનુસાર આપની શાળા (લોટસ ગ્લોબલ સ્કૂલ, વટાર, વાપી) ખાતેથી પીવાના પાણીના સેમ્પલ લેવામાં આવ્યા હતા.

સદર પીવાના પાણીના સેમ્પલનું વાપી મહાનગરપાલિકાની વોટર ટેસ્ટિંગ લેબોરેટરી પરીક્ષણ કરવામાં આવેલ છે. આ ઉપરાંત, પાણીની ગુણવત્તા અને ચોકસાઈની વધુ ચકાસણી અર્થે આધુનિક ટેકનોલોજી ધરાવતી માન્ય (NABL) પ્રાઇવેટ લેબોરેટરી ખાતે પણ સેમ્પલ મોકલી ટેસ્ટિંગ કરાવવામાં આવેલ છે.

બંને લેબોરેટરીના ટેસ્ટિંગ રિપોર્ટ અનુસાર આપની શાળાના પીવાના પાણીના નમૂના નિર્ધારિત ભારતીય ધોરણો (IS 10500:2012) મુજબ પીવા માટે સંપૂર્ણપણે સુરક્ષિત, યોગ્ય અને ગુણવત્તાયુક્ત (Safe for Drinking) માલૂમ પડેલ છે. આ પત્ર સાથે વાપી મહાનગરપાલિકા લેબોરેટરી ટેસ્ટ રિપોર્ટ, પ્રાઇવેટ માન્ય લેબોરેટરીનો ટેસ્ટ રિપોર્ટ સામેલ રાખી આપને અગ્રેસર કાર્યવાહી અર્થે મોકલી આપવામાં આવે છે.

બીડાણ (Enclosures):

૧. વાપી મહાનગરપાલિકા વોટર ટેસ્ટિંગ રિપોર્ટ
૨. પ્રાઇવેટ એક્રેડિટેડ લેબોરેટરી વોટર ટેસ્ટિંગ રિપોર્ટ

હાઇડ્રોલિક ઈજનેર
 વાપી મહાનગરપાલિકા





વાપી મહાનગરપાલિકા - વાપી

વાપી ટાઉન પોલીસ સ્ટેશન પાસે, વાપી-૩૯૬૧૯૧ તા-વાપી, જી.વલસાડ
VAPI MUNICIPAL CORPORATION - VAPI
Nr.Vapi Town Police Station, At. Po. Vapi- 396191, Tal. Vapi-,Dist.
Valsad.



જા.નં./વાપી.મ.ન.પા/ફેનેજ.વિભાગ./૨જી.૧/વશી. ૪૪૫ /૨૦૨૬-૨૭

તા. 27/05/2026

SAFE DRINKING WATER AND SANITATION CONDITION CERTIFICATE

It is certified that inspection team headed by SHREE SANJAY TARAKANT JHA, HYDRAULIC ENGINEER, VAPI MUNICIPALITY, VAPI Inspected the LOTUS GLOBAL SCHOOL, PLOT NO.1846/3 TO 1846/3, NEAR VATAR PHC, VATAR, VAPI-396191. On 13/05/2026 and found that LOTUS GLOBAL SCHOOL has safe drinking water facilities for the student and members of staff of the institution and is maintaining the hygienic sanitation condition in the school building & the campus as per the norms prescribed by the central/ state government.

The above valid for a period of ONE year.(TILL AUG-2027)

Signature with seal:-.....



Name: SANJAY T. JHA

Designation:- HYDRAULIC ENGINEER, VAPI MUNICIPAL CORPORATION

To,

LOTUS GLOBAL SCHOOL

VATAR, VAPI

VAPI-396191



વાપી મહાનગરપાલિકા-વાપી
વાપી ટાઉન પોલીસ સ્ટેશન પાસે, વાપી-૩૯૬૧૯૧ તા.વાપી, જી.વલસાડ
VAPI MUNICIPAL CORPORATION-VAPI
Nr.Vapi Town Police Station, At. Po. Vapi- 396191, Tal. Vapi-, Dist. Valsad.



જા.નં.માં.ન.પા પાણી પુરવઠા/રજી.૧/વશી/ ૪૪૫ ૨૦૨૬-૨૭

તા - ૨૭-૦૮-૨૦૨૬

પીવાના પાણીનું ભૌતિક અને રાસાયણિક પૃથ્થકરણ રિપોર્ટ

સંસ્થાનું નામ:	લોટસ ગ્લોબલ સ્કૂલ		
સ્થળ / સરનામું:	પ્લોટ નંબર - ૧૮૩૬/૧ થી ૧૮૪૬/૩, પ્રાથમિક ચિકિત્સાલય ની નજીક, વટાર, વાપી, ગુજરાત -૩૯૬૧૯૧		
સેમ્પલ તારીખ:	૧૮-૦૮-૨૦૨૬	સેમ્પલ સ્ત્રોત:	આર.ઓ. સિસ્ટમ (RO System)
સેમ્પલ લેનાર:	ચિંતન ડી. પટેલ (કેમિસ્ટ, વાપી મહાનગરપાલિકા)		

૧. પાણીના સેમ્પલની ચકાસણીના પરિણામો (Test Parameters)

અનુક્રમ	પેરામીટર (Parameters)	પરિણામ (Measured Value)	માનક મર્યાદા (BIS Standard 10500)	એકમ (Unit)
૧	રંગ / દેખાવ (Color & Appearance)	રંગહીન / સ્વચ્છ	સૌમ્ય / સ્વચ્છ	-
૨	ગંધ (Odour)	ગંધરહિત	ગંધરહિત	-
૩	પી.એચ. લેવલ (pH Value)	૭.૨	૬.૫ થી ૮.૫	-
૪	ટર્બિડિટી / ડોહળાશ (Turbidity)	< ૦.૫	મહત્તમ ૧.૦	NTU
૫	કુલ દ્રાવ્ય ક્ષાર (Total Dissolved Solids - TDS)	૮૮.૦૦	મહત્તમ ૫૦૦	mg/L (PPM)
૬	કુલ કઠિનતા (Total Hardness as CaCO ₃)	૬૬.૦	મહત્તમ ૨૦૦	mg/L
૭	ક્લોરાઇડ (Chloride as Cl)	૨૮.૭૨	મહત્તમ ૨૫૦	mg/L
૮	રેસિડ્યુઅલ ક્લોરીન (Residual Chlorine)	૦	૦.૨ થી ૦.૫	mg/L (PPM)
૯	બેક્ટેરિયોલોજિકલ ટેસ્ટ (E. Coli / Coliform)	ગેરહાજર (Absent)*	ગેરહાજર (Absent)	per 100 ml

૨. કેમિસ્ટનો અભિપ્રાય / નોંધ (Analyst Conclusion)

અભિપ્રાય (Opinion):

લોટસ ગ્લોબલ સ્કૂલ (પ્લોટ નંબર - ૧૮૩૬/૧ થી ૧૮૪૬/૩, પ્રાથમિક ચિકિત્સાલય ની નજીક, વટાર, વાપી, ગુજરાત -૩૯૬૧૯૧) ખાતેથી લેવામાં આવેલ પાણીના સેમ્પલની ભૌતિક, રાસાયણિક અને જૈવિક ચકાસણી BIS standard 10500 મુજબ કરવામાં આવેલ છે. પાણીના તમામ પેરામીટર્સ માન્ય મર્યાદાની અંદર માલુમ પડેલ છે.

* નોંધ: બેક્ટેરિયોલોજિકલ ટેસ્ટ પરિણામ (Absent) આધુનિક ટેકનોલોજી ધરાવતી લેબોરેટરીના બિડાણ કરેલ રિપોર્ટ માધ્યમથી ચકાસેલ છે.

આ પાણી માનવ વપરાશ તેમજ પીવા માટે સંપૂર્ણપણે સુરક્ષિત અને યોગ્ય (Fit for Drinking Purpose) છે.

બીડાણ :- (આધુનિક ટેસ્ટ રિપોર્ટ) એક્યુરેટ રિસર્ચ એન્ડ એનાલિટિકલ પ્રાઇવેટ લિમિટેડ, વાપી

ચિંતન ડી. પટેલ
કેમિસ્ટ (Chemist)
વાપી મહાનગરપાલિકા

હાઇડ્રોલિક ઈજનેર સાહેબ
પાણી વિભાગ
વાપી મહાનગરપાલિકા



ACCURATE RESEARCH & ANALYTICAL PVT. LTD.

(LIC. NO. GTL/37/56 & GCTL/8)

Format No : ARAPL/SOP/GEN/027/F07

CERTIFICATE OF ANALYSIS

Booking No : 10236

Certificate No : 10236/25082026

Analytical Lic. No : GTL/37/56

Name of Manufacturer / Party

Lotus Global School
Survey/Plot No-1836/1 To 1846/3 Near Vatar PHC,
Vatar, Vapi,
Gujarat-396191

Mfg. Lic. No. : NM
Ref. No. of Letter : NM
Ref. Date : NM
Other Ref. No. : NM

Details Of Raw Material / Final Products (In Bulk / Finished Pack)

Name of Sample	: Drinking Water	Sample Quantity	: 5 Ltr +500 ml
Batch No	: NM	MFG Name	: Self
Batch Size	: NM	Packing	: Plastic can+Glass bottle
A.R. No.	: NM	Sealed	: Yes
Date of Receipt	: 18/08/2026	Starting Date	: 19/08/2026
Date of MFG.	: NM	Ending Date	: 25/08/2026
Date of Expiry	: NM	Page No	: Page 1 of 2

RESULT OF TESTS

SrNo	Test Name	Unit	Result	Specification	Method of Test
1	Description.		Clear Colourless Liquid	6.5 to 8.5	IS 3025 (Part 11)
2	pH		7.10	NMT 5 CU	IS: 3025 (Part 4)
3	Colour	CU	Not Detected	Agreeable	IS: 3025 (Part 5)
4	Odour		Agreeable	Agreeable	IS: 3025 (Part 8)
5	Taste		Agreeable		IS: 3025 (Part 16)
6	Total Dissolved Solid	mg/L	98.00	NMT 500 mg/L	IS: 3025 (Part 21)
7	Total Hardness (As a CaCO ₃)	mg/L	66.0	NMT 200 mg/L	IS: 3025 (Part 40)
8	Calcium (as Ca)	mg/L	Not Detected	NMT 75 mg/L	IS: 3025 (Part 46)
9	Magnesium (as Mg)	mg/L	16.038	NMT 30 mg/L	IS: 3025 (Part 32)
10	Chloride	mg/L	28.72	NMT 250 mg/L	IS: 3025 (Part 26)
11	Free chlorine	mg/L	Not Detected	Min 0.2 mg/L	APHA 24th ED
12	Nitrate	mg/L	Not Detected	NMT 45 mg/L	4500-NO ₃ ⁻ B
13	Sulphate (As a SO ₄)	mg/L	26.731	NMT 200 mg/L	APHA 24th Ed.
14	Iron (Fe) by ICP- OES	mg/L	Not Detected	NMT 0.3 mg/L	4500 SO42- E
15	Manganese (Mn) by ICP- OES	mg/L	Not Detected	NMT 0.1 mg/L	IS 3025 (Part 2) : 2019
16	Mercury (Hg) by ICP - OES	mg/L	Not Detected	NMT 0.001 mg/L	IS 3025 (Part 2) : 2019
17	Arsenic (As) by ICP - OES	mg/L	Not Detected	NMT 0.01 mg/L	IS 3025 (Part 2) : 2019
18	Sodium (By ICP-OES)	mg/L	Not Detected		IS 3025 (Part 2) : 2019
19	Potassium by (ICP-OES)	mg/L	Not Detected		IS 3025 (Part 2) : 2019

For Accurate Research & Analytical Pvt.Ltd.

AL (0138)

Analyst

25108126

Authorised Signatory

RAJESH TANDEL - QUALITY MANAGER
EIN : ARAPL - EIN-0078

Address : Plot No. 33, Vibrant Business Park, N. H. No. 48, GIDC, Vapi - 396 195.

Mob.: +91 6359877101, +91 6359877112 • E-mail : accuratelabs.analytical@gmail.com • Website : www.accuratelabs.co.in

CIN : U73200GJ2019PTC107682 • GST No. : 24AASCA1859Q1ZW • MSME : UDYAM-GJ-25-0001141



ACCURATE RESEARCH & ANALYTICAL PVT. LTD.

(LIC. NO. GTL/37/56 & GCTL/8)

Format No : ARAPL/SOP/GEN/027/F07

CERTIFICATE OF ANALYSIS

Booking No : 10236

Certificate No : 10236/25082026

Analytical Lic. No : GTL/37/56

Name of Manufacturer / Party

Lotus Global School

Survey/Plot No-1836/1 To 1846/3 Near Vatar PHC,

Vatar, Vapi,

Gujarat-396191

Mfg. Lic. No. : NM

Ref. No. of Letter : NM

Ref. Date : NM

Other Ref. No. : NM

Details Of Raw Material / Final Products (In Bulk / Finished Pack)

Name of Sample : Drinking Water

Batch No : NM

Batch Size : NM

A.R. No. : NM

Date of Receipt : 18/08/2026

Date of MFG. : NM

Date of Expiry : NM

Sample Quantity : 5 Ltr +500 ml

MFG Name : Self

Packing : Plastic can+Glass bottle

Sealed : Yes

Starting Date : 19/08/2026

Ending Date : 25/08/2026

Page No : Page 2 of 2

RESULT OF TESTS

SrNo	Test Name	Unit	Result	Specification	Method of Test
20	Dissolve Oxygen	mg/L	0.79		IS 3025 (Part 38)
21	Total Suspended Solid	mg/L	10.8		IS 3025 (Part 17)
22	E-coli	per 250 ml	Absent	Shall not be detectable in any 250 ml of Sample	IS 15185:2016
23	Coliform Count	per 250 ml	Absent	Shall not be detectable in any 250 ml of Sample	IS 15185:2016
24	Biochemical Oxygen Demand	mg/L	Not Detected		IS 3025 (Part - 44)
25	Chemical Oxygen Demand	mg/L	Not Detected		IS 3025 (Part - 58)
26	Turbidity	NTU	Not Detected	NMT 1.0 NTU	APHA 24th Ed. 2130; B
27	Fluoride	mg/L	Not Detected	NMT 1.0 mg/L	IS 3025 (Part - 60)

Remarks For Test Report :

This Certificate of Analysis is intended for indian subcontinent only.

ARAPL does not provide any opinion or interpretation on the same

AL (0138)

Analyst

For Accurate Research & Analytical Pvt.Ltd.

25/08/26

Authorised Signatory

RAJESH TANDEL - QUALITY MANAGER
EIN : ARAPL - EIN-0078

Notes :

1. Sample(s) not drawn by us unless otherwise mentioned.

2. Perishable samples will be destroyed after testing.

3. This report cannot be used as an evidence in the Court of Law and cannot be used in part or full in any media without prior permission of ARAPL.

4. The result listed refer only to the tested samples and applicable parameters for received sample only.

5. The above test indicated with * have been outsourced by ARAPL to a competent vendor.

Subject to Vapi Jurisdiction

**** End of The Report ****

Address : Plot No. 33, Vibrant Business Park, N. H. No. 48, GIDC, Vapi - 396 195.

Mob.: +91 6359877101, +91 6359877112 • E-mail : accuratelabs.analytical@gmail.com • Website : www.accuratelabs.co.in

CIN : U73200GJ2019PTC107682 • GST No. : 24AASCA1859Q1ZW • MSME : UDYAM-GJ-25-0001141