

TeamTrack Database Tables & Relationships

This document explains the database structure, table relationships, foreign keys, and how the tables work together in the TeamTrack project.

Table: roles

Column	Type	Description
id	INT	Primary Key
name	VARCHAR	Role Name

Relationship: One Role → Many Users

Table: users

Column	Type	Description
id	INT	Primary Key
name	VARCHAR	User Name
email	VARCHAR	Login Email
password	VARCHAR	Hashed Password
role_id	INT	FK → roles.id
is_active	BOOLEAN	Active Status
created_at	TIMESTAMP	Created Time

Relationship: Many Users belong to One Role

Table: groups

Column	Type	Description
id	INT	Primary Key
name	VARCHAR	Group Name
lead_id	INT	FK → users.id
created_at	TIMESTAMP	Created Time

Relationship: One Lead(User) → Many Groups

Table: group_members

Column	Type	Description
id	INT	Primary Key
group_id	INT	FK → groups.id
user_id	INT	FK → users.id
role_in_group	VARCHAR	member/lead

Relationship: Creates Many-to-Many relation between Users and Groups

Table: tasks

Column	Type	Description
id	INT	Primary Key
title	VARCHAR	Task Title
description	TEXT	Task Description
assigned_to	INT	FK → users.id
assigned_by	INT	FK → users.id
group_id	INT	FK → groups.id
priority	VARCHAR	Task Priority
status	VARCHAR	Task Status
deadline	DATE	Task Deadline

Relationship: One User → Many Tasks

Table: task_reviews

Column	Type	Description
id	INT	Primary Key
task_id	INT	FK → tasks.id
reviewed_by	INT	FK → users.id
status	VARCHAR	Approved/Rejected
comments	TEXT	Review Comments

Relationship: One Task → One or Many Reviews

Table: task_comments

Column	Type	Description
id	INT	Primary Key

task_id	INT	FK → tasks.id
user_id	INT	FK → users.id
comment	TEXT	Task Discussion

Relationship: One Task → Many Comments

Table: task_attachments

Column	Type	Description
id	INT	Primary Key
task_id	INT	FK → tasks.id
uploaded_by	INT	FK → users.id
file_name	VARCHAR	File Name
file_path	VARCHAR	Storage Path

Relationship: One Task → Many Attachments

Table: notifications

Column	Type	Description
id	INT	Primary Key
user_id	INT	FK → users.id
message	TEXT	Notification Message
is_read	BOOLEAN	Read Status


Relationship: One User → Many Notifications

Table: audit_logs

Column	Type	Description
id	INT	Primary Key
user_id	INT	FK → users.id
action	VARCHAR	Performed Action
table_name	VARCHAR	Affected Table
created_at	TIMESTAMP	Action Time

Relationship: Tracks all system activities

Overall Relationship Flow



This database structure provides role-based access control, task management, group collaboration, notifications, and audit tracking for the TeamTrack system.