

TeamTrack – Complete Database & User Role Documentation

This document explains:

- All user roles and their features
- Database tables with examples
- Table relationships
- Foreign keys and relationship flow
- Real-world examples of how the system works

1. User Roles & Features

Super Admin

Highest authority in the system.

Features
Manage all users
Manage admins
View all reports
Manage all groups
View organization productivity
System settings access

Admin

Manages groups and operations.

Features
Create users
Create groups
Assign leads
Manage employees
View reports
Monitor team productivity

Lead

Team leader who manages tasks.

Features
Assign tasks

Review employee work
Approve/reject tasks
Monitor team progress
Comment on tasks
View team dashboard

Employee

Completes assigned work.

Features
View assigned tasks
Update task status
Upload files
Add comments
Log daily work
Receive notifications

2. Database Tables & Relationships

Table: roles

Structure:

Column	Type	Description
id	INT	Primary Key
name	VARCHAR	Role Name

Example Data:

id	name
1	Admin
2	Lead
3	Employee

Relationship: One Role → Many Users

Table: users

Structure:

Column	Type	Description
id	INT	Primary Key
name	VARCHAR	User Name
email	VARCHAR	Login Email
password	VARCHAR	Hashed Password
role_id	INT	FK → roles.id
is_active	BOOLEAN	User Status

Example Data:

id	name	role_id
1	Sahil	2
2	Rahul	3

Relationship: Many Users belong to One Role

Table: groups

Structure:

Column	Type	Description
id	INT	Primary Key

name	VARCHAR	Group Name
lead_id	INT	FK → users.id

Example Data:

id	name	lead_id
1	Frontend Team	1

Relationship: One Lead(User) → Many Groups

Table: group_members

Structure:

Column	Type	Description
id	INT	Primary Key
group_id	INT	FK → groups.id
user_id	INT	FK → users.id
role_in_group	VARCHAR	member/lead

Example Data:

group_id	user_id	role_in_group
1	1	lead
1	2	member

Relationship: Creates Many-to-Many relation between Users and Groups

Table: tasks

Structure:

Column	Type	Description
id	INT	Primary Key
title	VARCHAR	Task Title
assigned_to	INT	FK → users.id
assigned_by	INT	FK → users.id
group_id	INT	FK → groups.id
status	VARCHAR	Task Status

Example Data:

	title	assigned_to	assigned_by
	Build Login API	2	1

Relationship: One User → Many Tasks

Table: task_reviews

Structure:

Column	Type	Description
id	INT	Primary Key
task_id	INT	FK → tasks.id
reviewed_by	INT	FK → users.id
status	VARCHAR	Approved/Rejected

Example Data:

task_id	reviewed_by	status
1	1	Approved

Relationship: One Task → Many Reviews

Table: task_comments

Structure:

Column	Type	Description
id	INT	Primary Key
task_id	INT	FK → tasks.id
user_id	INT	FK → users.id
comment	TEXT	Task Comment

Example Data:

task_id	user_id	comment
1	2	API completed

Relationship: One Task → Many Comments

Table: task_attachments

Structure:

Column	Type	Description
id	INT	Primary Key
task_id	INT	FK → tasks.id
uploaded_by	INT	FK → users.id
file_name	VARCHAR	File Name

Example Data:

task_id	uploaded_by	file_name
1	2	login_api.png

Relationship: One Task → Many Attachments

Table: notifications

Structure:

Column	Type	Description
id	INT	Primary Key
user_id	INT	FK → users.id
message	TEXT	Notification Message

Example Data:

user_id	message
2	New task assigned

Relationship: One User → Many Notifications

Table: audit_logs

Structure:


Column	Type	Description
id	INT	Primary Key
user_id	INT	FK → users.id
action	VARCHAR	Performed Action

Example Data:

user_id	action
1	TASK_CREATED

Relationship: Tracks all system activity

3. Overall Relationship Diagram



- This database design supports:
- Role-Based Access Control (RBAC)
 - Team & group management
 - Task assignment and tracking
 - Comments and attachments
 - Notifications
 - Audit logging