
# Tab 1

# GIT Remote working Step 1: Install Git Bash Step 2:



```
which indivition—DES-0037 MINGW64 ~ (login)
$ cd D:MANSICITIANSI
bash: cd: D:MANSICITIANSI: No such file or directory

admindINTINN-DES-0037 MINGW64 ~ (login)
$ cd D:MANSICITIANSI: No such file or directory

bash: cd: D:MANSICITIANSI: No such file or directory

bash: cd: D:MANSICITIANSI: No such file or directory

bash: cd: D:MANSICITIANSI: No such file or directory

schindivition—DES-0037 MINGW64 ~ (login)
$ cd D:MANSI

admindivition—DES-0037 MINGW64 /d/MANSI
$ git init

Initialized empty git repository in D:/MANSI/.git/

admindivition—DES-0037 MINGW64 /d/MANSI
$ 1 trial.txt

admindivition—DES-0037 MINGW64 /d/MANSI
$ 1 trial.txt

admindivition—DES-0037 MINGW64 /d/MANSI
$ 1 trial.txt

admindivition—DES-0037 MINGW64 /d/MANSI

S git log

Fatal: detected dubious ownership in repository at 'D:/MANSI'

D:/MANSI' in Manse My3 /Student (S-1-S-21-375319292-1958086492-419855871-1002)

but the current user is:

IMINIM-DES-0037 MINGW64 /d/MANSI

add notwith—DES-0037 MINGW64 /d/MANSI

directory, call:

git config —global —add safe.directory D:/MANSI

add notwith—DES-0037 MINGW64 /d/MANSI

dirindivition—DES-0037 MINGW64 /d/MANSI

dirindivition—DES-0037 MINGW64 /d/MANSI

dirindivition—DES-0037 MINGW64 /d/MANSI

5 | Column | Column
```

Mkdir - to make folder Repository is always hidden. Folder is always visible

#### Proper

```
daminBINITM-DES-0037 MINGM64 ~ (login)

c d D:VAMSNIB36

tadminBINITM-DES-0037 MINGM64 /d/MansiB36

git init
Initialized empty Git repository in D:MansiB36(aster)

yi trial.txt

daminBINITM-DES-0037 MINGM64 /d/MansiB36 (master)

s git log

fatal: your current branch 'master' does not have any commits yet

tadminBINITM-DES-0037 MINGM64 /d/MansiB36 (master)

s git log

fatal: your current branch 'master' does not have any commits yet

tadminBINITM-DES-0037 MINGM64 /d/MansiB36 (master)

s git log

fatal: your current branch 'master' does not have any commits yet

tadminBINITM-DES-0037 MINGM64 /d/MansiB36 (master)

s git add

tecinitalized existing Git repository in D:MansiB36/git/

daminBINITM-DES-0037 MINGM64 /d/MansiB36 (master)

s git sadd

on branch master

No commits yet

Changes to be committed:

(use "git rm -cached cfile..." to unstage)

master (not-commit) 21defall jfrist Comment

lific changed; l insertion(4)

create mode 100644 trial.txt

tadminBINITM-DES-0037 MINGM64 /d/MansiB36 (master)

saferinBINITM-DES-0037 MINGM64 /d/MansiB36 (master)

faster (not-commit) 21defall jfrist Comment

lific changed, l insertion(4)

create mode 100644 trial.txt

tadminBINITM-DES-0037 MINGM64 /d/MansiB36 (master)
```

## Change Directory: cd file directory

```
MINGW64:/d/MansiB36
admin@IMITNM-DES-0037 MINGW64 ~ (login)
$ cd D:\MansiB36
```

### Initiate git:

```
admin@IMITNM-DES-0037 MINGW64 /<mark>d/MansiB36</mark>
$ git init
Initialized empty Git repository in D:/MansiB36/.git/
```

#### List folder items

```
admin@IMITNM-DES-0037 MINGW64 /d/MansiB36 (master)
$ ls
trial.txt
```

To start tracking and to staging mode

```
admin@IMITNM-DES-0037 MINGW64 /d/MansiB36 (master)

§ git log
fatal: your current branch 'master' does not have any commits yet

admin@IMITNM-DES-0037 MINGW64 /d/MansiB36 (master)

§ git init
Reinitialized existing Git repository in D:/MansiB36/.git/

admin@IMITNM-DES-0037 MINGW64 /d/MansiB36 (master)

§ git add .

warning: in the working copy of 'trial.txt', LF will be replaced by CRLF the next time Git touches it

admin@IMITNM-DES-0037 MINGW64 /d/MansiB36 (master)

§ git status
On branch master

No commits yet

Changes to be committed:
 (use "git rm --cached <file>..." to unstage)
    new file: trial.txt
```

To add comment: Commit command

```
admin@IMITNM-DES-0037 MINGW64 /d/MansiB36 (master)

$ git commit -m "First Comment"
[master (root-commit) 21dcf81] First Comment

1 file changed, 1 insertion(+)
create mode 100644 trial.txt
```

Modified the file and check the status This has came to untracked zone Esc click

:.wq

```
admin@IMITNM-DES-0037 MINGW64 /d/MansiB36 (master)

$ vi trial.txt

admin@IMITNM-DES-0037 MINGW64 /d/MansiB36 (master)

$ git status

On branch master

Changes not staged for commit:

(use "git add <file>..." to update what will be committed)

(use "git restore <file>..." to discard changes in working directory)

modified: trial.txt

no changes added to commit (use "git add" and/or "git commit -a")

admin@IMITNM-DES-0037 MINGW64 /d/MansiB36 (master)

$ |
```

#### Bring file back to staging area

### Then perform commit 2nd

```
admin@IMITNM-DES-0037 MINGW64 /d/MansiB36 (master)
$ git commit -m "First Comment"
[master (root-commit) 21dcf81] First Comment
1 file changed, 1 insertion(+)
create mode 100644 trial.txt
 admin@IMITNM-DES-0037 MINGW64 /d/MansiB36 (master)
$ vi trial.txt
 ndmin@IMITNM-DES-0037 MINGW64 /d/MansiB36 (master)
$ git status
 n branch master
 Changes not staged for commit:

(use "git add <file>..." to update what will be committed)

(use "git restore <file>..." to discard changes in working directory)
no changes added to commit (use "git add" and/or "git commit -a")
 admin@IMITNM-DES-0037 MINGW64 /d/MansiB36 (master)
warning: in the working copy of 'trial.txt', LF will be replaced by CRLF the next time Git touches it
 admin@IMITNM-DES-0037 MINGW64 /d/MansiB36 (master)
$ git status
 On branch master
Changes to be committed:
(use "git restore --staged <file>..." to unstage)
modified: trial.txt
admin@IMITNM-DES-0037 MINGW64 /d/MansiB36 (master)
$ git commit -m "Second Comment"
[master 6a5ea18] Second Comment
1 file changed, 2 insertions(+)
 admin@IMITNM-DES-0037 MINGW64 /d/MansiB36 (master)
```

#### Log command

```
admin@IMITNM-DES-0037 MINGW64 /d/MansiB36 (master)
$ git log
commit 6a5ea181343f3618f866e25b492e4677d01b805b (HEAD -> master)
Author: tushar <trvagh123@gmail.com>
Date: Thu Feb 6 16:16:20 2025 +0530

    Second Comment

commit 21dcf81322da39684a4d5661eaeab2fed41a22c0
Author: tushar <trvagh123@gmail.com>
Date: Thu Feb 6 16:08:24 2025 +0530


    First Comment


admin@IMITNM-DES-0037 MINGW64 /d/MansiB36 (master)
$
```

#### **GITHUB**

mansi2004patil@gmail.com

Create new repository





```
definition That DES-0037 MINOMA / d/MansiB36 (master)

5 git push -u origin master
remote: Permission to MansiPatill14/DEMO.git denied to Tushar-Vagh.
Fatal: unable to access 'https://github.com/MansiPatill14/DEMO.git/: The requested URL returned error: 403

administration That Des-0037 MINOMA / d/MansiB36 (master)

5 git config --global user.name 'mansi'

administration Des-0037 MINOMA / d/MansiB36 (master)

5 git config --global user.name 'mansi'

administration Des-0037 MINOMA / d/MansiB36 (master)

5 git config --global user.name 'mansi'

administration Des-0037 MINOMA / d/MansiB36 (master)

5 git config --global user.mame 'mansi'

administration Des-0037 MINOMA / d/MansiB36 (master)

5 A[200-git config credential.username 'mansi'

solit config credential.username 'mansi'

administration Des-0037 MINOMA / d/MansiB36 (master)

5 git config orgential.username 'mansi'

administration Des-0037 MINOMA / d/MansiB36 (master)

5 git push -u origin master

5 git push -u origin master

Compressing objects: 100% (0/7), done.

Counting objects: 100% (0/7), done.

Counting objects: 100% (0/7), done.

Counting objects: 100% (0/7), done.

Compressing objects: 100% (0/7), done.

The product Create a pull request for 'master' on oitHub by visiting: remote: https://github.com/MansiB36 (master)

5 git push -u origin master

To be transity of the counting of the counting of the product of the counting of the counting objects: 100% (0/7), done.

Compressing objects: 100% (0/7), done.

To be transity of the counting objects objects of the counting objects ob
```

#### remote

# Tab 2

```
cd D:\MansiB36
  dmin@IMITNM-DES-0037 MINGW64 /d/MansiB36
$ git init
Initialized empty Git repository in D:/MansiB36/.git/
 dmin@IMITNM-DES-0037 MINGW64 /d/MansiB36 (master)
$ vi trial.txt
  dmin@IMITNM-DES-0037 MINGW64 /d/MansiB36 (master)
$ ls
trial.txt
 dmin@IMITNM-DES-0037 MINGW64 /d/MansiB36 (master)
administrations Des-0037 Miniswo+ /d/Marisis36 (master)
S git log
fatal: your current branch 'master' does not have any commits yet
admin@IMITNM-DES-0037 MINGW64 /d/MansiB36 (master)
$ git init
Reinitialized existing Git repository in D:/MansiB36/.git/
 dmin@IMITNM-DES-0037 MINGW64 /d/MansiB36 (master)
$ git add .
warning: in the working copy of 'trial.txt', LF will be replaced by CRLF the next time Git touches it
 dmin@IMITNM-DES-0037 MINGW64 /d/MansiB36 (master)
$ git status
On branch master
No commits yet
Changes to be committed:

(use "git rm --cached <file>..." to unstage)

new file: trial.txt
```

```
MINGW64:/d/MansiB36
                                                                                                                                                                                           - n x
                            0037 MINGW64 <mark>/d/MansiB36 (maste</mark>r)
$ git status
    branch master
No commits yet
Changes to be committed:
   (use "git rm --cached <file>..." to unstage)
   new file: trial.txt
admin@IMITNM-DES-0037 MINGW64 /d/MansiB36 (master)
$ git commit -m "First Comment"
[master (root-commit) 21dcf81] First Comment
1 file changed, 1 insertion(+)
create mode 100644 trial.txt
  dmin@IMITNM-DES-0037 MINGW64 /d/MansiB36 (master)
 vi trial.txt
  dmin@IMITNM-DES-0037 MINGW64 /d/MansiB36 (master)
  git status
 ogit status
on branch master
changes not staged for commit:
  (use "git add <file>..." to update what will be committed)
  (use "git restore <file>..." to discard changes in working directory)
no changes added to commit (use "git add" and/or "git commit -a")
  dmin@IMITNM-DES-0037 MINGW64 /d/MansiB36 (master)
 s git add .
warning: in the working copy of 'trial.txt', LF will be replaced by CRLF the next time Git touches it
  dmin@IMITNM-DES-0037 MINGW64 /d/MansiB36 (master)
S git status
On branch master
(changes to be committed:
    (use "git restore --staged <file>..." to unstage)
```

```
admin@IMITNM-DES-0037 MINGW64 /d/MansiB36 (master)
$ git status
On branch master
Changes to be committed:
(use "git restore --staged <file>..." to unstage)
modified: trial.txt

admin@IMITNM-DES-0037 MINGW64 /d/MansiB36 (master)
$ git commit -m "Second Comment"
[master 6a5ea18] Second Comment
I file changed, 2 insertions(+)
admin@IMITNM-DES-0037 MINGW64 /d/MansiB36 (master)
$ git log
commit 6a5ea1831343f3618f866e25b492e46f77d01b805b (HEAD -> master)
Author: tushar <trvaghi228gmail.com>
Date: Thu Feb 6 16:16:20 2025 +0530

Second Comment

commit 2ldcf81322da39684a4d5661eaeab2fed41a22c0
Author: tushar <trvaghi238gmail.com>
Date: Thu Feb 6 16:08:24 2025 +0530

First Comment

admin@IMITNM-DES-0037 MINGW64 /d/MansiB36 (master)
$ git remote add origin https://github.com/MansiPatil114/DEMO.git

admin@IMITNM-DES-0037 MINGW64 /d/MansiB36 (master)
$ git remote add origin https://github.com/MansiPatil114/DEMO.git/': The requested URL returned error: 403
admin@IMITNM-DES-0037 MINGW64 /d/MansiB36 (master)
$ s s st command not found

admin@IMITNM-DES-0037 MINGW64 /d/MansiB36 (master)
$ s s s command not found
```