

Complete HTML

Cheatsheet



<!--...-->	Used for comment
<!DOCTYPE>	document type
<a>	hyperlink
<abbr>	abbreviation or an acronym
<address>	contact info for the author
<area>	area inside an image map
<article>	article
<aside>	content aside from page
<audio>	embedded sound content
	bold text
<base>	base URL for all relative URLs
<u>	add underline to the text

<p>	paragraph
<param>	parameter for an object
<picture>	container for multiple image
<pre>	preformatted text
<progress>	progress of task
<q>	short quotation
<ruby>	specifies a ruby annotation
<s>	text that is no longer correct
<samp>	output from a computer program
<script>	client-side script
<section>	section in a document
<select>	drop-down list

<small>	smaller text
<source>	multiple media for media tags
	section in a document
	important text
<style>	style info for a document
<sub>	subscripted text
<summary>	heading for <details> element
<sup>	superscripted text
<svg>	container for SVG graphics
<table>	used for table
<tbody>	body content in a table
<td>	cell in a table

<code><map></code>	image map
<code><mark></code>	marked/highlighted text
<code><meta></code>	metadata for HTML document
<code><meter></code>	scalar measurement
<code><nav></code>	navigation links
<code><object></code>	container for an external ap
<code></code>	ol is used for ordered list
<code><optgroup></code>	group options in drop-down list
<code><option></code>	option in a drop-down list
<code><output></code>	result of a calculation
<code><noscript></code>	alternate content for users that do not support client-side scripts

<i>	make text italic
<iframe>	inline frame
	used for image
<input>	input control
<ins>	used to insert text
<kbd>	keyboard input
<label>	label for an <input> element
<legend>	caption for a <fieldset> element
	list item
<link>	used to link to external style
<main>	main content of a document
<wbr>	possible line-break

<embed>	for an external application
<fieldset>	Groups elements in a form
<figcaption>	caption for a <figure> element
<figure>	self-contained content
<footer>	footer for section
<form>	HTML form for user input
<h1> to <h6>	HTML headings
<head>	Contains metadata
<header>	header for section
<hr>	horizontal rule for separation
<html>	root of an HTML document
<video>	embedded video content

<data>	gives machine-readable value
<datalist>	list of options for input controls
<dd>	used to describe a term/name
	Add strike mark to the text
<details>	for additional details
<dfn>	to make text italic
<dialog>	dialog box or window
<div>	section in a document
<dl>	description list
<dt>	term/name in a description list
	emphasized text
<var>	used for variable

<bdi>	Bi-Directional Isolation
<bdo>	Overrides the text direction
<body>	document's body
 	single line break
<button>	clickable button
<canvas>	Used to draw graphics
<caption>	table caption
<cite>	title of a work
<code>	piece of computer code
<col>	used to styles entire columns
<colgroup>	group of one or more columns
	unordered list


<template>	used for re-used content
<textarea>	multiline input control
<tfoot>	Groups the footer content in tb
<th>	header cell in a table
<thead>	Groups the header content in tb
<time>	specific time (or datetime)
<title>	title for the document
<tr>	row in a table
<track>	text tracks for media elements



@DesignWithRehana



DesignWithRehana



**DM me if you have any
Queries**

Follow me



@DesignWithRehana



DesignWithRehana